

Built-in Appliances

2011/2012



BOSCH

Invented for life

Hoods.

Exxcel

Mid-range models with a broad range of extra features and benefits. Stylish and practical, yet exceptionally quiet. Our quietest model (DWB09E752B) runs at only 39 dBA – equivalent to a quiet conversation. Vapours and odours are powerfully drawn away at a maximum extraction rate of up to 820m³/h on the intensive setting. All models feature soft-touch electronic buttons, energy efficient LV halogen spotlights and dishwasher-safe multi-layer mesh filter system.



Avanti

Added value models with a good selection of features at a good price. Smart back-lit push button controls, 3 speeds and quiet operation as low as 40 dBA (selected models). Bright HV halogen lights come as standard, along with sleek brushed steel filter covers. Maximum extraction rate of up to 680m³/h.



Classi

Simple practical models offering Bosch build quality and value for money. Controlled with neat rocker switches or a sliding switch with a maximum extraction rate of up to 430m³/h. Quiet operation at 48 dBA on selected models. All models feature 3 speed operation, integral lighting and dishwasher-safe mesh filters for added convenience.





A cooker hood design for every kitchen.

Hidden, focal point, bevelled or glass? Our range of cooker hoods is designed to work brilliantly for you in terms of function and performance, whatever your style. The choice is yours.



Island

A stylish choice designed to perfectly complement an island hob installation.



L-shape

Customize your hood with mood lighting and décor panels.



Box style

Chimney hoods in a box design are also available with slim or super-slim box versions. New to the range are models with beveled lower edges for a really super-slim appearance.



Angled

Offers unrestricted headroom thanks to the angled design.



Curved glass

Metal and glass for a contemporary look, curved to give smooth lines.



Flat glass

A linear design in contemporary materials for a stylish kitchen.



Pyramid

Impress with classic lines and gently inclined contours.



Canopy

Designed to be fully integrated in cabinets/chimneys and are thus never seen.



Telescopic

Extends when in use and slides neatly away when not in operation.



Integrated

Pull out when in use and close to neatly conceal when not in operation.



Conventional

Mounted under cabinets and always visible, allowing you to keep your storage space.

Exceptionally quiet noise levels.

Relax in a quieter kitchen with your guests. We have standardised all our extractor motors using state-of-the-art technology, meaning quieter noise levels throughout the range. Many models have noise levels of only 43 dBA, the sound level of quiet conversation, with the quietest running at a library-quiet 39 dBA.



Metal grease filter

Efficiently filters grease and other solid particles out of the extracted air. To make sure they operate at maximum efficiency, they should be cleaned around twice a month by hand or in the dishwasher.



Brushed steel filter

The filter is concealed behind a stylish brushed steel cover with a brushed steel handle to hide grease build up, for a really sleek finish.



Rim ventilation filter

Looks exceptionally stylish with its smooth uninterrupted surface and is very easy to wash by hand or in the dishwasher. The patented filter sealing system, along with the flow-optimised multi-layer filter mats give an ultra-efficient grease separation level.



Standard lighting

Standard 40W screw fit filament bulbs, or the equivalent 28W halogen bulb for brilliant lighting.



Halogen spotlights

High or low voltage spots create an attractive, bright, even illumination of your cooking area, with the added advantage of lasting longer than standard bulbs.




L-design chimney hoods

Our unique L-design chimney hoods give you the opportunity to further enhance your kitchen design by choosing from a range of décor panels – brushed steel, premium white or premium black – so that you can perfectly coordinate your hood with your other Bosch kitchen appliances. The DWB099752B also features two vertical sidelights for ambient mood lighting.


Ducted extraction

Ducting out is the most effective method of extraction if the hood can be sited on an outside wall, or an outside wall can be reached via ducting. All our extractors are now standardized to facilitate a 150mm diameter outlet for maximum performance, although smaller ducting can be used if required. Please see our installation guide for further advice on best practise installation.



Recirculating kit

Odours are extracted and filtered, then purified air is returned to the room. The kit comprises a carbon filter and all components needed to ensure that odour free air is returned into the kitchen. To maintain performance, the carbon filter should be replaced on a regular basis. Recirculating kit needs to be purchased as a separate accessory (see installation guide for relevant accessory codes).



Quick and easy wall mounting system

We have re-designed our wall mounting system to make it superbly easy. In fact, it is so unique that it is now protected by a patent. The self-levelling "cam" rings allow you to adjust the fixings by up to a 6mm radius, simply and easily levelling the hood if the drill holes are not 100% level. This makes it possible for only one person to install and allows for secure, precise adjustment.

Variable power settings

All Bosch hoods feature multiple power settings. Many models also feature an intensive setting and automatic switch off. Depending on the model you choose, operation is via either a rocker switch, mechanical push button, standard electronic or top of the range Metal Touch controls.



Control: Rocker switch

3 power levels



Control: Mechanical push buttons

3 power levels with additional intensive setting. Back lit push buttons.



Control: Standard electronics

3 powers with additional intensive setting. Automatic switch back.





Control: Metal Touch control

3 power levels with additional intensive setting. Automatic switch back, filter saturation display, automatic after running.

Automatic after running

The hood continues running at a low speed for approximately 10 minutes after cooking and then turns itself off.



	<i>Exxcel</i> island chimney hood DIA09E751B brushed steel	<i>Exxcel</i> island chimney hood DIB09E850B brushed steel
		
Key features	<ul style="list-style-type: none"> – Electronic control – Electronic power level display 	<ul style="list-style-type: none"> – Electronic control – Electronic power level display
Design	<ul style="list-style-type: none"> – Designed for ceiling mounted installation – Height adjustable chimney sections – Brushed steel with glass canopy 	<ul style="list-style-type: none"> – Designed for ceiling mounted installation – Height adjustable chimney sections – Brushed steel canopy and chimney section
Features	<ul style="list-style-type: none"> – Soft touch button control – 3 power levels & intensive setting – Automatic intensive revert – 4 x 20W low energy halogen lights – 2 removable metal grease filter cassettes 	<ul style="list-style-type: none"> – Soft touch button control – 3 power levels & intensive setting – Automatic intensive revert – 4 x 20W low energy halogen lights – Additional noise reduction insulation – 3 removable metal grease filter cassettes
Performance/ technical info	<ul style="list-style-type: none"> – Suitable for ducted or recirculating operation – Maximum extraction rate 420 m³/h – Noise level according to EN 60704-3 and EN 60704-2-13 exhaust air: Max. normal use: 56 dB(A) re 1 pW (42 dB(A) re 20 µPa sound pressure) Intensive: 69 dB(A) re 1 pW (55 dB(A) re 20 µPa sound pressure) – Extractor hose 150 or 120mm 	<ul style="list-style-type: none"> – Suitable for ducted or recirculating operation – Maximum extraction rate 550 m³/h – Noise level according to EN 60704-3 and EN 60704-2-13 exhaust air: Max. normal use: 57 dB(A) re 1 pW (43 dB(A) re 20 µPa sound pressure) Intensive: 66 dB(A) re 1 pW (52 dB(A) re 20 µPa sound pressure) – Extractor hose 150 or 120mm
Optional accessories	<ul style="list-style-type: none"> – Recirculating kit DHZ5365 	<ul style="list-style-type: none"> – Recirculating kit DHZ5385





Excel L-design box chimney hood
DWB099752B brushed steel



Key features	<ul style="list-style-type: none"> – Electronic control – Rim ventilation – Grease and charcoal filter saturation indicators
Design	<ul style="list-style-type: none"> – Designed for wall mounted installation
Features	<ul style="list-style-type: none"> – Metal touch controls – 3 power levels & intensive setting – Automatic switch back – 4 x 20W low energy halogen lights – Softlight dimmer function – Fluorescent mood lighting – Automatic after-running (10 mins) – 2 removable metal grease filter cassettes
Performance/ technical info	<ul style="list-style-type: none"> – Suitable for ducted or recirculating operation – Maximum extraction rate 550 m³/h (intensive) – Noise level according to EN 60704-3 and EN 60704-2-13 exhaust air: Max. normal use: 56 dB(A) re 1 pW (42 dB(A) re 20 µPa sound pressure) Intensive: 64 dB(A) re 1 pW (50 dB(A) re 20 µPa sound pressure) – Extractor hose 150 or 120mm
Optional accessories	<ul style="list-style-type: none"> – Recirculating kit DSZ5100 – Décor panel premium white (see above) DSZ0620 – Décor panel premium black (see above) DSZ0630





	Avantfix L-design box chimney hood DWB093553B brushed steel	Exxxel box style chimney hood DWB09E752B brushed steel
		
Key features	<ul style="list-style-type: none"> – Charcoal filter saturation indicator 	<ul style="list-style-type: none"> – Electronic control – Electronic power level display
Design	<ul style="list-style-type: none"> – Designed for wall mounted installation – Brushed steel canopy and chimney section 	<ul style="list-style-type: none"> – Designed for wall mounted installation – Height adjustable chimney sections – Brushed steel canopy and chimney section
Features	<ul style="list-style-type: none"> – Push button control – 3 power levels & intensive setting – 4 x 20W low energy halogen lights – 2 removable metal grease filter cassettes 	<ul style="list-style-type: none"> – Soft touch button control – 3 power levels & intensive setting – Automatic intensive revert – 3 x 20W low energy halogen lights – Steel filter cover – 3 removable metal grease filter cassettes
Performance/ technical info	<ul style="list-style-type: none"> – Suitable for ducted or recirculating operation – Noise level according to EN 60704-3 and EN 60704-2-13 at maximum normal setting extraction rate: 59 dB(A) re 1 pW (45 dB(A) re 20 µPa sound pressure) Intensive: 65 dB(A) re 1 pW (51 dB(A) re 20 µPa sound pressure) – Extractor hose 150 or 120mm 	<ul style="list-style-type: none"> – Easy installation system – Suitable for ducted or recirculating operation – Maximum extraction rate 420 m³/h – Noise level according to EN 60704-3 and EN 60704-2-13 at maximum normal setting extraction rate: 53 dB(A) re 1 pW (39 dB(A) re 20 µPa sound pressure) Intensive: 66 dB (A) re 1 pW (52 dB (A) re 20 µPa sound pressure) – Extractor hose 150 or 120mm
Optional accessories	<ul style="list-style-type: none"> – Recirculating kit DSZ5100 – Décor panel premium white (see below) DSZ0620 – Décor panel premium black (see below) DSZ0660 	<ul style="list-style-type: none"> – Recirculating kit DHZ5345

**DWB06E752B brushed steel**

As DWB09E752BB except:

- 60 cm wide chimney extractor hood



Exxcel chimney hood with glass canopy DWA09E750B brushed steel		Exxcel chimney hood with glass canopy DWA09E650B brushed steel	
			
Key features	<ul style="list-style-type: none"> – Electronic control – Electronic power level display 	Key features	<ul style="list-style-type: none"> – Electronic control – Electronic power level display
Design	<ul style="list-style-type: none"> – Designed for wall mounted installation – Height adjustable chimney sections – Brushed steel with glass canopy 	Design	<ul style="list-style-type: none"> – Designed for wall mounted installation – Height adjustable chimney sections – Brushed steel with glass canopy
Features	<ul style="list-style-type: none"> – Soft touch button control – 3 power levels & intensive setting – Automatic intensive revert – 2 x 20W low energy halogen lights – 1 removable metal grease filter cassette 	Features	<ul style="list-style-type: none"> – Soft touch button control – 3 power levels & intensive setting – Automatic intensive revert – 2 x 20W low energy halogen lights – 1 removable metal grease filter cassette
Performance/ technical info	<ul style="list-style-type: none"> – Suitable for ducted or recirculating operation – Maximum extraction rate 420 m³/h – Noise level according to EN 60704-3 and EN 60704-2-13 exhaust air: Max. normal use: 56 dB(A) re 1 pW (42 dB(A) re 20 µPa sound pressure) Intensive: 69 dB(A) re 1 pW (55 dB(A) re 20 µPa sound pressure) – Extractor hose 150 or 120mm 	Performance/ technical info	<ul style="list-style-type: none"> – Easy installation system – Suitable for ducted or recirculating operation – Maximum extraction rate 430 m³/h – Noise level according to EN 60704-3 and EN 60704-2-13 exhaust air: Max. normal use: 57 dB(A) re 1 pW (43 dB(A) re 20 µPa sound pressure) Intensive: 67 dB(A) re 1 pW (53 dB(A) re 20 µPa sound pressure) – Extractor hose 150 or 120mm
Optional accessories	<ul style="list-style-type: none"> – Recirculating kit DHZ5325 	Optional accessories	<ul style="list-style-type: none"> – Recirculating kit DHZ5325

**DWA06E750B brushed steel**

As DWA09E750B except:

- 60 cm wide chimney extractor hood

**DWA07E650B brushed steel** – Available Autumn 2011

As DWA09E650B except:



- 70 cm wide chimney extractor hood

**DWA06E650B brushed steel**



As DWA09E650B except:

- 60 cm wide chimney extractor hood



	<i>Exxcel</i> angled chimney hood with glass canopy DWK09E850B brushed steel DWK09E820B white	<i>Exxcel</i> angled chimney hood with glass canopy DWK06E650B brushed steel
		
Key features	<ul style="list-style-type: none"> – Electronic control – Electronic power level display 	
Design	<ul style="list-style-type: none"> – Designed for wall mounted installation – Height adjustable chimney sections – Brushed steel with glass canopy 	<ul style="list-style-type: none"> – Designed for wall mounted installation – Height adjustable chimney sections – Brushed steel with glass canopy
Features	<ul style="list-style-type: none"> – Soft touch button control – 3 power levels & intensive setting – Automatic intensive revert – 2 x 20W low energy halogen lights – 2 removable metal grease filter cassettes 	<ul style="list-style-type: none"> – Soft touch button control – 3 power levels & intensive setting – 2 x 20W low energy halogen lights – 2 removable metal grease filter cassettes
Performance/ technical info	<ul style="list-style-type: none"> – Easy installation system – Suitable for ducted or recirculating operation – Maximum extraction rate 510 m³/h – Noise level according to EN 60704-3 and EN 60704-2-13 exhaust air: Max. normal use: 62 dB(A) re 1 pW (48 dB(A) re 20 µPa sound pressure) Intensive: 68 dB(A) re 1 pW (54 dB(A) re 20 µPa sound pressure) – Extractor hose 150 or 120mm 	<ul style="list-style-type: none"> – Easy installation system – Suitable for ducted or recirculating operation – Maximum extraction rate 420 m³/h – Noise level according to EN 60704-3 and EN 60704-2-13 exhaust air: Max. normal use: 56 dB(A) re 1 pW (42 dB(A) re 20 µPa sound pressure) Intensive: 67 dB(A) re 1 pW (53 dB(A) re 20 µPa sound pressure) – Extractor hose 150 or 120mm
Optional accessories	<ul style="list-style-type: none"> – Recirculating kit DHZ5325 	<ul style="list-style-type: none"> – Recirculating kit DHZ5325



Avantfix pyramid chimney hood DWW09D650B brushed steel		Classix box chimney hood DWB09W450B brushed steel	
			
Key features			
Design		<ul style="list-style-type: none"> - Designed for wall mounted installation - Height adjustable chimney sections - Brushed steel canopy and chimney section 	
Features		<ul style="list-style-type: none"> - Push button control - 3 power levels & intensive setting - 2 x 25W halogen lights - 3 removable metal grease filter cassettes 	
Performance/technical info		<ul style="list-style-type: none"> - Easy installation system - Suitable for ducted or recirculating operation - Maximum extraction rate 450 m³/h - Noise level according to EN 60704-3 and EN 60704-2-13 at maximum normal setting extraction rate: 54 dB(A) re 1 pW (40 dB(A) re 20 µPa sound pressure) - Intensive: 64 dB(A) re 1 pW (50 dB(A) re 20 µPa sound pressure) - Extractor hose 150 or 120mm 	
Optional accessories		<ul style="list-style-type: none"> - Recirculating kit DHZ5345 	

**DWW07D650B brushed steel**

As DWW09D650B except:

- 70 cm wide chimney extractor hood
- Recirculating kit DHZ5325

**DWW06D650B brushed steel**

As DWW09D650B except:

- 60 cm wide chimney extractor hood
- Recirculating kit DHZ5325

**DWB07W450B brushed steel**

As DWB09W450B except:



- 70 cm wide chimney extractor hood
- Recirculating kit DHZ5325

**DWB06W450B brushed steel**

As DWB09W450B except:

- 60 cm wide chimney extractor hood
- Recirculating kit DHZ5325



	<i>Classix</i> chimney hood with glass canopy DWA09W451B brushed steel	<i>Classix</i> chimney hood with glass canopy DWA09W450B brushed steel
		
Design	<ul style="list-style-type: none"> - Designed for wall mounted installation - Height adjustable chimney sections 	<ul style="list-style-type: none"> - Designed for wall mounted installation - Height adjustable chimney sections
Features	<ul style="list-style-type: none"> - Rocker switch control - 3 power levels - 2 x 25W halogen lights - 1 removable metal grease filter cassette 	<ul style="list-style-type: none"> - Rocker switch control - 3 power levels - 2 x 28 Watt halogen lights - 1 removable metal grease filter cassette
Performance/ technical info	<ul style="list-style-type: none"> - Easy installation system - Suitable for ducted or recirculating operation - Maximum extraction rate 430 m³/h - Noise level according to EN 60704-3 and EN 60704-2-13 at maximum normal setting extraction rate: 62 dB(A) re 1 pW (48 dB(A) re 20 µPa sound pressure) - Extractor hose 150 or 120mm 	<ul style="list-style-type: none"> - Easy installation system - Suitable for ducted or recirculating operation - Maximum extraction rate 430 m³/h - Noise level according to EN 60704-3 and EN 60704-2-13 at maximum normal setting extraction rate: 62 dB(A) re 1 pW (48 dB(A) re 20 µPa sound pressure) - Extractor hose 150 or 120mm
Optional accessories	<ul style="list-style-type: none"> - Recirculating kit DHZ5325 	<ul style="list-style-type: none"> - Recirculating kit DHZ5325

**DWA06W451B brushed steel**

As DWA09W451B except:

- 60 cm wide chimney extractor hood

**DWA07W450B brushed steel**

As DWA09W450B except:



- 70 cm wide chimney extractor hood

**DWA06W450B brushed steel**

As DWA09W450B except:

- 60 cm wide chimney extractor hood



	<i>Classix</i> chimney extractor hood DWW092460B black	<i>Classix</i> chimney extractor hood DWW091350B brushed steel
		
Design	<ul style="list-style-type: none"> – Designed for wall mounted installation – Height adjustable chimney sections 	<ul style="list-style-type: none"> – Designed for wall mounted installation – Height adjustable chimney sections
Features	<ul style="list-style-type: none"> – Rocker switch control – 3 power levels – 2 x 40W bulbs – 3 removable metal grease filter cassettes 	<ul style="list-style-type: none"> – Slider switch control – 2 power levels – 2 x 40W bulbs – 3 removable metal grease filter cassettes
Performance/ technical info	<ul style="list-style-type: none"> – Suitable for ducted or recirculating operation – Maximum extraction rate 400 m³/h – Noise level according to EN 60704-3 and EN 60704-2-13 at maximum normal setting extraction rate: 69 dB(A) re 1 pW (53 dB(A) re 20 µPa sound pressure) 	<ul style="list-style-type: none"> – Suitable for ducted or recirculating operation – Maximum extraction rate 320 m³/h – Noise level according to EN 60704-3 and EN 60704-2-13 at maximum normal setting extraction rate: 66 dB(A) re 1 pW (42 dB(A) re 20 µPa sound pressure)
Optional accessories	<ul style="list-style-type: none"> – Recirculating kit DHZ5145 	<ul style="list-style-type: none"> – Recirculating kit DHZ5145

**DWW062460B black**

As DWW092460 except:




- 60 cm wide chimney extractor hood
- 2 removable metal grease filters

**DWW061350B brushed steel**

As DWW091350B except:

- 60 cm wide chimney extractor hood
- 1 removable metal grease filter





	Telescopic hood DH1965VGB silver metallic lacquer (90cm) DH1665VGB silver metallic lacquer (60cm)	Telescopic hood DH1635HGB silver metallic lacquer
	 	
Key features	<ul style="list-style-type: none"> – Electronic control and power level display – Interval operation – Grease and charcoal filter saturation indicators – Variable control position 	
Features	<ul style="list-style-type: none"> – Soft touch button control – 3 power levels & intensive setting with auto switchback – 3 x 20W low energy halogen lights, (2 x 20W DH1665VGB) – Softlight dimmer function – Automatic after-running (10 mins) – 2 removable metal grease filter cassettes 	<ul style="list-style-type: none"> – Rocker switch control – 3 power levels – 2 x 40W bulbs – Double filter system – 2 removable metal grease filter cassettes
Performance/technical info	<ul style="list-style-type: none"> – Maximum extraction rate 450 m³/h – Noise level at maximum normal setting extraction rate: 59 dB(A) re 1 pW (47 dB(A) re 20 µPa sound pressure) – Intensive 62 dB(A) re 1 pW (50 dB(A) sound pressure) 	<ul style="list-style-type: none"> – Maximum extraction rate 400 m³/h – Noise level at maximum normal setting extraction rate: 64 dB(A) re 1 pW (52 dB(A) re 20 µPa sound pressure)
Optional accessories	<ul style="list-style-type: none"> – Recirculating kit DHZ4505 – Front profile DHZ4950 (90 cm), DHZ4650 (60cm) – Front profile with control opening DHZ4955 (90 cm), DHZ4655 (60 cm) 	<ul style="list-style-type: none"> – Recirculating kit DHZ4505 – Front profile DHZ4650





	Canopy hood DHL545SGB silver metallic lacquer	Canopy hood DHL535BGB silver metallic lacquer
Features	<ul style="list-style-type: none"> – Slider switch control – 3 power levels & intensive setting – 2 x 20W low energy halogen lights – 2 removable metal grease filter cassettes 	<ul style="list-style-type: none"> – Rocker switch control – 2 power levels & intensive setting – 2 x 40W bulbs – Paper grease filter
Performance/technical info	<ul style="list-style-type: none"> – Maximum extraction rate 400 m³/h (intensive) – Noise level at maximum normal setting extraction rate: 62 dB(A) re 1 pW (50 dB(A) re 20 µPa sound pressure) – Intensive 69 dB(A) re 1 pW (57 dB(A) sound pressure) 	<ul style="list-style-type: none"> – Maximum extraction 280 m³/h – Noise level at maximum normal setting extraction rate: 60 dB(A) re 1 pW (41 dB(A) re 20 µPa sound pressure) – Intensive 66 dB(A) re 1 pW (48 dB(A) sound pressure)
Optional accessories	<ul style="list-style-type: none"> – Charcoal odour filter DHZ7304 	<ul style="list-style-type: none"> – Paper grease filters DHZ2100 – Charcoal odour filter DHZ7304



	Integrated extractor DHE645MGB silver metallic lacquer	Integrated extractor DHE635BGB silver metallic lacquer
		
Design	– For installation between cupboards	– For installation between cupboards
Features	<ul style="list-style-type: none"> – Rocker switch control – 3 power levels – 2 x 40W bulbs – 2 removable metal grease filter cassettes 	<ul style="list-style-type: none"> – Rocker switch control – 3 power levels – 1 x 40W bulbs – Paper grease filter
Performance/ technical info	<ul style="list-style-type: none"> – Suitable for ducted or recirculating operation – Maximum extraction rate 360 m³/h – Noise level according to EN 60704-3 and EN 60704-2-13 at maximum normal setting extraction rate: 64 dB(A) re 1 pW (52 dB(A) re 20 µPa sound pressure) 	<ul style="list-style-type: none"> – Suitable for ducted or recirculating operation – Maximum extraction rate 280 m³/h – Noise level according to EN 60704-3 and EN 60704-2-13 at maximum normal setting extraction rate: 66 dB(A) re 1 pW (54 dB(A) re 20 µPa sound pressure)
Optional accessories	– Charcoal odour filter DSZ11AF	<ul style="list-style-type: none"> – Paper grease filters DHZ2100 – Charcoal odour filter DSZ11AF



	Built under conventional hood extractor DHU625MGB brushed steel	Built-under conventional hood extractor DHU635PGB brushed steel DHU636PGB black DHU632PGB white
		
Design	– Designed for wall mounted installation or suspended beneath a reduced height wall cupboard	<ul style="list-style-type: none"> – Designed for wall mounted installation or suspended beneath a reduced height wall cupboard – Adjustable vapour screen
Features	<ul style="list-style-type: none"> – Push button control – 3 power levels – 2 x 20W low energy halogen lights – 2 removable metal grease filter cassettes 	<ul style="list-style-type: none"> – Rocker switch control – 3 power levels – 1 x 40W bulbs – Paper grease filter
Performance/ technical info	<ul style="list-style-type: none"> – Suitable for ducted or recirculating operation – Maximum extraction rate 280 m³/h – Noise level according to EN 60704-3 and EN 60704-2-13 at maximum normal setting extraction rate: 65 dB(A) re 1 pW (57 dB(A) re 20 µPa sound pressure) 	<ul style="list-style-type: none"> – Suitable for ducted or recirculating operation – Maximum extraction rate 190 m³/h – Noise level according to EN 60704-3 and EN 60704-2-13 at maximum normal setting extraction rate: 64 dB(A) re 1 pW (52 dB(A) re 20 µPa sound pressure)
Optional accessories	– Charcoal odour filter DHZ2400	<ul style="list-style-type: none"> – Paper grease filters DHZ2100 – Charcoal odour filter DHZ1100

 **BOSCH**



Refrigeration.

Logixx

Our premium range, with exceptional cutting-edge features and extras. A beautiful combination of high convenience technology and intelligent design, from our XXI American-style fridge freezer with advanced MultiAirflow Cooling system, to our Day Light illumination, and Soft Close doors, to ensure the door always shuts, and without a sound. All with auto defrost function in the fridge or full frost-free systems that mean you never have to worry about defrosting again. Full width chrome bottle rack included in the fridge freezer.



Exxcel

Mid-range models with a broad range of extra features and benefits. Stylishly finished with aluminium trim, state-of-the-art features include SuperFreezing and SuperCool for maximum food protection when re-stocking the fridge or freezer and precise electronic temperature control.



Avantiixx

Added value models with a good selection of features at a good price. Electronic control and SuperFreezing come as standard. They are so efficient that all are at least rated A+ for energy efficiency.



Classixx

Simple, practical models offering Bosch build quality and value for money. All Classixx fridges and fridge freezers feature an auto defrost function in the fridge and airstream shelving for improved air circulation. All models are rated at least A+ for energy efficiency.





Cutting-edge technology that cuts energy costs too.

At Bosch we take energy efficiency very seriously, and we work hard to make our cooling products some of the most energy-efficient performers in the industry.



Save energy with a Bosch fridge or freezer

Unlike your washing machine or dishwasher, your fridge or freezer is on 24 hours a day, so it is especially important that the appliance does not waste energy. Our cooling products are among the most energy-efficient performers in the industry, minimising environmental damage and saving you money. Every model in our range has at least an A+ rating, and one model achieves an A++ in the EU Energy Efficiency rating scheme.

Longer lasting food is good for the environment

Thanks to the advanced technology incorporated into each and every Bosch refrigeration appliance, food stays fresher for longer. That means less food ends up in the rubbish bin. Plus more food can be bought in bulk, which means fewer shopping trips, and so less waste of natural resources.



Look out for this Bosch energy-efficiency symbol as it is there to help you identify our most energy efficient models.



Our refrigeration products are packed full of good ideas.

On average we throw away one third of all the food we buy. That equates to 6.7 million tons of food every year, enough to fill Wembley Stadium eight times!* Bosch refrigeration products are packed with innovative features and storage solutions to keep food fresher for longer. Meaning that less food ends up in the rubbish bin, which is good for the environment as well as your pocket.



*Source: Wrap – The Food We Waste, Executive Summary, 2008

Active Cooling

The temperature within a conventional fridge can be uneven, since warmer air rises. Bosch Active Cooling solves this problem by blowing cold air into all areas of the fridge by fan or rear wall venting. Sensor electronics maintain a constant temperature throughout the compartment to $\pm 1^{\circ}\text{C}$. Your food is protected against bacterial growth, and is kept fresher for longer.



SuperCool

Putting new food into your fridge causes the internal temperature to increase, so your fridge has to work harder to cool down, and the food already stored in there can get warmer. SuperCool will prepare your fridge by rapidly reducing the temperature, keeping the contents cool, and quickly cooling the new groceries down to 2°C .



SuperFreezing

Adding new food to the freezer raises the internal temperature, and the freezer has to work harder to avoid food already in there from warming-up, and possibly even part defrosting. The SuperFreezing function rapidly lowers the temperature in the freezer, ensuring that the fresh food is frozen food quickly, while surrounding frozen food stays frozen. So even when the door is open for longer periods, the contents are protected.



FrostFree

This system eliminates the formation of ice on food and the freezer interior, meaning you never have to worry about defrosting again. Intelligent electronics ensure that the defrost operation is only initiated when the appliance actually needs it.

Auto-defrost

Automatically defrosts the fridge at regular intervals without the need to switch off the appliance or remove the food stored.



Electronic temperature control

Accurate temperature control is essential to maximise the freshness of your food. Our premium fridge freezers feature accurate electronic control and temperature display for both fridge and freezer sections.

4 star freezer compartment

Bosch freezer compartments allow food to be stored below -18°C so that it can be stored for longer. As it is a 4 star compartment, you can freeze fresh food.

Airstream shelving

Air vents at the back of the shelf allow an increased level of air circulation within the fridge. This improved circulation leads to food staying fresher for longer due to a more even temperature within the fridge.

Humidity control

Allows adjustment of both temperature and humidity levels to maximise the shelf life of fruits and vegetables. Lettuce, for example should be stored at high air humidity compared to other fruit and vegetables.

Vegetable/Salad drawer with rippled base

Food will stay fresher for longer, as the ripple base technology helps improved air circulation around the produce.

Soft Close

It's the little things that make all the difference. Soft Close ensures that your fridge door is never left open by mistake. The special hinges mean you can push your door to and it will close silently without a 'clunk', and will never swing back open.



Day Light

This bright, white light will throw an attractive light on the produce on your fridge, illuminating the whole space brilliantly.

Flat hinge design

To facilitate the quick and easy fitting of secondary furniture doors, without the need for extra drilling. Easy to fit, this design offers an increased opening angle of 115° and features automatic door closing at an angle of less than 20° .

Sliding hinge design

Are attached to a slide connector pre fitted at the factory, which offers a simple low cost route to adding door furniture. It offers adjustment in depth and height for precise fitting.

Door open alarm

With this feature, if you inadvertently leave your freezer door ajar an alarm will sound so that you can prevent food spoilage. Then for extra peace of mind, there is a warning light that will illuminate to let you know immediately should the freezer reach a dangerously high temperature.



American-style Fridge Freezers.

Brilliant masterpieces in XXL format, the new Bosch American-style fridge freezers will easily cope with the demands of a large family, and make a bold design statement too.



High capacity with stylish design

Choose from classic steel look, with fingerprint resistant finish, sleek, chic gloss black, or the stunning white high-gloss glass front model.



Saving a further 20% of energy with A+

The Bosch American-style models set the standard in high-performance refrigeration technology combined with outstanding environmental-friendliness. All models have an A+ energy efficiency rating and are up to 20% more economical than energy efficiency class A.



In-door electronic controls

All models feature fully electronic controls set conveniently into the door exterior, giving you precise fingertip control of the temperature of both the fridge and freezer compartments.

In-door ice and chilled water dispenser

The in-door ice and chilled water dispenser gives you the choice of chilled, filtered water, crushed ice and ice cubes – up to 140 every 24 hours.

AirFresh filter

Lasting the lifetime of the appliance, the AirFresh filter ensures that odours in the fridge are reduced, and the transfer of food smells is minimised.



FreshProtectBox

Our top-of-the-range model features a separate compartment with independent temperature control. Conveniently accessible on smooth-running telescopic rails, the multi-purpose FreshProtectBox keeps food items fresher for longer. With 3 temperature settings: 4°C, 2°C and 0°C, it can be used to store different foods like fish, meat, vegetables, fruit or dairy products, at the most appropriate temperature for the food type.



EasyLift safety glass shelf

The EasyLift safety glass shelf on our top of the range model can be raised or lowered without emptying it first – convenient, flexible, easy.

Dazzling illumination

The interiors of our American-style fridge freezers shine with exceptionally bright lighting for optimum viewing.



Separate cooling systems

A separate evaporator for the fridge and freezer sections, not only prevents the transfer of flavours, but also allows the fridge and freezer temperatures to be controlled separately.



Logixx American-style fridge freezer KAD62S21 premium white glass



Performance

- Energy efficiency class: A+ (486 kWh per year). Actual energy consumption will depend on how the appliance is used and where it is located
- Approximate annual running cost £58.32*
- Total net capacity: 528 litres
- Net fridge capacity: 351 litres
- Net freezer capacity: 177 litres
- Freezing capacity in 24 hours: 12 kg
- Maximum freezer storage time in power failure: 16 hours
- Noise level dB(A) re 1 pW: 44
- Climate class SN-T (suitable for room temperatures between 10 to 43°C)

Key features

- Frost free freezer
- Auto defrost function in fridge
- Two separate cooling circuits allow independent temperature control and prevents the transference of humidity between the fridge and freezer cavity
- MultiAirflow system – improves circulation of air around the fridge
- In-door ice and water dispenser: chilled water, crushed ice, ice cubes
- FreshProtectBox – temperature controlled vegetable container with three temperature settings
- Day light-bright interior lighting
- Removable magnetic door seals – easy to clean and to replace

Additional features

- 4 safety glass shelves in fridge compartment of which 3 are height adjustable
- EasyLift glass shelf
- 2 vegetable/salad containers
- AirFresh filter – reduces strong odours
- Metal bottle rack
- 2 freezer drawers
- Ice cube output: 1.7 kg/24 hours
- Fixed water connection with a 3m hose supplied
- Internal water filter
- Left hinged/right hinged door
- 4 height adjustable feet

Functions

- SuperCool function with automatic deactivation
- SuperFreezing function with automatic deactivation
- Economy setting, child lock, holiday mode
- Door open warning signal: optical and acoustic
- Malfunction warning signal: optical and acoustic

Design

- White door and painted sides
- Electronic control
- Dimensions: 175.6 cm H x 91 cm W x 76.1 cm D

* Based on an average figure of 12p per kWh including VAT



Exxcel American-style fridge freezer KAD62V40GB stainless steel look	
<div><div><div>Energy</div><div>A+</div></div><div><div>FrostFree</div><div></div></div><div><div>IceMaker</div><div></div></div><div><div>MultiAirflow</div><div></div></div><div><div>WaterFilter</div><div></div></div><div><div>SuperCool</div><div></div></div><div><div>SuperFreeze</div><div></div></div><div><div>Electronic Control</div><div></div></div></div>	
Performance	<ul style="list-style-type: none">– Energy efficiency class: A+ (476 kWh per year). Actual energy consumption will depend on how the appliance is used and where it is located– Approximate annual running cost £57.12*– Total net capacity: 562 litres– Net fridge capacity: 385 litres– Net freezer capacity: 177 litres– Freezing capacity in 24 hours: 12 kg– Maximum freezer storage time in power failure: 16 hours– Noise level dB(A) re 1 pW: 44– Climate class SN-T (suitable for room temperatures between 10 to 43°C)
Key features	<ul style="list-style-type: none">– Frost free freezer– Auto defrost function in fridge– Two separate cooling circuits allow independent temperature control and prevents the transference of humidity between the fridge and freezer cavity– MultiAirflow system – improves circulation of air around the fridge– In-door ice and water dispenser: chilled water, crushed ice, ice cubes– Day light-bright interior lighting– Removable magnetic door seals – easy to clean and to replace
Additional features	<ul style="list-style-type: none">– 4 safety glass shelves in fridge compartment of which 3 are height adjustable– Pull out vegetable container, 2 vegetable/salad containers– 2 freezer drawers– Ice cube output: 1.7 kg/24 hours– Fixed water connection with a 3m hose supplied– Internal water filter– Left hinged/right hinged door– 4 height adjustable feet
Functions	<ul style="list-style-type: none">– SuperCool function with automatic deactivation– SuperFreezing function with automatic deactivation– Door open warning signal: optical and acoustic– Malfunction warning signal: optical and acoustic
Design	<ul style="list-style-type: none">– Stainless steel look door and painted sides– Electronic control– Dimensions: 175.6 cm H x 91 cm W x 76.1 cm D

* Based on an average figure of 12p per kWh including VAT



Avantixx American-style fridge freezer KAN62V41GB stainless steel look



Performance	<ul style="list-style-type: none"> – Energy efficiency class: A+ (520 kWh per year). Actual energy consumption will depend on how the appliance is used and where it is located – Approximate annual running cost £62.40* – Total net capacity: 604 litres – Net fridge capacity: 385 litres – Net freezer capacity: 219 litres – Freezing capacity in 24 hours: 12 kg – Maximum freezer storage time in power failure: 16 hours – Noise level dB(A) re 1 pW: 44 – Climate class SN-T (suitable for room temperatures between 10 to 43°C)
Key features	<ul style="list-style-type: none"> – Frost free freezer – Auto defrost function in fridge – Two separate cooling circuits allow independent temperature control and prevents the transference of humidity between the fridge and freezer cavity – MultiAirflow system – improves circulation of air around the fridge – Twist ice dispenser in freezer – Day light-bright interior lighting – Removable magnetic door seals – easy to clean and to replace
Additional features	<ul style="list-style-type: none"> – 4 safety glass shelves in fridge compartment of which 3 are height adjustable – 2 vegetable/salad containers – 2 freezer drawers – Left hinged/right hinged door – 4 height adjustable feet
Functions	<ul style="list-style-type: none"> – SuperCool function with automatic deactivation – SuperFreezing function with automatic deactivation – Door open warning signal: optical and acoustic – Malfunction warning signal: optical and acoustic
Design	<ul style="list-style-type: none"> – Stainless steel look door and painted sides – Electronic control – Dimensions: 175.6 cm H x 91 cm W x 76.1 cm D

* Based on an average figure of 12p per kWh including VAT





Black edition american-style fridge freezer KAN58A55GB black	
<div><div><div>Energy A+</div><div>FrostFree</div><div>MultiAirflow</div><div>SafetyGlass</div><div>SuperCool</div><div>SuperFreeze</div><div>ElectronicControl</div><div>177cm</div></div></div>	
Performance	<ul style="list-style-type: none">- Energy efficiency class: A+ (438 kWh per year). Actual energy consumption will depend on how the appliance is used and where it is located- Approximate annual running cost £52.56*- Total net capacity: 531 litres- Net fridge capacity: 356 litres- Net freezer capacity: 175 litres- Freezing capacity in 24 hours: 10 kg- Maximum freezer storage time in power failure: 5 hours- Noise level dB(A) re 1 pW: 45- Climate class SN-T (suitable for room temperatures between 10 to 43°C)
Key features	<ul style="list-style-type: none">- Frost free freezer- Auto defrost function in fridge- MultiAirflow system – improves circulation of air around the fridge- In-door ice and water dispenser: chilled water, crushed ice, ice cubes- Bright interior lighting
Additional features	<ul style="list-style-type: none">- 3 safety glass shelves in fridge compartment of which 2 are height adjustable- 2 freezer drawers- Freezer light- Ice cube output: 0.9 kg/24 hours- Fixed water connection with a 3m hose supplied- Left hinged/right hinged door- 4 height adjustable feet
Functions	<ul style="list-style-type: none">- SuperCool function with automatic deactivation- SuperFreezing function with automatic deactivation- Child lock- Door open warning signal: Optical and acoustic
Design	<ul style="list-style-type: none">- Black door and painted sides- Electronic control- Dimensions: 180 cm H x 90.3 cm W x 67.45 cm D

* Based on an average figure of 12p per kWh including VAT



Logixx built-in fridge freezer KIN32A55GB white



Performance	<ul style="list-style-type: none"> – Energy efficiency class: A+ (314 kWh per year). Actual energy consumption will depend on how the appliance is used and where it is located – Approximate annual running cost £37.68* – Total net capacity: 233 litres – Net fridge capacity: 147 litres – Net freezer capacity: 86 litres – Freezing capacity in 24 hours: 7 kg – Maximum freezer storage time in power failure: 22 hours – Noise level dB(A) re 1 pW: 40 – Climate class SN-T (suitable for room temperatures between 10 to 43°C)
Key features	<ul style="list-style-type: none"> – Frost Free – Auto defrost function in fridge – Active Cooling – interior fridge fan – Removable magnetic door seals – easy to clean and to replace
Additional features	<ul style="list-style-type: none"> – 4 safety glass shelves in fridge compartment of which 3 are height adjustable – 2 vegetable/salad containers – Internal fridge light – Metal bottle rack – SuperFreezing freezer – 4 transparent freezer drawers – Right hinged door, door reversible
Functions	<ul style="list-style-type: none"> – SuperFreezing function with automatic deactivation – Door open warning signal: yes – Malfunction warning signal: optical, acoustic
Design	<ul style="list-style-type: none"> – Flat hinge – SoftClosing door – dampens door movement, for smooth and effortless closure – Electronic control – Dimensions: 177.2 cm H x 53.8 cm W x 53.3 cm D – Niche dimensions: 177.5 cm H x 56.2 cm W x 55 cm D

* Based on an average figure of 12p per kWh including VAT



Exxel built-in fridge freezer KIN32A50GB white



Performance	<ul style="list-style-type: none"> – Energy efficiency class: A+ (314 kWh per year). Actual energy consumption will depend on how the appliance is used and where it is located – Approximate annual running cost £37.68* – Total net capacity: 233 litres – Net fridge capacity: 147 litres – Net freezer capacity: 86 litres – Freezing capacity in 24 hours: 7 kg – Maximum freezer storage time in power failure: 22 hours – Noise level dB(A) re 1 pW: 40 – Climate class SN-T (suitable for room temperatures between 10 to 43°C)
Key features	<ul style="list-style-type: none"> – Frost Free – Auto defrost function in fridge – Active Cooling – interior fridge fan – Removable magnetic door seals – easy to clean and to replace
Additional features	<ul style="list-style-type: none"> – 4 safety glass shelves in fridge compartment of which 3 are height adjustable – 2 vegetable/salad containers – Small pull out fridge tray – Internal fridge light – SuperFreezing freezer – 4 transparent freezer drawers – Right hinged door, door reversible
Functions	<ul style="list-style-type: none"> – SuperFreezing function with automatic deactivation – Door open warning signal: yes – Malfunction warning signal: optical, acoustic
Design	<ul style="list-style-type: none"> – Flat hinge – Electronic control – Dimensions: 177.2 cm H x 53.8 cm W x 53.3 cm D – Niche dimensions: 177.5 cm H x 56.2 cm W x 55 cm D

* Based on an average figure of 12p per kWh including VAT



Avantix built-in fridge freezer
KIV32A50GB white

Avantix built-in fridge freezer
KIV38A51GB white



Performance	<ul style="list-style-type: none"> – Energy efficiency class: A+ (300 kWh per year). Actual energy consumption will depend on how the appliance is used and where it is located – Approximate annual running cost £36.00* – Total net capacity: 262 litres – Net fridge capacity: 168 litres – Net freezer capacity: 94 litres – Freezing capacity in 24 hours: 6 kg – Maximum freezer storage time in power failure: 24 hours – Noise level dB(A) re 1 pW: 40 – Climate class SN-ST (suitable for room temperatures between 10 to 38°C) 	<ul style="list-style-type: none"> – Energy efficiency class: A+ (290 kWh per year). Actual energy consumption will depend on how the appliance is used and where it is located – Approximate annual running cost £34.80* – Total net capacity: 281 litres – Net fridge capacity: 222 litres – Net freezer capacity: 59 litres – Freezing capacity in 24 hours: 6 kg – Maximum freezer storage time in power failure: 22 hours – Noise level dB(A) re 1 pW: 40 – Climate class SN-ST (suitable for room temperatures between 10 to 38°C)
Key features	<ul style="list-style-type: none"> – Manual defrost freezer – Auto defrost function in fridge – Removable magnetic door seals – easy to clean and to replace 	<ul style="list-style-type: none"> – Manual defrost freezer – Auto defrost function in fridge – Removable magnetic door seals – easy to clean and to replace
Additional features	<ul style="list-style-type: none"> – 4 safety glass shelves in fridge compartment of which 3 are height adjustable – 1 vegetable/salad container – Small pull out fridge tray – Internal fridge light – SuperFreezing freezer – 4 transparent freezer drawers – Right hinged door, door reversible 	<ul style="list-style-type: none"> – 5 safety glass shelves in fridge compartment of which 4 are height adjustable – 1 vegetable/salad container – Small pull out fridge tray – Internal fridge light – SuperFreezing freezer – 3 transparent freezer drawers – Right hinged door, door reversible
Functions	<ul style="list-style-type: none"> – SuperFreezing function with automatic deactivation 	<ul style="list-style-type: none"> – SuperFreezing function with automatic deactivation
Design	<ul style="list-style-type: none"> – Flat hinge – Electronic control – Dimensions: 177.2 cm H x 54.1 cm W x 54.5 cm D – Niche dimensions: 177.5 cm H x 56.2 cm W x 55 cm D 	<ul style="list-style-type: none"> – Flat hinge – Electronic control – Dimensions: 177.2 cm H x 54.1 cm W x 54.5 cm D – Niche dimensions: 177.5 cm H x 56.2 cm W x 55 cm D

* Based on an average figure of 12p per kWh including VAT



Classixx built-in fridge freezer
KIV38V20GB white

Classixx built-in fridge freezer
KIV32V20GB white



Performance	<ul style="list-style-type: none"> – Energy efficiency class: A+ (290 kWh per year). Actual energy consumption will depend on how the appliance is used and where it is located – Approximate annual running cost £34.80* – Total net capacity: 279 litres – Net fridge capacity: 219 litres – Net freezer capacity: 60 litres – Freezing capacity in 24 hours: 3 kg – Maximum freezer storage time in power failure: 13 hours – Noise level dB(A) re 1 pW: 40 – Climate class ST (suitable for room temperatures between 18 to 38°C) 	<ul style="list-style-type: none"> – Energy efficiency class: A+ (300 kWh per year). Actual energy consumption will depend on how the appliance is used and where it is located – Approximate annual running cost £36.00* – Total net capacity: 262 litres – Net fridge capacity: 167 litres – Net freezer capacity: 95 litres – Freezing capacity in 24 hours: 4.5 kg – Maximum freezer storage time in power failure: 13 hours – Noise level dB(A) re 1 pW: 40 – Climate class ST (suitable for room temperatures between 18 to 38°C)
Key features	<ul style="list-style-type: none"> – Manual defrost freezer – Auto defrost function in fridge – Removable magnetic door seals – easy to clean and to replace 	<ul style="list-style-type: none"> – Manual defrost freezer – Auto defrost function in fridge – Removable magnetic door seals – easy to clean and to replace
Additional features	<ul style="list-style-type: none"> – 5 safety glass shelves in fridge compartment of which 4 are height adjustable – 1 vegetable/salad container – Interior fridge light – *** freezer – 3 transparent freezer drawers – Right hinged door, door reversible 	<ul style="list-style-type: none"> – 3 safety glass shelves in fridge compartment of which 2 are height adjustable – 1 vegetable/salad container – Interior fridge light – *** freezer – 4 transparent freezer drawers – Right hinged door, door reversible
Design	<ul style="list-style-type: none"> – Sliding hinge – Mechanical control – Dimensions: 177.2 cm H x 54.1 cm W x 54.5 cm D – Niche dimensions: 177.5 cm H x 56.2 cm W x 55 cm D 	<ul style="list-style-type: none"> – Sliding hinge – Mechanical control – Dimensions: 177.2 cm H x 54.1 cm W x 54.5 cm D – Niche dimensions: 177.5 cm H x 56.2 cm W x 55 cm D

* Based on an average figure of 12p per kWh including VAT



	Logixx built-in fridge KIR38A55GB white	Logixx built-in freezer GIN38A55GB white
Performance	<ul style="list-style-type: none"> Energy efficiency class: A+ (149 kWh per year). Actual energy consumption will depend on how the appliance is used and where it is located Approximate annual running cost £17.88* Total net capacity: 308 litres Noise level dB(A) re 1 pW: 38 Climate class SN-ST (suitable for room temperatures between 10 to 38°C) 	<ul style="list-style-type: none"> Energy efficiency class: A+ (325 kWh per year). Actual energy consumption will depend on how the appliance is used and where it is located Approximate annual running cost £39.00* Total net capacity: 213 litres Freezing capacity in 24 hours: 25 kg Maximum freezer storage time in power failure: 11 hours Noise level dB(A) re 1 pW: 40 Climate class SN-T (suitable for room temperatures between 10 and 43°C)
Key features	<ul style="list-style-type: none"> Auto defrost function in fridge Active Cooling – interior fridge fan Removable magnetic door seals – easy to clean and to replace 	<ul style="list-style-type: none"> Frost free freezer Bright interior LED light Removable magnetic door seals – easy to clean and to replace
Additional features	<ul style="list-style-type: none"> 7 safety glass shelves in fridge compartment of which 6 are height adjustable 2 vegetable/salad containers Small pull out fridge tray Day light-bright interior lighting Right hinged door, door reversible 	<ul style="list-style-type: none"> **** freezer 5 freezer drawers, including 1 extra large Big Box drawer 6 safety glass shelves between freezer drawers 2 freezer flaps with glass shelves Door left hinged, door reversible
Functions	<ul style="list-style-type: none"> SuperCool function with automatic deactivator 	<ul style="list-style-type: none"> SuperFreezing function with automatic deactivation Door open warning signal: optical and acoustic Malfunction warning signal: optical and acoustic
Design	<ul style="list-style-type: none"> Flat hinge SoftClosing door – dampens door movement, for smooth and effortless closure Electronic control Dimensions: 177.2 cm H x 53.8 cm W x 53.3 cm D Niche dimensions: 177.5 cm H x 56 cm W x 55 cm D 	<ul style="list-style-type: none"> Flat hinge SoftClosing door – dampens door movement, for smooth and effortless closure Electronic control Dimensions: 177.2 cm H x 55.6 cm W x 54.5 cm D Niche dimensions: 177.5 cm H x 56 cm W x 55 cm D

* Based on an average figure of 12p per kWh including VAT



	Exxcel built-in fridge with ice-box KIL38A50GB white	Exxcel built-in fridge with ice-box KIL24A50GB white
Performance	<ul style="list-style-type: none"> – Energy efficiency class: A+ (278 kWh per year). Actual energy consumption will depend on how the appliance is used and where it is located – Approximate annual running cost £33.68* – Total net capacity: 282 litres – Net fridge capacity: 246 litres – Net freezer capacity: 36 litres – Freezing capacity in 24 hours: 3 kg – Maximum freezer storage time in power failure: 18 hours – Noise level dB(A) re 1 pW: 39 – Climate class SN-ST (suitable for room temperatures between 10 to 38°C) 	<ul style="list-style-type: none"> – Energy efficiency class: A+ (235 kWh per year). Actual energy consumption will depend on how the appliance is used and where it is located – Approximate annual running cost £28.20* – Total net capacity: 206 litres – Net fridge capacity: 189 litres – Net freezer capacity: 17 litres – Freezing capacity in 24 hours: 2 kg – Maximum freezer storage time in power failure: 12 hours – Noise level dB(A) re 1 pW: 37 – Climate class SN-ST (suitable for room temperatures between 10 to 38°C)
Key features	<ul style="list-style-type: none"> – Auto defrost function in fridge – Ice box – Removable magnetic door seals – easy to clean and to replace 	<ul style="list-style-type: none"> – Auto defrost function in fridge – Ice box – Removable magnetic door seals – easy to clean and to replace
Additional features	<ul style="list-style-type: none"> – 5 safety glass shelves in fridge compartment of which 4 are height adjustable – 2 vegetable/salad containers – Small pull out fridge tray – Internal fridge light – freezer – Right hinged door, door reversible 	<ul style="list-style-type: none"> – 5 safety glass shelves in fridge compartment of which 4 are height adjustable – 1 vegetable/salad container – Small pull out fridge tray – Internal fridge light – freezer – Right hinged door, door reversible
Functions	<ul style="list-style-type: none"> – SuperCool function with automatic deactivation – Door open warning signal: optical 	<ul style="list-style-type: none"> – SuperCool function with automatic deactivation
Design	<ul style="list-style-type: none"> – Flat hinge – Electronic control – Dimensions: 177.2 cm H x 53.8 cm W x 53.3 cm D – Niche dimensions: 177.5 cm H x 56 cm W x 55 cm D 	<ul style="list-style-type: none"> – Flat hinge – Electronic control – Dimensions: 122.1 cm H x 54.1 cm W x 54.2 cm D – Niche dimensions: 122.5 cm H x 56 cm W x 55 cm D

* Based on an average figure of 12p per kWh including VAT



	Exxel built-in fridge KIR24A50GB white	Classix built-in fridge KIR24V20GB white
Performance	<ul style="list-style-type: none"> – Energy efficiency class: A+ (138 kWh per year). Actual energy consumption will depend on how the appliance is used and where it is located – Approximate annual running cost £16.56* – Total net capacity: 226 litres – Noise level dB(A) re 1 pW: 34 – Climate class SN-ST (suitable for room temperatures between 10 to 38°C) 	<ul style="list-style-type: none"> – Energy efficiency class: A+ (138 kWh per year). Actual energy consumption will depend on how the appliance is used and where it is located – Approximate annual running cost £16.56* – Total net capacity: 224 litres – Noise level dB(A) re 1 pW: 34 – Climate class SN-ST (suitable for room temperatures between 10 to 38°C)
Key features	<ul style="list-style-type: none"> – Auto defrost function in fridge – Removable magnetic door seals – easy to clean and to replace 	<ul style="list-style-type: none"> – Auto defrost function in fridge – Removable magnetic door seals – easy to clean and to replace
Additional features	<ul style="list-style-type: none"> – 6 safety glass shelves in fridge compartment of which 5 are height adjustable – 1 vegetable/salad container – Small pull out fridge tray – Interior fridge light – Right hinged door, door reversible 	<ul style="list-style-type: none"> – 6 safety glass shelves in fridge compartment of which 5 are height adjustable – 1 vegetable/salad container – Interior fridge light – Right hinged door, door reversible
Functions	<ul style="list-style-type: none"> – SuperCool function with automatic deactivation 	
Design	<ul style="list-style-type: none"> – Flat hinge – Electronic control – Dimensions: 122.1 cm H x 54.1 cm W x 54.2 cm D – Niche dimensions: 122.5 cm H x 56 cm W x 55 cm D 	<ul style="list-style-type: none"> – Sliding hinge – Mechanical control – Dimensions: 122.1 cm H x 54.1 cm W x 54.2 cm D – Niche dimensions: 122.5 cm H x 56 cm W x 55 cm D








* Based on an average figure of 12p per kWh including VAT



	Exxcel built-in fridge KIR18A51GB white	Exxcel built-in freezer GID18A50GB white
Performance	<ul style="list-style-type: none"> – Energy efficiency class: A+ (129 kWh per year). Actual energy consumption will depend on how the appliance is used and where it is located – Approximate annual running cost £15.48* – Total net capacity: 153 litres – Noise level dB(A) re 1 pW: 34 – Climate class SN-ST (suitable for room temperatures between 10 to 38°C) 	<ul style="list-style-type: none"> – Energy efficiency class: A+ (204 kWh per year). Actual energy consumption will depend on how the appliance is used and where it is located – Approximate annual running cost £24.48* – Total net capacity: 97 litres – Freezing capacity in 24 hours: 12 kg – Maximum freezer storage time in power failure: 25 hours – Noise level dB(A) re 1 pW: 36 – Climate class SN-ST (suitable for room temperatures between 10 to 38°C)
Key features	<ul style="list-style-type: none"> – Auto defrost function in fridge – Removable magnetic door seals – easy to clean and to replace 	<ul style="list-style-type: none"> – Manual defrost freezer – Removable magnetic door seals – easy to clean and to replace
Additional features	<ul style="list-style-type: none"> – 4 safety glass shelves in fridge compartment of which 3 are height adjustable – 1 vegetable/salad container – Small pull out fridge tray – Internal fridge light – Right hinged door, door reversible 	<ul style="list-style-type: none"> – freezer – 4 freezer drawers – Right hinged door, door reversible
Functions	<ul style="list-style-type: none"> – SuperCool function with automatic deactivation 	<ul style="list-style-type: none"> – SuperFreezing function with manual deactivation – Malfunction warning signal: optical, acoustic
Design	<ul style="list-style-type: none"> – Flat hinge – Electronic control – Dimensions: 87.4 cm H x 54.1 cm W x 54.2 cm D – Niche dimensions: 88 cm H x 56 cm W x 55 cm D 	<ul style="list-style-type: none"> – Flat hinge – Mechanical control – Dimensions: 87.4 cm H x 54.1 cm W x 54.2 cm D – Niche dimensions: 88 cm H x 56 cm W x 55 cm D

* Based on an average figure of 12p per kWh including VAT



	Classixx built-in fridge KIR18V20GB white	Classixx built-in freezer GID18A20GB white
	  	  
Performance	<ul style="list-style-type: none"> – Energy efficiency class: A+ (129 kWh per year). Actual energy consumption will depend on how the appliance is used and where it is located – Approximate annual running cost £15.48* – Total net capacity: 151 litres – Noise level dB(A) re 1 pW: 34 – Climate class SN-ST (suitable for room temperatures between 10 to 38°C) 	<ul style="list-style-type: none"> – Energy efficiency class: A+ (204 kWh per year). Actual energy consumption will depend on how the appliance is used and where it is located – Approximate annual running cost £24.48* – Total net capacity: 97 litres – Freezing capacity in 24 hours: 12 kg – Maximum freezer storage time in power failure: 25 hours – Noise level dB(A) re 1 pW: 36 – Climate class SN-ST (suitable for room temperatures between 10 to 38°C)
Key features	<ul style="list-style-type: none"> – Auto defrost function in fridge – Removable magnetic door seals – easy to clean and to replace 	<ul style="list-style-type: none"> – Manual defrost freezer – Removable magnetic door seals – easy to clean and to replace
Additional features	<ul style="list-style-type: none"> – 4 safety glass shelves in fridge compartment of which 3 are height adjustable – 1 vegetable/salad container – Interior fridge light – Right hinged door, door reversible 	<ul style="list-style-type: none"> –  freezer – 4 freezer drawers – Right hinged door, door reversible
Functions		<ul style="list-style-type: none"> – SuperFreezing function with manual deactivation – Malfunction warning signal: optical and acoustic
Design	<ul style="list-style-type: none"> – Sliding hinge – Mechanical control – Dimensions: 87.4 cm H x 54.1 cm W x 54.2 cm D – Niche dimensions: 88 cm H x 56 cm W x 55 cm D 	<ul style="list-style-type: none"> – Sliding hinge – Mechanical control – Dimensions: 87.4 cm H x 54.1 cm W x 54.2 cm D – Niche dimensions: 88 cm H x 56 cm W x 55 cm D

* Based on an average figure of 12p per kWh including VAT



	Classixx built-under fridge KUR15A50GB white	Classixx built-under freezer GUD15A50GB white
Performance	<ul style="list-style-type: none"> – Energy efficiency class: A+ (124 kWh per year). Actual energy consumption will depend on how the appliance is used and where it is located – Approximate annual running cost £14.48* – Total net capacity: 141 litres – Noise level dB(A) re 1 pW: 38 – Climate class SN-ST (suitable for room temperatures between 10 to 38°C) 	<ul style="list-style-type: none"> – Energy efficiency class: A+ (193 kWh per year). Actual energy consumption will depend on how the appliance is used and where it is located – Approximate annual running cost £23.16* – Total net capacity: 98 litres – Freezing capacity in 24 hours: 12 kg – Maximum freezer storage time in power failure: 24 hours – Noise level dB(A) re 1 pW: 38 – Climate class SN-ST (suitable for room temperatures between 10 to 38°C)
Key features	<ul style="list-style-type: none"> – Auto defrost function in fridge – Removable magnetic door seals – easy to clean and to replace 	<ul style="list-style-type: none"> – Manual defrost freezer – Removable magnetic door seals – easy to clean and to replace
Additional features	<ul style="list-style-type: none"> – 3 safety glass shelves in fridge compartment of which 3 are height adjustable – 1 vegetable/salad container – Large pull out drawer – Day light-bright interior lighting – Right hinged door, door reversible – Ventilation through plinth, no cutting of worktop required 	<ul style="list-style-type: none"> – freezer – 3 freezer drawers – Right hinged door, door reversible – Ventilation through plinth, no cutting of worktop required
Functions		<ul style="list-style-type: none"> – SuperFreeze function with manual deactivation – Door open warning signal: yes – Malfunction warning signal: optical, acoustic
Design	<ul style="list-style-type: none"> – Flat hinge – Mechanical control – Dimensions: 82 cm H x 59.8 cm W x 54.8 cm D – Niche dimensions: 82 cm H x 60 cm W x 55 cm D 	<ul style="list-style-type: none"> – Flat hinge – Mechanical control – Dimensions: 82 cm H x 59.8 cm W x 54.8 cm D – Niche dimensions: 82 cm H x 60 cm W x 55 cm D

* Based on an average figure of 12p per kWh including VAT



Classix built-under fridge
KUL15A60GB white



Performance	<ul style="list-style-type: none"> – Energy efficiency class: A++ (140 kWh per year). Actual energy consumption will depend on how the appliance is used and where it is located – Approximate annual running cost £16.80* – Total net capacity: 125 litres – Freezing capacity in 24 hours: 2 kg – Maximum freezer storage time in power failure: 12 hours – Noise level dB(A) re 1 pW: 38 – Climate class SN-ST (suitable for room temperatures between 10 to 38°C)
Key features	<ul style="list-style-type: none"> – Auto defrost function in fridge – Ice box – Removable magnetic door seals – easy to clean and to replace
Additional features	<ul style="list-style-type: none"> – 2 safety glass shelves in fridge compartment of which 2 are height adjustable – 1 vegetable/salad container – Large pull out drawer – Day light-bright interior lighting – Freezer freezer – Right hinged door, door reversible – Ventilation through plinth, no cutting of worktop required
Design	<ul style="list-style-type: none"> – Flat hinge – Mechanical control – Dimensions: 82 cm H x 59.8 cm W x 54.8 cm D – Niche dimensions: 82 cm H x 60 cm W x 55 cm D

* Based on an average figure of 12p per kWh including VAT



Dishwashers.

Logixx

Our premium range, with exceptional cutting-edge features and extras. The quietest dishwashers in the world, thanks to EcoSilence technology. 3 stage Rackmatic™ height adjustable VarioFlexPlus silver baskets for easy loading, as well as the unique blue VarioDrawer which allows 14 place settings to be accommodated.



Exxcel ActiveWater

Mid-range models with a broad range of extra features and benefits. Featuring our AquaStar model which is a record breaker, using just 6.5 litres of water and only 0.92kWh of electricity. Up to 13 place settings, VarioFlexPlus baskets and 6 programmes.



Avantixx ActiveWater

Added value models with a good selection of features at a good price. They boast more features than the Classixx models such as an Auto 45-65°C programme, additional options, 3-stage Rackmatic™ basket system and can accommodate up to 12 place settings.



Classixx

Simple, practical models offering Bosch build quality and value for money. A+ energy rated, and incorporating a host of useful features, including a large item spray head and 5 programmes including the convenient Quick Wash programme.



The World's most environmentally friendly dishwasher.

Always at the forefront of water saving technology, Bosch ActiveWater dishwashers now use even less water than ever – only 6.5 litres*. With water consumption at an all time high, it is more important than ever to choose a dishwasher that helps preserve our most precious resource.



*6.5l water consumption on the standard Economy 50°C programme.
August 2010

ActiveWater

ActiveWater technology from Bosch is a revolutionary new dishwashing system that gets the maximum use out of each and every drop of water. This incredible increase in efficiency has been achieved through maximising water efficiency in the rinse cycles, faster heating-up, targeted water circulation and improved pump performance meaning that the new ActiveWater dishwashers use less water and less energy, but with increased performance.



Look out for this new Bosch energy efficiency symbol as it is there to help you identify our most energy efficient models. You will see it next to our AquaStar and Logixx models with VarioDrawer.



Less water

Our new AquaStar dishwasher uses only 6.5 litres* of water to wash 13 place settings on a standard Eco 50°C programme – every time. This compares to a staggering 49 litres of water if you washed-up the same load by hand.



Less energy

Our new ActiveWater dishwashers not only save water but they lead the way on energy consumption too. Our AquaStar models use just 0.92kWh on a standard 50°C Eco programme which is 29% less energy than an equivalent Bosch dishwasher of 15 years ago. Now every household can not only save money but actively protect the environment too.



More performance

ActiveWater technology not only saves water and energy but also increases the performance of the machine with the faster heating-up times, optimum water circulation and improved pump performance. All Bosch ActiveWater dishwashers deliver an A wash and A drying performance every time.



Bosch dishwasher programmes.

Designed to make your life easier – Bosch dishwashers offer the ultimate in wash performance. A range of different programme options ensure that the wash and rinse cycles are tailored to the load.



Pre-rinse

For rinsing dishes prior to the main wash, and can be used to prevent odours when storing dirty dishes over night.

Normal 65°C

A daily wash programme for a normally soiled mixed load.

Delicate 40°C

A gentle wash, perfect for delicate crockery and glassware.

Economy 50°C

The most efficient and eco-friendly programme, it uses less energy and water.

Intensive 70°C

Perfect for heavily soiled, burnt-on pots and pans.

Quick wash 45°C

A-rated cleaning performance – perfect for entertaining, or when the tableware is only lightly soiled.

Auto delicate 35–45°C

A gentle sensor-controlled wash programme for delicate tableware. The sensors adjust the programme according to the amount of soiling.

Auto daily 45–65°C

A daily sensor-controlled wash programme for a normally soiled mixed load. The sensors adjust the programme according to the amount of soiling.

Auto intensive 65–75°C

A sensor-controlled wash programme designed for heavily soiled, burnt-on pots and pans. The sensors adjust the programme according to the amount of soiling.

**Intensive Zone**

Cleans heavily soiled saucepans and fragile items at the same time. The bottom basket receives an extra-intensive wash, perfect for pans, burnt casserole dishes and caked-on stains, whilst the top basket programme carries on as normal so that you can load it as you always would, with no risk to fragile glasses.

**Hygiene Extra**

Select the new Hygiene Extra option for a hotter final rinse – perfect for cooking utensils, glass jars, chopping boards and baby bottles.

**Speed Perfect**

Optionally reduces programme times by up to 50%, but without compromising on quality. So you still get hygienically clean and dry dishes, but in as little as half the time – ideal for busy households and when entertaining.

**Half load**

If you don't have enough for a full load and can't wait, simply load the crockery, plates, pots and pans anywhere in your dishwasher, select the programme temperature and press the half load button. The programme time is reduced and up to 30% less water is used.

Extra Dry

The Extra dry option is designed specifically for plastic items like Tupperware, picnic ware, and baby bottles. These items do not hold as much residual heat after the wash process as crockery and glassware, and therefore require a higher drying temperature to ensure they come out clean and dry.

Bosch recommends Finish

Use Finish to get amazing results every time you open your Bosch dishwasher. Finish have a complete range of products to suit your dishwashing needs, including new Finish Quantum which combines the power of three separate ingredients in one single product to give you amazing shine and clean. A range of enhancers are also available such as Finish Intensive Clean & Care Dishwasher Cleaner which removes grease and limescale to maintain your machine's performance and give you perfect results in every cycle.



More flexibility. More capacity – up to 14 place settings.

Our new basket designs offer more flexibility than ever before. Our Logixx models feature the unique VarioDrawer which replaces the standard cutlery baskets and creates space for up to 14 place settings. Logixx baskets feature foldable racks and the 3-stage Rackmatic™ system makes adjusting the height of the basket a breeze.



Model shown SMi69T15GB



Vario, Varioflex or VarioFlexPlus baskets with Rackmatic™

With the enlarged loading area, the Bosch basket systems featured in the Exxcel and Logixx models offer more capacity, up to 13 and 14 place settings, and greater flexibility. With up to six foldable racks the system can be adapted to any load, and all items are assured a firm, secure place in the protective racks. The new 3-stage Rackmatic™ system makes it a simple matter to adjust the height of the upper basket, even when it is fully loaded – normally a cumbersome task. With three different loading heights a large variety of plates, glasses and other dishes can easily be accommodated.



The VarioDrawer

A unique feature of our new top-of-the-range Logixx dishwasher interior is a third loading level – the VarioDrawer. It replaces the cutlery basket, freeing even more space in the bottom basket. The new blue VarioDrawer is easily removable to allow loading and unloading of cutlery, and there is even room for espresso cups and kitchen utensils. And what's more, even with the drawer in place you can still load long-stem wine glasses in the upper basket.



14 place settings

There is enough space for 14 full place settings in the Logixx ActiveWater dishwashers with VarioDrawer. Or, put into figures: 14 dinner, soup and dessert plates, 14 cups and saucers, 14 glasses and 14 cutlery settings – knife, fork, soup, tea and dessert spoons, plus 1 oval serving plate, 2 serving bowls, 2 serving spoons, 1 serving fork and 1 sauce spoon.



Large item spray head

The large item spray head makes light work of baking trays or oven shelves, without the need for pre-soaking. Simply remove the upper basket, attach the large item spray head, and get powerful cleaning where you need it. The large item spray head comes as standard with all Bosch dishwashers – and on Exxcel and Logixx models, it's now even larger.

Larger interior for added convenience

An additional benefit of the SBV65M00GB dishwasher is that it has an extra 5cm of interior space. This means that even larger than normal items can be washed comfortably. For example if the top basket is adjusted, plates as large as 33cm can be accommodated in the lower basket. With its height adjustable feet the SBV65M00GB is suitable for niche heights from 865mm – 925mm. (See page 121 for full product details).



86.5cm model compared with a standard dishwasher

Hard working technology that gives you peace of mind

Advanced technology gives you sparkling dishes every time, using the absolute minimum of energy and water. Bosch dishwashers are also amongst the quietest in the world, so you can relax whilst your dishwasher quietly does all the hard work.



EcoSilence

Noise pollution affects all of us, even if we are not aware of it. Research shows that a quieter environment is a less stressful environment. Bosch is committed to making your life that little bit easier and we are proud to be able to offer the quietest dishwasher in the world. At only 41dB*, the EcoSilence dishwasher is quieter than a low conversation, so you will barely notice it working away in the background, allowing you to relax in a quieter kitchen.



Top energy performance

At Bosch we are aware of the importance of energy efficient and environmentally friendly appliances.

We are so confident of the quality and efficiency of our dishwashers that all our Logixx and Exxcel dishwashers are rated a super-efficient A++ for energy, whilst all Classixx and Avantixx models are rated A+ for energy. Throughout the range A wash and A drying performance is standard, even on our compact range.

* 41dB in the standard Economy 50°C programme



HydroSensor III

Checks the degree of soiling in the prerinse water and decides whether it is clean enough to be used for the main wash cycle. If the water contains only a small amount of soiling, the water is reused. Around 20%, or 4 litres, of water can be saved using the HydroSensor.



Heat exchanger

The unique heat recycling reservoir maximises performance by using heat that is generated in the main wash to pre-heat cold water used for the rinse cycles before it enters the dishwasher. Preheating the water minimises the risk of thermal shock which can occur when cold water strikes warm delicate items which can cause cracking or breakages. As an additional benefit this system is also an extremely energy efficient method of heating the water.

5 spray levels

The uniquely designed curved spray arms distribute water precisely and effectively, ensuring perfect results every time. The water is sprayed on five different levels for maximum performance, including a downward spray to ensure that the filter area is kept permanently flushed clean.

AquaMix

Bosch AquaMix allows you to wash your delicate glasses with complete confidence. By regulating the level of water hardness in the machine and topping up with water directly from the mains it produces the best water hardness level for glass, ensuring a sparkling finish every time.



DosageAssist

The DosageAssist feature maximises the effectiveness of detergent tablets. The detergent dispenser is conveniently located in the centre of the top of the door, where it is protected from food remnants that drip whilst loading the dirty dishes. At the beginning of the wash cycle, the tab drops into a special tray in the top basket where its dissolving is controlled to assure outstanding results. This prevents tabs dropping down between plates or cutlery, or not dissolving completely, resulting in a less-than-perfect cleaning performance.

Detergent aware

No matter which detergent you use – 5in1, 4in1, 3in1, 2in1 tablets or separate components – all our dishwashers will adjust the cycle to ensure that you always get the best possible results – every time. (Note that to ensure these results dishwasher salt should always be used).

Advanced filter system

Our easy to remove and clean filter system now has 50% more surface area. This allows for up to 15% more water to be circulated through the system, so that even more cleaning power can be squeezed from every drop of water.

Logical control

All our machines feature water supply, salt and rinse-aid indicators, some also display remaining programme time and have start time delay up to 24 hours.



AquaStop 24-hr flood protection

All Bosch dishwashers have flood protection systems, but for added peace of mind our Logixx model features 'AquaStop', a device that cuts off the water supply in the case of leaks, and a safety water valve to guard against siphoning, even when the machine is switched off.

Safety lock

Most of our dishwashers feature a lock which prevents the door from being opened during operation, while selected models also feature tamperproof controls, to stop little fingers interfering while the machine is running.



Logixx semi integrated dishwasher
SMI69T15GB



Performance	<ul style="list-style-type: none"> – Energy Efficiency Class: A++ – A rated performance for washing and A for drying – Energy consumption 0.93 kWh – Energy consumption 266 kWh per year – Water consumption 10 litres – Water consumption 2800 litres per year – Noise level dB (A) re 1pW: 41 dB – Capacity: 14 place settings. Variodrawer on 3rd level
Key features	<ul style="list-style-type: none"> – VarioflexPlus basket system – Silver baskets plus pullout handle with stainless steel inlay – VarioDrawer on 3rd level – 3 stage Rackmatic height-adjustable top basket – 6 foldable plate racks in top basket – 6 foldable plate racks in bottom basket
Additional features	<ul style="list-style-type: none"> – ActiveWater hydraulic water system – Heat exchanger – hygienic and efficient drying – Aquasensor III, Load Sensor – Aquastop anti flood device with guarantee
Programmes/ functions	<ul style="list-style-type: none"> – 6 programmes: Auto 65-75°C, Auto 45-65°C, Auto 35-45°C, Economy 50°C, Quick Wash 45°C, Pre Rinse – 5 temperatures – 4 special options: Intensive Zone, Speed Perfect, Hygiene Extra, Extra Dry
Design	<ul style="list-style-type: none"> – Red LED indicators – Electronic time delay: 1-24 hours with acoustic end of cycle indicator, LCD control panel with plain text, remaining programme time indicator (min), water inlet indicator – LED salt refill indicator, LED rinse aid refill indicator – Piezo Touch control stainless steel inlay – Self-cleaning filter system with 3 piece corrugated filter – Child safety – childproof door lock – Large item spray head, including steam protection plate, stainless steel interior – Dimensions of the product (HxWxD): 81.5 x 59.8 x 57.3 cm

For full specification details please see matrix page or website



Exxcel AquaStar 6.5L semi integrated dishwasher
SMI53M15GB

Classixx semi integrated dishwasher
SMI50C05GB stainless steel
SMI50C06GB black
SMI50C02GB white



Performance	<ul style="list-style-type: none"> – Energy Efficiency Class: A++ – A rated performance for washing and A for drying – Energy consumption 0.92 kWh – Energy consumption 262 kWh per year – Water consumption 6.5 litres – Water consumption 1820 litres per year – Noise level dB (A) re 1pW: 46 dB – Capacity: 13 place settings 	<ul style="list-style-type: none"> – Energy Efficiency Class: A+ – A rated performance for washing and A for drying – Energy consumption 1.02 kWh – Energy consumption 290 kWh per year – Water consumption 12 litres – Water consumption 3360 litres per year – Noise level dB (A) re 1pW: 48 dB – Capacity: 12 place settings
Key features	<ul style="list-style-type: none"> – VarioFlex basket system – Silver baskets with Bosch handle – 3 stage Rackmatic height-adjustable top basket – 2 foldable plate racks in top basket – 2 foldable plate racks in bottom basket 	<ul style="list-style-type: none"> – Vario basket system – Silver baskets without handle – Height adjustable top basket when empty – 2 foldable plate racks in bottom basket
Additional features	<ul style="list-style-type: none"> – ActiveWater hydraulic water system – Heat exchanger – hygienic and efficient drying – Aquasensor III, Load Sensor – Aquastop anti flood device with guarantee 	<ul style="list-style-type: none"> – ActiveWater hydraulic water system – Aquasensor III, Load Sensor – Aquastop anti flood device with guarantee
Programmes/functions	<ul style="list-style-type: none"> – 5 programmes: Intensive 70°C, Auto 45-65°C, Economy 50°C, Quick Wash 45°C, Pre Rinse – 4 temperatures – 3 special options: Intensive Zone, Speed Perfect, Half Load 	<ul style="list-style-type: none"> – 5 programmes: Intensive 70°C, Auto 45-65°C, Economy 50°C, Quick Wash 45°C, Pre Rinse – 4 temperatures – 2 special options: Speed Perfect, Half Load
Design	<ul style="list-style-type: none"> – Electronic time delay: 1-24 hours with – Programme status indicator, remaining programme time indicator (min), water inlet indicator – Child safety – childproof door lock, child safety – tamperproof controls – Large item spray head, including steam protection plate, stainless steel interior – Dimensions of the product (HxWxD): 81.5 x 59.8 x 55 cm 	<ul style="list-style-type: none"> – Electronic time delay: 1-24 hours with remaining programme time indicator (min), water inlet indicator – Child safety – childproof door lock – Large item spray head, including steam protection plate, stainless steel/Polinox interior – Dimensions of the product (HxWxD): 81.5 x 59.8 x 57.3 cm



Logixx fully integrated dishwasher
SMV69T20GB black



Performance	<ul style="list-style-type: none"> – Energy Efficiency Class: A++ – A rated performance for washing and A for drying – Energy consumption 0.93 kWh – Energy consumption 266 kWh per year – Water consumption 10 litres – Water consumption 2800 litres per year – Noise level dB (A) re 1pW: 41 dB – Capacity: 14 place settings, Variodrawer on 3rd level
Key features	<ul style="list-style-type: none"> – VarioflexPlus basket system – Silver baskets plus pullout handle with stainless steel inlay – VarioDrawer on 3rd level – 3 stage Rackmatic height-adjustable top basket – 6 foldable plate racks in top basket – 6 foldable plate racks in bottom basket
Additional features	<ul style="list-style-type: none"> – ActiveWater hydraulic water system – Heat exchanger – hygienic and efficient drying – Aquasensor III, Load Sensor – Aquastop anti flood device with guarantee
Programmes/ functions	<ul style="list-style-type: none"> – 6 programmes: Auto 65-75°C, Auto 45-65°C, Auto 35-45°C, Economy 50°C, Quick Wash 45°C, Pre Rinse – 5 temperatures – 4 special options: Intensive Zone, Speed Perfect, Hygiene Extra, Extra Dry
Design	<ul style="list-style-type: none"> – Electronic time delay: 1-24 hours with acoustic end of cycle indicator, info light, water inlet indicator – Touch control – Large item spray head, including steam protection plate, stainless steel interior – Dimensions of the product (HxWxD): 81.5 x 59.8 x 55 cm

For full specification details please see matrix page or website



**Exxcel AquaStar 6.5L fully integrated dishwasher
SMV65M00GB**

**Exxcel AquaStar 6.5L fully integrated dishwasher
SBV65M00GB**



Performance	<ul style="list-style-type: none"> – Energy Efficiency Class: A++ – A rated performance for washing and A for drying – Energy consumption 0.92 kWh – Energy consumption 262 kWh per year – Water consumption 6.5 litres – Water consumption 1820 litres per year – Noise level dB (A) re 1pW: 44 dB – Capacity: 13 place settings 	<ul style="list-style-type: none"> – Energy Efficiency Class: A++ – A rated performance for washing and A for drying – Energy consumption 0.92 kWh – Energy consumption 262 kWh per year – Water consumption 6.5 litres – Water consumption 1820 litres per year – Noise level dB (A) re 1pW: 44 dB – Capacity: 13 place settings
Key features	<ul style="list-style-type: none"> – VarioflexPlus basket system – Silver baskets plus pull out handle – 3 stage Rackmatic height-adjustable top basket – 6 foldable plate racks in top basket – 4 foldable plate racks in bottom basket 	<ul style="list-style-type: none"> – VarioflexPlus basket system – Silver baskets plus pull out handle – 3 stage Rackmatic height-adjustable top basket – 6 foldable plate racks in top basket – 4 foldable plate racks in bottom basket
Additional features	<ul style="list-style-type: none"> – ActiveWater hydraulic water system – Heat exchanger – hygienic and efficient drying – Aquasensor III, Load Sensor – Aquastop anti flood device with guarantee 	<ul style="list-style-type: none"> – ActiveWater hydraulic water system – Heat exchanger – hygienic and efficient drying – Aquasensor III, Load Sensor – Aquastop anti flood device with guarantee
Programmes/ functions	<ul style="list-style-type: none"> – 6 programmes: Intensive 70°C, Auto 45-65°C, Economy 50°C, Delicate 40°C, Quick Wash 45°C, Pre Rinse – 5 temperatures – 4 special options: Intensive Zone, Speed Perfect, Hygiene Extra, Extra Dry 	<ul style="list-style-type: none"> – 6 programmes: Intensive 70°C, Auto 45-65°C, Economy 50°C, Delicate 40°C, Quick Wash 45°C, Pre Rinse – 5 temperatures – 4 special options: Intensive Zone, Speed Perfect, Hygiene Extra, Extra Dry
Design	<ul style="list-style-type: none"> – Electronic time delay: 1-24 hours with acoustic end of cycle indicator, info light, water inlet indicator – LED salt refill indicator, LED rinse aid refill indicator – Large item spray head, including steam protection plate, stainless steel interior – Dimensions of the product (HxWxD): 81.5 x 59.8 x 55 cm 	<ul style="list-style-type: none"> – Electronic time delay: 1-24 hours with acoustic end of cycle indicator, info light, water inlet indicator – LED salt refill indicator, LED rinse aid refill indicator – Large item spray head, including steam protection plate, Stainless steel interior – Dimensions of the product (HxWxD): 86.5 x 59.8 x 55 cm



	Avantixx fully integrated dishwasher SMV53A00GB	Classixx fully integrated dishwasher SMV50C00GB
Performance	<ul style="list-style-type: none"> – Energy Efficiency Class: A+ – A rated performance for washing and A for drying – Energy consumption 1.02 kWh – Energy consumption 290 kWh per year – Water consumption 12 litres – Water consumption 3360 litres per year – Noise level dB (A) re 1pW: 46 dB – Capacity: 12 place settings 	<ul style="list-style-type: none"> – Energy Efficiency Class: A+ – A rated performance for washing and A for drying – Energy consumption 1.02 kWh – Energy consumption 290 kWh per year – Water consumption 12 litres – Water consumption 3360 litres per year – Noise level dB (A) re 1pW: 50 dB – Capacity: 12 place settings
Key features	<ul style="list-style-type: none"> – VarioFlex basket system – Silver baskets with Bosch handle – 3 stage Rackmatic height-adjustable top basket – 2 foldable plate racks in top basket – 2 foldable plate racks in bottom basket 	<ul style="list-style-type: none"> – Vario basket system – Silver baskets – Height adjustable top basket when empty – 2 foldable plate racks in bottom basket
Additional features	<ul style="list-style-type: none"> – ActiveWater hydraulic water system – Aquasensor III, Load sensor – Aquastop anti flood device with guarantee 	<ul style="list-style-type: none"> – ActiveWater hydraulic water system – Aquastop anti flood device with guarantee
Programmes/functions	<ul style="list-style-type: none"> – 5 programmes: Intensive 70°C, Auto 45-65°C, Economy 50°C, Quick Wash 45°C, Pre Rinse – 4 temperatures – 2 special options: Speed Perfect, Half Load 	<ul style="list-style-type: none"> – 5 programmes: Intensive 70°C, Normal 65°C, Economy 50°C, Quick Wash 45°C, Pre Rinse – 4 temperatures – 1 special option: Half Load
Design	<ul style="list-style-type: none"> – Electronic time delay: 1-24 hours with acoustic end of cycle indicator, water inlet indicator – Child safety – childproof door lock – Large item spray head, including steam protection plate, stainless steel/Polinox interior – Dimensions of the product (HxWxD): 81.5 x 59.8 x 55 cm 	<ul style="list-style-type: none"> – Red LED indicators – 3/6/9 hour time delay with acoustic end of cycle indicator, LED programme status indicator, water inlet indicator – Push button top controls – Child safety – childproof door lock – Large item spray head, including steam protection plate, stainless steel/Polinox interior – Dimensions of the product (HxWxD): 81.5 x 59.8 x 55 cm



Exxcel fully integrated dishwasher
SRV43M03GB black



Performance	<ul style="list-style-type: none"> – Energy Efficiency Class: A – A rated performance for washing and A for drying – Energy consumption in programme Economy 50: 13 l water / 0.88 kwh electricity – Noise 52 dB (re 1 pW) – Capacity: 9 place settings
Key features	<ul style="list-style-type: none"> – Heat exchanger – hygienic and efficient drying
Additional features	<ul style="list-style-type: none"> – LED salt refill indicator, LED rinse aid refill indicator – Curved spray arms – Alternating spray arms – Self-cleaning filter system – Aquastop anti flood device
Programmes/ functions	<ul style="list-style-type: none"> – 4 programmes: Normal 65°C, Economy 50°C, Quick Wash 35°C, Pre Rinse – 3 temperatures – Flow-through water heater
Design	<ul style="list-style-type: none"> – 2 step 'Rackmatic' height-adjustable top basket – Cutlery rack in top basket – Silver baskets – Large item spray head

For full specification details please see matrix page or website

Dishwashers are up, consumption stays down.

Our new range of ActiveWater compact dishwashers can be built-in at eye level making loading and unloading exceptionally easy. And thanks to our ActiveWater technology they are amongst the most economical in the world.



Compact and versatile

Our new range of ActiveWater compact dishwashers can be built-in at eye level, under a worktop, in a plinth-less cabinet, or in combination with other built-in appliances, making them the most versatile dishwashers we've ever designed. At 45 or 60cm high their compact dimensions make them extremely practical, allowing you to install them at a height and position that suits you. For example, eye-level positioning gives a better view of the interior and makes loading and unloading exceptionally easy. Matching control panels* and stylish stainless steel allow you to mix and match them with other Bosch compact and full size appliances. Whether installed below a single oven, side-by-side with a compact oven, or as part of a bank of appliances, they are striking and versatile.

ActiveWater



Compact and efficient

The new Bosch ActiveWater compact dishwashers are the first compact dishwashers on the market to be awarded an A-rating for energy efficiency. And thanks to our ActiveWater technology they are amongst the most economical in the world, using every drop of water to maximum effect.



Compact yet spacious

Their cleverly designed interior allows room for 6 (45cm model) or 8 (60cm model) place settings. They feature 6 programmes including a Quick Wash and the highly convenient Auto 45°C – 65°C programme. And as you would expect from Bosch, the new ActiveWater compact dishwashers are rated A for wash performance.



*Please note that the colour of the displays may vary depending on whether it is an LCB or LED display.



Exxel compact dishwasher SCE63M05GB brushed steel



Performance	<ul style="list-style-type: none"> – Energy Efficiency Class: A+ – A rated performance for washing and A for drying – Energy consumption in programme Economy 50: 0.73 kWh – Energy consumption in programme Economy 50: 205 kWh per year, based on 280 standard cleaning cycles. – Water consumption in programme Economy 50: 8.7 litres – Water consumption in programme Economy 50: 2450 litres per year, based on 280 standard cleaning cycles. – Programme time in programme Economy 50: 180 minutes – Noise level dB (A) re 1pW: 47 dB – Capacity: 8 place settings
Key features	<ul style="list-style-type: none"> – Flexible basket system: – 2 silver-coloured baskets, foldable plate racks in bottom basket, variable cutlery basket in bottom basket, cup shelf in bottom basket
Additional features	<ul style="list-style-type: none"> – Heat exchanger – hygienic and efficient drying – ActiveWater hydraulic water system – Aquasensor III, Load Sensor – Alternating spray arms – Aquamix – glass protection system, water softening system – Self cleaning filter system with 3 piece corrugated filter – Aquastop anti flood device with guarantee
Programmes/ functions	<ul style="list-style-type: none"> – 6 programmes: – Intensive 70°C. Auto 45-65°C. Economy 50°C. Delicate 40°C. Quick Wash 45°C. Pre Rinse – 5 temperatures – 2 special options: Speed Perfect, Hygiene Extra
Design	<ul style="list-style-type: none"> – Electronic time delay: 1-24 hours with remaining programme time indicator (min), water inlet indicator – Red LED indicators – LED salt refill indicator, LED rinse aid refill indicator – Child safety – childproof door lock, child safety – tamperproof controls – Servo lock for effortless door closing



Exxcel compact dishwasher SKE63M05GB brushed steel



Performance	<ul style="list-style-type: none"> – Energy Efficiency Class: A+ – A rated performance for washing and A for drying – Energy consumption in programme Economy 50: 0.62 kWh – Energy consumption in programme Economy 50: 174 kWh per year, based on 280 standard cleaning cycles. – Water consumption in programme Economy 50: 7.5 litres – Water consumption in programme Economy 50: 2100 litres per year, based on 280 standard cleaning cycles. – Programme time in programme Economy 50: 110 minutes – Noise level dB (A) re 1pW: 47 dB – Capacity: 6 place settings
Key features	<ul style="list-style-type: none"> – Flexible basket system: Silver coloured basket, foldable plate racks, variable cutlery basket, cup shelves
Additional features	<ul style="list-style-type: none"> – Heat exchanger – hygienic and efficient drying – ActiveWater hydraulic water system – Aquasensor III, Load Sensor – Aquamix – glass protection system, water softening system – Self cleaning metal filter system with 3 piece corrugated filter – Aquastop anti flood device with guarantee
Programmes/ functions	<ul style="list-style-type: none"> – 6 programmes: – Intensive 70°C, Auto 45-65°C, Economy 50°C, Delicate 40°C, Quick Wash 45°C, Pre Rinse – 5 temperatures – 2 special options: Speed Perfect, Hygiene Extra
Design	<ul style="list-style-type: none"> – Electronic time delay: 1-24 hours with remaining programme time indicator (min), water inlet indicator – Red LED indicators – LED salt refill indicator, LED rinse aid refill indicator – Servo lock for effortless door closing



Home laundry.

Logi**xx**

Our premium range, with exceptional cutting-edge features and extras. A 1400rpm washing machine, with LED display clearly showing you the wash progress. Offering a wide range of programme options designed for today's lifestyle, like the Dark and Sports Wash programmes, and the blisteringly fast Super Quick 15-minute programme for light loads.



Ex**xx**cel

Mid-range models with a broad range of extra features and benefits. Our large capacity 7kg washing machine features 1200rpm spin speed and Express Wash system with up to 40% faster wash times. If you're looking for a space saving option our washer dryer offers sensor drying and a range of specialist programmes including Night Wash and Sensitive.




Avant**ixx**

Added value models with a good selection of features at a good price. Our washer dryer can wash and dry 4kg in one cycle and offers a spin speed of up to 1400rpm. The LED display keeps you up-to date on the laundry's progress and there is even a Fluff Clean programme that conveniently cleans the drum for you.



Perfectly tailored to suit modern fabrics and lifestyles.

Because every garment is different we have designed a whole range of individual care programmes to make sure you get the best results every time.




Cottons

An intensive programme with a temperature range up to 90°C and a fast final spin.



Easy Care

Designed for synthetic fabrics, which absorb minimal moisture and dirt. A range of temperatures up to 60°C and a gentle spin up to 1200rpm ensures maximum care of all your laundry.



Mixed Load

A fast wash that allows mixed fabrics and colour loads to be safely washed together. Originally designed with school uniforms in mind, it is capable of handling up to 3kg of washing, and is ideal for quick washes.



Delicates / Silk

An especially caring programme with a gentle wash action. Intermediate spinning in the rinse cycle is omitted, and a gentle final spin at 600rpm completes this delicate programme.



Wool

An exceptionally gentle woollens handwash programme, which runs at only 27rpm (usual speed 50rpm) with a soft wash action and special spin phase that ensures that everything stays in good shape.



Dark Wash

Designed specifically for dark clothes, and available across a range of temperatures, this programme reduces fading, and ensures no flecks of washing powder remain on your clothes at the end of the wash.



Sportswear

A programme for modern sports clothes with Sportswear microfibre technology like those used for gym, cycling or jogging.



Sensitive

By prolonging the maximum wash temperature, increasing the water level, and adding an extra rinse, this programme reduces exposure to allergens that irritate sensitive skin.



Super Quick 15

A short programme of approximately 15 minutes for 2kg of lightly soiled washing – that's roughly equivalent to one outfit or 10 men's shirts. Packing in a wash, two rinse cycles and improved rinse spinning, this is one of the shortest complete washing programmes of any machine on the market.

Power Wash 60

The Power Wash 60 programme for medium loads (up to 5kg) gives an A-class performance wash within 60 minutes.

Night Wash

Designed especially to be quiet running for night use. Based on a 4kg mixed load programme with a 1200rpm final spin and using gentle dry mode.

Prewash

A 20 minute, 35°C wash for especially dirty clothes. The prewash loosens and removes dirt prior to the main wash.



We take the chore out of laundry.

As Europe's No. 1 washing machine manufacturer you can rest assured that when it comes to laundry we've thought of everything.



Twice the amount of laundry.

The maximum drying capacity of a standard washer dryer is 2.5kg. The new Bosch washer dryers can wash and dry up to 4kg of laundry in one go, which is equivalent to 18 shirts or 30 T-shirts. And if you're just using one of the wash programmes you can wash up to 6kg of laundry.

Fluff Clean

For use after each drying cycle, the Fluff Clean programme conveniently cleans the drum preventing fluff on the next wash load.

Sensor drying

Throughout the drying cycle advanced sensor electronics monitor your laundry, preventing overheating, and automatically stopping once your garments reach the desired level of dryness. Fibre damage caused by over drying becomes a thing of the past, and there is no excess energy consumption.

Flexi time

Designed especially for lightly soiled items, FlexiTime allows you to reduce the wash time by up to 30%. Press the button once to reduce the wash time or if the items are only very lightly soiled press it twice to reduce the wash time even further.

Drying load detection

For added protection of your garments, our new washer dryers are able to automatically detect the size of the load, and cut-out after a specific amount of time if there is no signal from the sensor. They can even detect when the drum is empty and automatically switch off.



Better than A-rated energy efficiency

All our washing machines deliver an A rated wash performance, while using as much as 10% less energy than required for A rated energy efficiency.

Aqua Plus

A higher water level is used throughout the wash and rinse cycles of the chosen wash programme – for best rinsing results.

Wash plus system

The Wash plus system extends a wash programme to give a more intensive wash, and brings the equivalent of an A-class wash performance to a wider range of temperatures than ever before. Unlike most washing machines on the market, Bosch machines now deliver the equivalent of an A-class performance not only at 60°C, but at 40°C and 90°C as well.

Reduced ironing

The laundry is tumbled gently periodically during the normal programme spin cycle, and then again at the end of the spin phase, keeping laundry fluffy and tangle free. The result is reduced creasing, and therefore easier ironing.



Unique SoftSurge™ drum system

Gives better cleaning results, as well as providing greater protection for your washing. The asymmetric paddles and raindrop drum surface design provide power for those heavy-duty jobs, while being gentle on your clothes. The advanced Water Flow System distributes the water and detergents more efficiently throughout the wash, and reduces soaking time. Add to this the new moulding of the window glass that guides your laundry towards the centre of the drum, avoiding snagging of small items between the glass and the door seal, and you have the new state-of-the-art SoftSurge™ drum system; efficient, gentle and time saving.



3D AquaSpa wash system

A wash and shower system for optimum washing results. Water enters the drum from three sides for quick and effective distribution. During the cycle especially designed paddles scoop up the water gently bathing the wash load, ensuring gentle washing and optimum usage of the water in the drum.



Multisafe

All Bosch washing machines are designed with safety in mind, from the highly pressure-resistant water supply hose and overflow prevention systems, to the electronic lock that prevents the porthole from being opened unintentionally mid-cycle.

Safety lock

The safety lock feature will prevent little fingers from interfering with the machine when it is functioning.



	Logixx washing machine WIS28440GB white	Exxcel washing machine WIS24140GB white
Performance	<ul style="list-style-type: none"> - A energy, A wash and B spin class - Energy consumption: A-10%: 10% more energy efficient than energy class A - 7 kg washing capacity - Spin speed selection 1400 to 400 rpm - Noise level: washing 47 dB (re 1pW) - Noise level: spinning 64 dB (re 1pW) 	<ul style="list-style-type: none"> - A energy, A wash and B spin class - Energy consumption: A-10%: 10% more energy efficient than energy class A - 7 kg washing capacity - Spin speed selection 1200 to 400 rpm - Noise level: washing 48 dB (re 1pW) - Noise level: spinning 62 dB (re 1pW)
Key features	<ul style="list-style-type: none"> - Inverse logic: all programmes upto 40% faster as standard - Special Programmes: Dark Wash, Sports Wear programme, Sensitive programme, Power Wash 60, Super Quick 15, Mixed Load, Delicates/Silk programme, Handwash/Wool 	<ul style="list-style-type: none"> - Inverse logic: all programmes upto 40% faster as standard
Additional features	<ul style="list-style-type: none"> - Extra large drum with SoftSurge system - Safeguard monitoring system adjusts load distribution and programme settings to protect clothes - AquaStop with guarantee - Foam detection system - Buzzer to indicate the end of cycle - Metal door catch - Self cleaning detergent drawer 	<ul style="list-style-type: none"> - Extra large drum with SoftSurge system - Safeguard monitoring system adjusts load distribution and programme settings to protect clothes - AquaStop with guarantee - Foam detection system - Buzzer to indicate the end of cycle - Metal door catch - Self cleaning detergent drawer
Programmes	<ul style="list-style-type: none"> - Fully electronic control dial for all wash and special programmes - Option buttons: Start, Wash Plus system for A-class wash performance, Prewash, Reduced Ironing option, temperature selection, spin speed reduction, start delay 	<ul style="list-style-type: none"> - Fully electronic control dial for all wash and special programmes - Option buttons: Start, Wash Plus system for A-class wash performance, Prewash, Reduced Ironing option, Spin Speed Reduction - Special programme for woollens
Design	<ul style="list-style-type: none"> - Large display for programme progress indication, temperature, spin speed, time remaining and time delay - 30 cm porthole with 130 degree opening - Door hinging interchangeable - Dimensions (H X W X D): 81.8 x 60 x 55.5 cm 	<ul style="list-style-type: none"> - LED indication of programme status - 30 cm porthole with 130 degree opening - Door hinging interchangeable - Dimensions (H X W X D): 81.8 x 60 x 55.5 cm



Excel washer dryer
WKD28540GB white

Avantix washer dryer
WKD28350GB white



Performance	<ul style="list-style-type: none"> - B energy, A wash and B spin class - Energy consumption wash and dry 4.81 kWh - Water consumption wash and dry 79 litres - Capacity: 6 kg washing, 3 kg drying - Spin speed selection 1400 to 600 rpm - Drum volume: 52 litres - Non-stop wash and dry programme 4 kg - Noise level: washing 57 dB (re 1pW) - Noise level: spinning 74 dB (re 1pW) 	<ul style="list-style-type: none"> - B energy, A wash and B spin class - Energy consumption wash and dry 4.85 kWh - Water consumption wash and dry 83 litres - Capacity: 6 kg washing, 3 kg drying - Spin speed selection 1400 to 600 rpm - Drum volume: 52 litres - Non-stop wash and dry programme 4 kg - Noise level: washing 57 dB (re 1pW) - Noise level: spinning 74 dB (re 1pW)
Key features	<ul style="list-style-type: none"> - Fully electronic control dial for all wash and special programmes - Electronic humidity control - Timed programmes 	<ul style="list-style-type: none"> - Fully electronic control dial for all wash and special programmes - Timed programmes
Additional features	<ul style="list-style-type: none"> - AquaSpa wash system for faster water penetration - Foam detection system - Safeguard monitoring system adjusts load distribution and programme settings to protect clothes - Aquasecure - Child lock - Buzzer to indicate the end of cycle - Metal door catch 	<ul style="list-style-type: none"> - AquaSpa wash system for faster water penetration - Safeguard monitoring system adjusts load distribution and programme settings to protect clothes - Foam detection system - Buzzer to indicate the end of cycle - Child lock - Multiple Water Protection - Metal door catch
Programmes	<ul style="list-style-type: none"> - Special programmes: Night Wash, Mixed Load, Super Quick 15, Delicates - Special programme - drying: fluff removal cycle - Option buttons: menu, select 	<ul style="list-style-type: none"> - Special programmes: Mixed load, Wool Programme, Delicates - Special programme - drying: fluff removal cycle - Buttons: start, spin speed reduction, menu, drying time
Design	<ul style="list-style-type: none"> - Large display for programme progress indication, temperature, spin speed, time remaining and 24 hours time delay, and indication of drying level - 30 cm porthole with 95 degree opening - Door hinged on left - Decor door is reversible - Dimensions (H X W X D): 82 x 59.5 x 58.4 cm - Fully integratable 	<ul style="list-style-type: none"> - Display for programme progress indication, time remaining and 19 hours time delay - 30 cm porthole with 95 degree opening - Door hinged on left - Decor door is reversible - Dimensions (H X W X D): 82 x 59.5 x 58.4 cm - Fully integratable

Service you can depend on.

For help with your home appliance, trust Bosch Customer Service.



Reliability guaranteed. No compromises

All Bosch appliances come with a full two year warranty. This warranty can be extended for a further three years (total 5 years) with a protection plan which covers parts, labour and call out charges for an unlimited number of breakdown repairs and also extends your warranty to include accidental damage.



Speedy response

Our customer's time is valuable and so we react quickly, with Bosch engineers based across the country.



Quality service straight from the original manufacturer: Bosch

A technical team analyses all repairs in advance to select the replacement parts needed. These are then shipped to the engineers van the night before the visit so that the correct parts are ready to complete the repair on the first visit. Only original Bosch parts are ever used and are kept in stock for ten years – often longer.



Lifetime service goes without saying at Bosch

Once your guarantee period is over, we are still there to assist you. You can rely on expert care and first-rate service throughout your appliance's life cycle. From missing instruction manuals to appliance repair – we take care of everything. A promise is a promise!



Online

Book an engineer online, or order replacement spare parts and accessories 24/7.

To arrange an engineer visit: www.bosch-home.co.uk
Spare parts and accessories: www.bosch-eshop.co.uk



On-call

Our friendly Bosch Customer Service team is on hand to provide competent, reliable assistance, from product advice to arranging a visit from a service engineer, to ordering the right original accessories or spare parts.

For engineer visits, to order replacement spare parts and accessories and for product advice: 0844 892 8979
For our 24 hour warranty helpline: 08706 000535



Top customer service award

Bosch proudly holds the Domestic and General's TEQ (Total Excellence & Quality) Award 2010. In a comprehensive customer service survey carried out by D & G, one of the UK's largest insurance companies specialising in domestic repairs, Bosch Customer Service came out on top against other leading manufacturers.



In 2011, the Bosch Group is celebrating a double anniversary: the 125th anniversary of the company's establishment, and the company founder's 150th birthday. This is cause for more than mere retrospection – it prompts us to show how the company's past fuels its future. The history of the company has had its ups and downs, but at the same time has always been vibrant. We see this history as one that drives us forward to new – and above all beneficial – achievements.



Contact Bosch Customer Service

To arrange an engineer visit, obtain product advice or order replacement spare parts or accessories visit www.bosch-home.co.uk or call **0844 892 8979**



www.bosch-home.co.uk

Bosch
Grand Union House
Old Wolverton Road
Wolverton
Milton Keynes MK12 5PT

UK Calls provided by a UK BT Landline will be charged at up to 3 pence per minute. A Call Set-Up Fee of up to 6 pence per call applies to calls from residential lines. Mobile and other providers' costs may vary. See www.bt.com/pricing for details.

This brochure is current as from the publication date and supersedes all previous brochures for these products. Every effort has been made to ensure the information in it is correct at the time of going to press. Due to a policy of continuous development, Bosch reserves the right to modify technical data without notice. All rights reserved. No part of this publication may be reproduced in any form or by any means without the prior written permission of BSH Home Appliances Ltd. All colour variations are due to the limitations of the printing process. This brochure is printed on environment-friendly chlorine-free bleached paper. 4/2011.