

Built-in Appliances

2012/2013



BOSCH

Invented for life



“It has always been an unbearable thought to me that someone could inspect one of my products and find it inferior in some way. For that reason I have consistently tried to produce products which can withstand the closest scrutiny – products which prove themselves to be superior in every respect.”
Robert Bosch 1861-1942



red dot design award
honourable mention 2012

With more than 12,000 submissions from more than 60 countries, the international red dot design award is the largest and most renowned design competition in the world. Look out for the logo against our latest award winners.



The International Forum (iF) design awards are one of the most challenging design competitions in the world, and the iF product design award is recognised as a label for good design. Products entered are stringently evaluated for quality of design and materials, innovation, environmental sustainability, functionality, ergonomics, safety and longevity.




Which? the number one consumer organisation, has awarded Bosch the prestigious ‘Best Large Domestic Appliance Brand 2011’. The brand previously won the title in 2009.

Which? experts analysed test and survey results across the year and paid particular attention to those companies who have provided the best value to their customers.

What Which? says: ‘Bosch is a worthy winner of this award – consistently offering a wide range of quality products at a variety of different price points, with Best Buys in every range.’

So thanks to Which? you can now put an award winner in your home.



The Winning Line.

Crossing any winning line first requires dedication, hard work, imagination and flair. Most importantly, coming first requires an uncompromising commitment to achieving excellence.


The Winning Line range from Bosch is our team of product firsts. The first time we have integrated key, user friendly functionality with our award-winning environmentally friendly technology. Covering cooking, washing, cooling and drying, it's everything you need to make your life smarter, easier and greener.

Wherever you see The Winning Line logo, the featured appliance will surpass your expectations.

the winning line



Contents.



Ovens and compact appliances

12 – 22	Ovens introduction
23 – 29	Single ovens
30 – 37	Double ovens
38 – 39	Compact appliances introduction
40 – 43	Steam ovens
44 – 47	Compact ovens and microwaves
48 – 53	Microwaves
54 – 55	Coffee maker
56 – 57	Warming drawers

Hobs and hoods

58 – 61	Gas hobs introduction
62 – 69	Gas hobs
70 – 74	Electric and induction hob introduction
75 – 80	Induction hobs
81 – 83	Electric hobs
84 – 85	Domino hobs introduction
86 – 91	Hoods introduction
92 – 101	Chimney hoods
102	Telescopic and canopy hoods
103	Integrated and conventional hoods

To help you choose the right Bosch appliance for your needs we have divided our product groups into three distinct design lines.

Logixx

Premium models with exceptional cutting-edge features and extras. All our Logixx machines offer electronic controls, and you will find innovative features such as clear text displays and metal touch controls, as well as all-steel handles and illuminated pop-out controls.

Exxcel

Mid-range models with a broad range of extra features and benefits. Large easy to use LED displays are common and selected products offer electronic controls. The stylish Bosch U-form door design, glass-on-metal door construction and metal-capped pop-out controls are also features to look out for.

Classixx

Simple practical models offering Bosch build quality and value for money. Functions and controls are simplified but the highest build quality is guaranteed. Products are straight forward and easy to use whilst still being safe and stylish.

Refrigeration, dishwashers and home laundry

104 – 109	Refrigeration introduction
110 – 114	American-style fridge freezers
115 – 118	Fridge freezers
119 – 126	Built-in fridges and freezers
127	Built-under fridges and freezers
128 – 137	Dishwashers introduction
138 – 142	60cm dishwashers
143	45cm dishwashers
144 – 149	Home laundry introduction
150	Washing machines
151	Washer dryers
152 – 155	Glossary
156	Customer service



Look for the Partner Product symbol for products available exclusively through selected and authorised Bosch Trade Partners. For further information about our Trade Partners and the products available through them, visit www.bosch-home.co.uk. If you do not see what you are looking for in store, please ask, as not all products available are on display.

Technologies that not only improve our daily life, but our future as well.

Bosch is constantly guided by this principle, from environmentally friendly production methods to researching new, energy-efficient technologies.



Our environmental pledge

We set ourselves very strict guidelines, and in the majority of cases these exceed statutory regulations. This environmentally friendly approach is adhered to throughout the entire design and manufacturing process. Wherever possible we use recyclable plastics, and label all plastic parts so they can be easily sorted and disposed of in an environmentally friendly manner. We make considerable energy savings through heat recovery and energy supplied on demand, and we avoid harmful emissions and effluents by using effective filtering and purification systems. You can rest assured that when we are developing new appliances we are both keeping pace with your demands and meeting our principles of protecting the environment.

Make the right environmental choice


Backed by groundbreaking technological innovations, Bosch develops some of the world’s most economical and efficient home appliances.



The new symbol for sustainability and energy efficiency

To differentiate our appliances and help you identify our most energy efficient models we have introduced a ‘Green Technology inside’ symbol. This symbol highlights products that feature groundbreaking technologies, which achieve maximum performance while being extraordinarily economical in their use of energy and natural resources.

Bosch built-in appliances use less energy across all categories.



More than just a piece of paper.

The new energy label explained.

Domestic appliances on average are responsible for about half of the energy consumption of a household. Due to rising energy costs, this not only puts a strain on the environment but also on the household budget. By using new, energy-efficient domestic appliances, you can save money as well as resources. When buying a new domestic appliance, it is therefore highly recommended to choose an appliance that consumes as little water and energy as possible.

Energy efficiency labelling scheme

To help you choose the most energy efficient appliances, there is an EU energy rating scheme and all appliances must display an EU energy label. This starts at A+++ for the most efficient appliances, down to D to reflect the least efficient. In addition, annual water consumption and noise level are also displayed.

For cooking appliances, the classifications are slightly different, the most efficient rating being A, and the least efficient G. All Bosch ovens are at least an A rating, whilst most are 20 – 30%* more efficient than the top A rating.




*20% more economical (0.79kWh) than the maximum value (0.99kWh) allowed for energy efficiency class A (measured in accordance with EN 50304)
 *30% more economical (0.66kWh) than the maximum value (0.99kWh) allowed for energy efficiency class A (measured in accordance with EN 50304)



Ovens

Thanks to HotairEco technology six of our ovens use a super efficient 30% less energy than the maximum qualifying rate for energy efficiency class A. That makes them clear winners when it comes to saving the environment and saving you money. In fact, almost all our main ovens use 20% less energy than the maximum qualifying rate for energy efficiency class A, another good reason to buy a Bosch oven.



- 1 Supplier's name or trademark and model identifier
- 2 Energy efficiency class
- 3 Annual energy consumption in kWh for conventional (top and bottom heat), based on standard test results for 24 hours
- 4 Annual energy consumption in kWh for forced air convection (Hot air cooking), based on standard test results for 24 hours
- 5 Usable volume in litres
- 6 Small, medium or large oven capacity
- 7 Noise emissions in decibels
- 8 Numbering of the regulation

Our refrigeration products are among the most economical in the world



Our refrigeration products are among the most economical in the world. Unlike your washing machine or dishwasher, your fridge or freezer is on 24 hours a day, so it is especially important that it does not waste energy. Every model in the Bosch range has been awarded at least an A+ energy rating, using as much as 20% less energy than equivalent A-rated models and one super-efficient model has been awarded A++, using 40% less energy than equivalent A-rated models.

AquaStar dishwashers




Our AquaStar dishwashers dramatically reduce both water and electricity consumption – using only 6 litres of water and 0.92kWh electricity. That’s compared to a staggering 49 litres of water if you washed up the same load by hand.


Washing machines




Our Logixx washing machines are A+ rated for energy, whilst our Logixx and Exxcel washer dryers are B rated for energy, all leading the way in energy and water saving technology.



- 1 Supplier's name or trademark and model identifier
- 2 Energy efficiency class
- 3 Annual energy consumption in kWh (based on standard test results for 24 hours)
- 4 Noise emissions in decibels
- 5 Sum of storage volume of all frozen-food storage
- 6 Sum of storage volume of all storage compartments without a star-rating
- 7 Numbering of the regulation



- 1 Supplier's name or trademark and model identifier
- 2 Energy efficiency class
- 3 Annual energy consumption in kWh (based on 280 standard cleaning cycles)
- 4 Acoustical noise emissions
- 5 Capacity in standard place settings
- 6 Drying efficiency class
- 7 Water consumption in litres per year (based on 280 standard cleaning cycles)
- 8 Numbering of the regulation



- 1 Supplier's name or trademark and model identifier
- 2 Energy efficiency class
- 3 Annual energy consumption in kWh (based on 220 standard wash cycles per year)
- 4 Acoustical noise emissions in decibels during the washing and spinning phases, for the standard 60°C cotton programme at full load
- 5 Spin-drying efficiency class
- 6 Capacity in kilograms
- 7 Water consumption in litres per year (based on 220 standard washing cycles)
- 8 Numbering of the regulation



Great performance. Perfect symmetry.



The collection of Bosch built-in appliances has been designed to give you perfect symmetry in your home. Matching control panels and horizontal lines allow you to mix and match specific products vertically and horizontally. Every detail has been considered from the control panels*, dials and knobs to the handles and door design.

*Please note that the colour of the displays may vary depending on whether it is an LCD or LED display.
Also horizontal co-ordination is only possible with Logixx or Exxcel compact models and Logixx oven HBG78R950B.

Premium black & white.



Bringing you the latest in stylish contemporary design, our premium black & white models feature glass fascias, all steel handles and steel finished control dials, delivering a contemporary twist to old favourites. Finish available on Exxcel single ovens and selected Exxcel compact appliances, plus selected hobs and chimney hoods allowing you to perfectly coordinate your new distinctive look.





Ovens.

Logi**xx**

Premium models with exceptional cutting-edge features and extras. The ultimate in contemporary style with twin display windows, illuminated pop-out controls and metal touch controls. Quiet SoftClose Doors and telescopic rail system for added convenience. Also look out for advanced features such as energy saving Hotair Eco, Auto Cook and memory function.



Ex**xx**cel

Mid-range models with a broad range of extra features and benefits. The glass-on-metal door construction, all-steel handles and metal-capped pop-out controls ensure these ovens stand apart from the crowd. EcoClean® cleaning system, SoftClose Doors and telescopic rails on selected models add extra convenience, whilst 8 cooking functions and Fast heat feature as standard on all multifunction models.



Classi**xx**

Simple, practical models offering Bosch build quality and value for money. Cooking functions are simplified, you will still find up to 6 cooking functions, touch controls, pyrolytic self-cleaning and up to a spacious 67 litre oven capacity.





The new generation of Bosch ovens brings style and elegance to the kitchen.

Our ovens combine the highest quality stainless steel and glass for a sleek look. Matching control panels* and horizontal lines allow you to mix and match with other cooking appliances for a totally coordinated look.



Metal behind glass

The new generation of Bosch ovens bring style and elegance to the kitchen. The new concept U-form door has a horizontal section of steel behind the outer glass for a unique, chic look.

Sleek new lines

Our new ovens combine the highest quality stainless steel and glass for a sleek and resistant finish. The ergonomically designed all-steel straight bar handle integrates perfectly with the door. And, matching control panels* and horizontal lines allow you to mix and match different products vertically and horizontally for a completely coordinated look.

Control panel

Fully programmable, the controls are intuitive and simple to use. Selected models also feature clear text on the LCD display screen.

Metal touch controls

Our state-of-the-art Logixx ovens feature metal touch controls, which only require the lightest touch to activate them.

Pop-out controls

Not only make the oven easy to operate but also they maintain a clean line when the oven is not in use, making the oven control panel easy to clean. Our top of the range Logixx models also have an illuminated red band.

Enamel coating

The grey enamel interior coating is easy to clean and the lighter colour improves visibility of your dishes while cooking.

Door constructions

Our range of single ovens are available in two different door constructions; drop-down and side opening, so that you can ensure the best solution for your kitchen environment and personal requirements.

Colour options

Bosch built-in appliances come in a number of finishes to complement most kitchen styles. Brushed steel offers a bold, stunning statement, while premium black and white models feature glass fascias, steel handles and steel finished control dials to deliver a modern, contemporary twist to old favourites. Those who prefer their white and black models in a more traditional form, Bosch also offers models with colour coordinated handles, controls and metal fascias.



SoftClose Doors

A hidden mechanism in the door hinge means enables the controlled soft close action of the oven door, reducing noise and allowing it to close gently and safely.

*Please note that the colour of the displays may vary depending on whether it is an LCD or LED display.
Also horizontal co-ordination is only possible with Logixx or Exxcel compact models and Logixx oven HBG78R950B.

Simple, safe, stylish.

Our ovens are incredibly easy to use and maintain. Pyrolytic self-cleaning makes cleaning the oven a pleasure instead of a chore. They are extremely safe with double or triple glazed doors and a safety lock that disables all functions. For extra piece of mind our electronic models also feature automatic switch off.





Pyrolytic self-cleaning system

The ultimate in self-cleaning power and convenience.

During the pyrolytic self-cleaning cycle, the oven is heated to around 480°C. At this temperature any deposits are quickly reduced to a thin layer of ash, which can then be simply wiped away with a damp cloth to leave a completely clean oven.



EcoClean self-cleaning programme


This oven cleaning function is highly effective and simple to use. Simply turn the dial to select the clean

function and then choose from the three different cleaning cycles depending on how dirty the EcoClean liners are: Level 1 = 45 minutes, Level 2 = 1 hour, Level 3 = 1 hour 15 minutes.

Automatic switch off (electronic ovens)

For extra peace of mind, if left unattended, the electronic oven will switch off after a specific period of time. This additional safety feature is only available on electronic models. This can be over-ridden simply by periodically adjusting the temperature.

Temperature range	Automatic switch off after:
Under 140°C	73 hours
141 - 200°C	6 hours
201 - 250°C	3 hours
251°C+	2 hours



Memory function

Store your favourite recipe instructions e.g. heating mode + temperature + cooking duration then simply press the memory button to repeat the sequence at any time.

Sabbath setting

The oven can be set to maintain a temperature of 85°C – 140°C for between 24 and 73 hours.

Safer touch doors

Bosch oven doors are either double or triple glazed depending on the model, and ensure that the temperature of the door is always well within safety standards.



Control panel lock

With the oven off, simply press the lock key for 4 seconds to disable all functions.

HEZ333000 – deep pan

This extra deep large pan has a capacity of 10 litres and is ideal for grilling or roasting on a big scale. Available as an optional accessory.

Telescopic rail with stop function

Available on one level of the oven*, these easy to use, stable rails make it easier than ever to check on the progress of your food. The rails are fully extendible so that food is fully visible and accessible without having to reach into the oven. The Stop function means you can never pull the rails out too far. A 3 level version of this is available as an optional accessory on many single and double ovens.

*Selected models

Standard accessories


Please see the specification guide at the back of this brochure.

Simply place the dish in the oven, and then choose the appropriate automatic programme from the menu. There are 40 or 68 recipes to choose from depending on the model.



Auto Cook.

Imagine having a sous-chef working for you in your kitchen everyday. With Auto Cook you can!





Input the weight of the meat or fish and press start. Auto Cook then takes over and determines the cooking mode, temperature and cooking duration. It even switches off the oven towards the end of the cooking time to finish off using residual heat thus saving energy.

Poultry, red meat, fish or stews, Auto Cook will cook your dish to perfection. As Auto Cook requires the use of ovenware with a lid your oven will stay clean too. Cooking with Bosch couldn't be simpler.

- 1** Press the Auto Cook key and select an automatic cooking programme
- 2** Specify how you would like it cooked i.e. rare
- 3** Input the weight
- 4** Press start

Cooking functions.

Multi-function cooking provides a solution for all your cooking requirements. With a choice of up to 11 different cooking functions, from traditional heating systems to more specialised functions such as Hydrobaking and Pizza setting, a Bosch oven will provide you with the flexibility to prepare a variety of meals for you and your family.





3D Hotair cooking

The element around the fan distributes the heat quickly and evenly throughout the oven for same temperature cooking on three levels. Sweet and savoury items can be cooked at the same time. At higher temperatures (200-220°C) the effect is to evenly grill on three levels – with no turning of the food required. Use high temperature 3D Hotair cooking, for example, to cook an entire full English breakfast.



Conventional top and bottom heat

Employs both the upper and lower heating elements. The heat travels to the centre of the oven by natural convection, which is the best position to obtain the selected temperature. Most foods can be cooked using this system, but it is best suited to foods which require a dark crisp finish or long slow cooking.



Full width variable grill

Enables you to grill large quantities with precise temperature control. For added efficiency grilling is performed with the oven door closed.



Half width variable grill

On selected ovens you have the option to select just the centre section of the grill element as an economical way to grill smaller quantities of food.



Hot air grilling

An ideal cooking method for meat and poultry where a rotisserie effect is desired. The grill and fan operate alternately, which results in even crisp food and can use up to 50% less energy than traditional roasting.

Low temperature cooking

Ideally suited for keeping high quality pan-fried meat at the desired level of rareness or otherwise for an extended period of time without it spoiling. Juices and textures are retained whilst you get on with preparing the rest of the dinner.



Intensive heat

Delivers immediate intense heat from below, which is particularly effective for foods with a crisp base such as flans. It makes it unnecessary to preheat the oven when baking cakes and quiches, and is also ideal for baking with tin, glass or porcelain moulds, which tend to reflect heat or are poor conductors of heat.



Bottom heat only

Only the bottom element is used to generate heat. This method is ideal for reheating or for when a crisp underside is required such as bread bases and pastry cases. It can also be used for drying herbs and bain-marie cooking.



Defrost

Perfect for gently defrosting meat, poultry, bread, cream cakes and much more.



Auto Cook

Simply place the dish in the oven, and then choose the appropriate automatic programme from the menu. Specify how you want your dish cooked e.g. rare, medium or well done. Input the weight of the meat or fish and press start. Auto Cook then takes over and determines the cooking mode, temperature and cooking duration to cook your dish to perfection. (See pages 18 & 19 for more details).



Pizza function

Designed with the pizza-lover in mind, but equally useful for quiches and tarts, this innovative function delivers cooking power for a perfectly crisp, browned base while keeping the topping moist. Suitable also for frozen food, and in many cases no preheating is required.



Hydrobaking

Retains the natural moisture emitted during the cooking process to prevent your baking from drying out. Ideal for bread and pastries.



Fast heat

This time-saver preheats the oven approx. 30% faster by using all the heating elements at once.



Keep warm

This convenient function keeps food items warm at temperatures between 66°C and 100°C at the touch of a button.



Plate warming

Food stays warm for longer if served up in preheated ovenware. Plate warming allows you to preheat porcelain ovenware to between 30°C to 65°C.



Hotair Eco – up to 30% more economical than energy efficiency class A*.

Optimised to cook efficiently and economically on one shelf level therefore reducing your electricity consumption by up to 30%. Energy consumption isn't the only thing that is exemplary, though. Cooking results are unrivalled as well.

*30% more economical (0.66kWh) than the maximum value (0.99kWh) allowed for energy efficiency class A (measured in accordance with EN 50304)

Bosch Logixx ovens with exceptional cutting edge features.

The ultimate in contemporary style with illuminated controls, SoftClose Doors and telescopic rail systems for added convenience.






























	Logixx single multifunction pyrolytic oven HBG78R750B brushed steel	Logixx single multifunction pyrolytic oven HBG78R950B brushed steel
Key features	<ul style="list-style-type: none"> – Electronic control – New concept control panel with metal touch controls and separate LCD digital clear text and LED symbol displays – Digital temperature display with proposal – Digital symbol and function display – Heating-up and residual heat indicator – AutoCook – 68 programmes – Actual temperature display – Automatic safety switch off – Pyrolytic self-cleaning function – SoftClose Door – 1 level fully extendible shelf with stop 	<ul style="list-style-type: none"> – Electronic control – New concept control panel with metal touch controls and separate LCD digital clear text and LED symbol displays – Digital temperature display with proposal – Digital symbol and function display – Heating-up and residual heat indicator – AutoCook – 68 programmes – Actual temperature display – Automatic safety switch off – Pyrolytic self-cleaning function – SoftClose Door – 1 level fully extendible shelf with stop
Design	<ul style="list-style-type: none"> – Control panel height 11.5cm – Twin display window and central illuminated full metal pop-out control dial – Metal touch controls – Straight bar handle with steel handle fixing blocks – U-shape glass on metal door design 	<ul style="list-style-type: none"> – Control panel height 9.6cm – Twin display window and central illuminated full metal pop-out control dial – Metal touch controls – Straight bar handle with steel handle fixing blocks – U-shape glass on metal door design
Features	<ul style="list-style-type: none"> – Electronic clock timer with automatic on/off programmer – Main on/off switch – 2 interior lights – Door locking during pyrolytic cleaning, control panel lock, door locking option – Smooth enamelled interior with easy fit support rails – 5 shelf positions – Oven capacity: 65 litres 	<ul style="list-style-type: none"> – Electronic clock timer with automatic on/off programmer – Main on/off switch – 2 interior lights – Door locking during pyrolytic cleaning, control panel lock, door locking option – Smooth enamelled interior with easy fit support rails – 5 shelf positions – Oven capacity: 65 litres
Programmes/functions	<ul style="list-style-type: none"> – Sabbath setting – Fast heat 	<ul style="list-style-type: none"> – Sabbath setting – Fast heat
Optional accessories	<ul style="list-style-type: none"> – HEZ338357 3 level telescopic shelf rails, with stop 	<ul style="list-style-type: none"> – HEZ338357 3 level telescopic shelf rails, with stop



	Exxel single multifunction pyrolytic oven HBG73R550B brushed steel	Exxel single multifunction oven HBG53R550B brushed steel HBG53R560B premium black HBG53R520B premium white
Key features	<ul style="list-style-type: none"> – Electronic control – Automatic safety switch off – Pyrolytic self-cleaning function – SoftClose Door – 1 level fully extendible shelf with stop 	<ul style="list-style-type: none"> – EcoClean® cleaning programme – SoftClose Door – 1 level fully extendible shelf with stop
Design	<ul style="list-style-type: none"> – Single display window – Pop-out control dials with metal cap – Touch control – Straight bar handle with steel handle fixing blocks – U-shape glass on metal door design 	<ul style="list-style-type: none"> – Single display window – Pop-out control dials with metal cap – Touch control – Straight bar handle with steel handle fixing blocks – U-shape glass on metal door design
Features	<ul style="list-style-type: none"> – Electronic clock timer with automatic on/off programmer – Door lock during pyrolytic cleaning – Control panel lock – Smooth enamelled interior with easy fit support rails – 5 shelf positions – Oven capacity: 65 litres 	<ul style="list-style-type: none"> – Electronic clock timer with automatic on/off programmer – Control panel lock – Smooth enamelled interior with easy fit support rails – 5 shelf positions – EcoClean® back, roof and side liners – Oven capacity: 67 litres
Programmes/ functions		
Optional accessories	<ul style="list-style-type: none"> – HEZ338357 3 level telescopic shelf rails, with stop 	<ul style="list-style-type: none"> – HEZ333000 Deep pan



	Exxcel single multifunction oven HBL33B550B brushed steel	Exxcel single multifunction pyrolytic oven HBR33B550B brushed steel
	    	   
Key features	<ul style="list-style-type: none"> – EcoClean® back liners – Left hinged door 	<ul style="list-style-type: none"> – EcoClean® back liners – Right hinged door
Design	<ul style="list-style-type: none"> – Single display window – Pop-out control dials with metal cap – Touch control – Straight bar handle with steel handle fixing blocks – U-shape glass on metal door design – Side opening door, hinged left 	<ul style="list-style-type: none"> – Single display window – Pop-out control dials with metal cap – Touch control – Straight bar handle with steel handle fixing blocks – U-shape glass on metal door design – Side opening door, hinged right
Features	<ul style="list-style-type: none"> – Electronic clock timer with automatic on/off programmer – 1 interior light – Control panel lock – Smooth enamelled interior with easy fit support rails – 5 shelf positions – Oven capacity: 67 litres 	<ul style="list-style-type: none"> – Electronic clock timer with automatic on/off programmer – 1 interior light – Control panel lock – Smooth enamelled interior with easy fit support rails – 5 shelf positions – Oven capacity: 67 litres
Programmes/ functions	       	       
Optional accessories	<ul style="list-style-type: none"> – HEZ338357 3 level telescopic shelf rails, with stop – HEZ333000 Deep pan 	<ul style="list-style-type: none"> – HEZ338357 3 level telescopic shelf rails, with stop – HEZ333000 Deep pan



Exxcel single multifunction oven HBG33B550B brushed steel	
<div><div>Energy</div><div>A</div></div> <div><div>-20%</div></div> <div><div>Multifunction</div><div>3D</div></div> <div><div>SoftClose Door</div></div> <div><div>EcoClean</div></div> <div><div>Safety</div></div>	
Key features	<div><div>– EcoClean® back, roof and side liners</div><div>– SoftClose Door</div></div>
Design	<div><div>– Single display window</div><div>– Standard control dials with metal cap</div><div>– Touch control</div><div>– Straight bar handle with steel handle fixing blocks</div><div>– U-shape glass on metal door design</div></div>
Features	<div><div>– Electronic clock timer with automatic on/off programmer</div><div>– 1 interior light</div><div>– Control panel lock</div><div>– Smooth enamelled interior with easy fit support rails</div><div>– 5 shelf positions</div><div>– Oven capacity: 67 litres</div></div>
Programmes/ functions	<div><div>3D HotAir F&Ro</div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div>
Optional accessories	<div><div>– HEZ338357 3 level telescopic shelf rails, with stop</div><div>– HEZ333000 Deep pan</div></div>



The Winning Line single multifunction pyrolytic oven HBA63B251B brushed steel HBA63B261B black	
	<div><div>Energy A</div><div>-30%</div><div>Multifunction 3D</div><div></div><div></div><div></div></div>
Key features	<ul style="list-style-type: none">– Electronic control– Automatic safety switch off– Pyrolytic self-cleaning function
Design	<ul style="list-style-type: none">– Single display window– Standard control dials with metal cap– Touch control– Straight bar handle with black handle fixing blocks– Full width door with side strip design
Features	<ul style="list-style-type: none">– Electronic clock timer with automatic on/off programmer– Door lock during pyrolytic cleaning– Control panel lock– Moulded enamelled oven interior– 5 shelf positions– Oven capacity: 61 litres
Programmes/ functions	<div><div></div><div></div><div></div><div></div><div></div><div></div></div> <ul style="list-style-type: none">– Fast heat
Optional accessories	<ul style="list-style-type: none">– HEZ338357 3 level telescopic shelf rails, with stop




















the winning line



	Classixx single multifunction oven HBA43B251B brushed steel HBA43B261B black	Classixx single multifunction oven HBA23B150B brushed steel
Key features	– EcoClean® back, roof and side liners	– EcoClean® back, roof and side liners
Design	<ul style="list-style-type: none"> – Single display window – Standard control dials with metal cap – Touch control – Straight bar handle with black handle fixing blocks – Full width door with side strip design 	<ul style="list-style-type: none"> – Single display window – Standard controls – Push buttons – Straight bar handle with steel handle fixing blocks – Horizontal strip door design
Features	<ul style="list-style-type: none"> – Electronic clock timer with automatic on/off programmer – 1 interior light – Control panel lock – Smooth enamelled interior with easy fit support rails – 5 shelf positions – Oven capacity: 67 litres 	<ul style="list-style-type: none"> – Electronic clock timer with automatic on/off programmer – 1 interior light – Control panel lock – Smooth enamelled interior with easy fit support rails – 5 shelf positions – Oven capacity: 67 litres
Programmes/ functions	<ul style="list-style-type: none"> – Fast heat 	<ul style="list-style-type: none"> – Fast heat
Optional accessories	<ul style="list-style-type: none"> – HEZ338357 3 level telescopic shelf rails, with stop – HEZ333000 Deep pan 	<ul style="list-style-type: none"> – HEZ338357 3 level telescopic shelf rails, with stop – HEZ333000 Deep pan



	Classixx single multifunction oven HBA13B150B brushed steel	Classixx single multifunction oven HBN531E0B brushed steel
	   	   
Design	<ul style="list-style-type: none"> – Single display window with metal cap – Standard controls – Push buttons – Straight bar handle with steel handle fixing blocks – Horizontal strip door design 	<ul style="list-style-type: none"> – Standard control dials – Push buttons – Straight bar handle with black handle fixing blocks – Horizontal strip door design
Features	<ul style="list-style-type: none"> – Electronic clock timer with automatic on/off programmer – 1 interior light – Control panel lock – Smooth enamelled interior with easy fit support rails – 5 shelf positions – Oven capacity: 67 litres 	<ul style="list-style-type: none"> – Electronic clock timer with automatic on/off programmer – Control panel lock – Smooth enamelled interior with easy fit support rails – 4 shelf positions – Catalytic roof and back liners – Oven capacity: 67 litres
Programmes/ functions	   	    Fast heat
Optional accessories	<ul style="list-style-type: none"> – HEZ338357 3 level telescopic rails, with stop – HEZ333000 Deep pan 	





Double ovens.

Our double ovens combine the highest quality stainless steel and glass for a sleek look. Matching control panels and horizontal lines allow you to mix and match with other cooking appliances for a totally coordinated look.







Logixx built-in double multifunction oven HBM56B551B brushed steel	
<div><div>Energy</div><div>A</div></div> <div><div>-30%</div></div> <div><div>Energy</div><div>A</div></div> <div><div>Multifunction</div><div>3D</div></div> <div><div></div></div> <div><div></div></div> <div><div>EcoClean</div></div> <div><div>Safety</div></div>	
Key features	<div><div>– Electronic control (Main oven)</div><div>– Digital temperature display with proposal</div><div>– Digital symbol and function display</div><div>– Heating-up indicator and residual heat indicator</div><div>– Actual temperature display</div><div>– Automatic safety switch off</div><div>– EcoClean® cleaning programme for both ovens</div><div>– 1 level fully extendible shelf rail, with stop</div></div>
Design	<div><div>– Twin display window with central illuminated full metal pop-out control dials</div><div>– Metal touch controls</div><div>– Straight bar handle with steel handle fixing blocks</div><div>– U-shape glass on metal door design</div></div>
Main lower oven features	<div><div>– Electronic clock timer with automatic on/off programmer</div><div>– Control panel lock</div><div>– Smooth enamelled interior with easy fit support rails</div><div>– 5 shelf positions</div><div>– EcoClean® back, roof and side liners</div><div>– Oven capacity: 67 litres</div></div>
Programmes/ functions	<div><div><div><div>Hotair Eco</div></div><div><div>3D Hotair Plus</div></div><div><div></div></div><div><div></div></div><div><div></div></div><div><div></div></div><div><div></div></div><div><div></div></div><div><div></div></div></div><div><div>– Sabbath setting</div><div>– Fast heat</div><div>– Keep warm</div><div>– 40 automatic programmes</div></div></div>
Secondary top oven features	<div><div>– Smooth enamelled interior with easy fit support rails</div><div>– 2 shelf positions</div><div>– EcoClean® back, roof and side liners</div><div>– Oven capacity: 35 litres</div></div>
Programmes/ functions	<div><div><div><div></div></div><div><div></div></div><div><div></div></div><div><div></div></div></div></div>
Optional accessories	<div><div>– HEZ338357 3 level telescopic shelf rails, with stop</div><div>– HEZ333000 Deep pan</div></div>



	Exxcel built-in double multifunction oven HBM53R550B brushed steel	Exxcel built-in double multifunction oven HBM13B550B brushed steel
Key features	<ul style="list-style-type: none"> – EcoClean® back, roof and side liners – 1 level fully extendible shelf rail, with stop 	<ul style="list-style-type: none"> – EcoClean® back, roof and side liners
Design	<ul style="list-style-type: none"> – Single display window with central illuminated full metal pop-out control dials – Touch control – Straight bar handle with steel handle fixing blocks – U-shape glass on metal door design 	<ul style="list-style-type: none"> – Single display window with central illuminated metal cap pop-out control dials – Touch control – Straight bar handle with steel handle fixing blocks – U-shape glass on metal door design
Main lower oven features	<ul style="list-style-type: none"> – Electronic clock timer with automatic on/off programmer – Control panel lock – Smooth enamelled interior with easy fit support rails – 5 shelf positions – EcoClean® back, roof and side liners – Oven capacity: 67 litres 	<ul style="list-style-type: none"> – Electronic clock timer with automatic on/off programmer – 1 interior light – Control panel lock – Smooth enamelled interior with easy fit support rails – 5 shelf positions – EcoClean® back liner – Oven capacity: 71 litres
Programmes/ functions	<ul style="list-style-type: none"> – Fast heat 	<ul style="list-style-type: none"> – Fast heat
Secondary top oven features	<ul style="list-style-type: none"> – Smooth enamelled interior with easy fit support rails – 2 shelf positions – EcoClean® back, roof and side liners – Oven capacity: 35 litres 	<ul style="list-style-type: none"> – Smooth enamelled interior with easy fit support rails – 1 interior light – 2 shelf positions – EcoClean® back and roof liners – Oven capacity: 35 litres
Programmes/ functions		
Optional accessories	<ul style="list-style-type: none"> – HEZ338357 3 level telescopic shelf rails, with stop – HEZ333000 Deep pan 	<ul style="list-style-type: none"> – HEZ338357 3 level telescopic shelf rails, with stop – HEZ333000 Deep pan





	Classixx built-in double multifunction oven HBM43B250B brushed steel HBM43B260B black	Classixx built-in double hot-air oven HBM13B251B brushed steel HBM13B261B black HBM13B221B white
Key features	<ul style="list-style-type: none"> – EcoClean® back, roof and side liners 	<ul style="list-style-type: none"> – EcoClean® back and roof liners
Design	<ul style="list-style-type: none"> – Single display window – Standard control dials – Touch control – Straight bar handle with black handle fixing blocks – Full width door with side strip design 	<ul style="list-style-type: none"> – Single display window – Standard control dials – Touch control – Straight bar handle with black handle fixing blocks – Full width door with side strip design
Main lower oven features	<ul style="list-style-type: none"> – Electronic clock timer with automatic on/off programmer – Control panel lock – Smooth enamelled interior with easy fit support rails – 5 shelf positions – EcoClean® back, roof and side liners – Oven capacity: 67 litres 	<ul style="list-style-type: none"> – Electronic clock timer with automatic on/off programmer – Control panel lock – Smooth enamelled interior with easy fit support rails – 5 shelf positions – EcoClean® back liner – Oven capacity: 71 litres
Programmes/functions	<ul style="list-style-type: none"> – Fast heat 	
Secondary top oven features	<ul style="list-style-type: none"> – Smooth enamelled interior with easy fit support rails – 2 shelf positions – EcoClean® back, roof and side liners – Oven capacity: 35 litres 	<ul style="list-style-type: none"> – Smooth enamelled interior with easy fit support rails – 2 shelf positions – EcoClean® back and roof liners – Oven capacity: 35 litres
Programmes/functions		
Optional accessories	<ul style="list-style-type: none"> – HEZ338357 3 level telescopic shelf rails, with stop – HEZ333000 Deep pan 	<ul style="list-style-type: none"> – HEZ338357 3 level telescopic shelf rails, with stop – HEZ333000 Deep pan



Classixx built-in double multifunction oven
HBM43B150B brushed steel



Key features	– EcoClean®
Design	<ul style="list-style-type: none"> – Single display window – Pop-out control dials with metal cap – Touch control – Straight bar handle with black handle fixing blocks – Full width door with side strip design
Main lower oven features	<ul style="list-style-type: none"> – Electronic clock timer with automatic on/off programmer – 1 interior light – Control panel lock – Smooth enamelled interior with easy fit support rails – 5 shelf positions – Oven capacity: 67 litres
Programmes/ functions	 <ul style="list-style-type: none"> – Fast heat
Secondary top oven features	<ul style="list-style-type: none"> – Smooth enamelled interior with easy fit support rails – 2 shelf positions – 1 Interior light – EcoClean® back liner – Oven capacity: 35 litres
Programmes/ functions	
Optional accessories	<ul style="list-style-type: none"> – HEZ338357 3 level telescopic shelf rails, with stop – HEZ333000 Deep pan



	<i>Exxcel</i> built-under double multifunction oven HBN53R550B brushed steel
	<div><div>Energy A</div><div>Energy A</div><div>Multifunction 3D</div><div></div><div></div><div></div></div>
Key features	<div><div>– EcoClean® back, roof and side liners</div></div>
Design	<div><div>– Single display window</div><div>– Control dials with metal cap</div><div>– Touch control</div><div>– Straight bar handle with steel handle fixing blocks</div><div>– U-shape glass on metal door design</div></div>
Main lower oven features	<div><div>– Electronic clock timer with automatic on/off programmer</div><div>– Control panel lock</div><div>– Smooth enamelled interior with easy fit support rails</div><div>– 3 shelf positions</div><div>– EcoClean® back, roof and side liners</div><div>– Oven capacity: 50 litres</div></div>
Programmes/ functions	<div><div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div><div><div>– Fast heat</div></div></div>
Secondary top oven features	<div><div>– Smooth enamelled interior with easy fit support rails</div><div>– 2 shelf positions</div><div>– EcoClean® back, roof and side liners</div><div>– Oven capacity: 35 litres</div></div>
Programmes/ functions	<div><div><div></div><div></div><div></div></div></div>
Optional accessories	<div><div>– HEZ333000 Deep pan</div></div>



	Classixx built-under double multifunction oven HBN43B250B brushed steel HBN43B260B black	Classixx built-under double hot-air oven HBN13B251B brushed steel HBN13B261B black HBN13B221B white
Key features	– EcoClean® back, roof and side liners	– EcoClean® back, roof and side liners
Design	<ul style="list-style-type: none"> – Single display window – Standard control dials – Touch control – Straight bar handle with black handle fixing blocks – Full width door with side strip design 	<ul style="list-style-type: none"> – Single display window – Standard control dials – Touch control – Straight bar handle with black handle fixing blocks – Full width door with side strip design
Main lower oven features	<ul style="list-style-type: none"> – Electronic clock timer with automatic on/off programmer – Control panel lock – Smooth enamelled interior with easy fit support rails – 3 shelf positions – EcoClean® back, roof and side liners – Oven capacity: 50 litres 	<ul style="list-style-type: none"> – Electronic clock timer with automatic on/off programmer – Control panel lock – Smooth enamelled interior with easy fit support rails – 3 shelf positions – EcoClean® back, roof and side liners – Oven capacity: 56 litres
Programmes/ functions	<ul style="list-style-type: none"> – Fast heat 	
Secondary top oven features	<ul style="list-style-type: none"> – Smooth enamelled interior with easy fit support rails – 2 shelf positions – EcoClean® back, roof and side liners – Oven capacity: 35 litres 	<ul style="list-style-type: none"> – Smooth enamelled interior with easy fit support rails – 2 shelf positions – EcoClean® back and roof liners – Oven capacity: 35 litres
Programmes/ functions		
Optional accessories	– HEZ333000 Deep pan	– HEZ333000 Deep pan



 **BOSCH**

Compact appliances.

Logixx

Premium models with exceptional cutting-edge features and extras. One LCD clear text window and one LED function display, illuminated pop-out controls and metal touch controls mean that you can mix and match our Logixx compact appliances with either a Bosch Logixx single or double oven for a completely coordinated look. They all feature electronic controls and operating functions are also harmonised to make your life simpler.



Exxcel



Mid-range models with a broad range of extra features and benefits. Once again the signature design style and operating features of our compact appliances perfectly complement our range of Exxcel ovens. The new U-form door with metal-on-glass door construction, metal-capped pop-out controls, touch controls and large LED displays will bring style and elegance to any kitchen.





Healthy eating has never tasted so good.

Natural foods contain many essential vitamins and minerals. How we prepare food determines how many of these important vitamins and minerals are preserved. Steam cooking is accepted as the most gentle and therefore healthy heating mode available.



Steaming not only preserves vitamins and minerals better than any other form of cooking, it also preserves natural flavours, meaning there is practically no need for seasoning.

Healthy eating has never tasted so good

Natural foods contain many essential vitamins and minerals. How we prepare food determines how many of these important vitamins and minerals are preserved. Steam cooking is accepted as the most gentle and therefore healthy heating mode available.

Hot air and steam, a recipe for success

We have combined the beneficial effects of steaming with the hot air system so you can make food that is deliciously crisp on the outside while remaining juicy and healthy on the inside.

**Hot air**

Ideal for meat roasts, moist cakes and for preheating plates and dishes.

**Steaming**

Perfect for vegetables and fish, drying fruit, blanching, making hard or soft-boiled eggs and sterilizing jars, bottles or babies' bottles (only after thorough cleaning). You can also reheat dishes with no risk of hard, dried up results.

**Combination cooking**

Ideal for meat like tender roast beef, crispy leg of lamb and casseroles. Perfect for bread and baking and for yeast dough that rises beautifully. Or defrost frozen food without loss of shape, and keep food hot with no risk of hard, dried-up results.

**Better for you**

Steaming helps to retain the vitamins and minerals in foods, which dissolve when immersed in water. In fact, compared with boiling, steam cooking retains almost 50% more of the vitamin and mineral content.

Better-looking and tastier food

The gentle heat action of steaming not only preserves the flavour, colour and aroma of the food but also maintains the form and texture. As the food retains its natural juices and does not dry out.

Automatic programmes

Simply place the dish in the oven and then choose the appropriate automatic programme from the menu. There are up to 70 recipes to choose from depending on the model. Input the weight and the oven will automatically calculate the temperature and cooking duration required.

Regeneration

A unique feature to steam ovens which revitalises pre-cooked food. The function allows you to reheat up to two items at a time, gently reheating the food without danger of hot spots or drying-out the food. This is also a great feature for revitalizing breads.

Cleaning programme

Select the cleaning programme, add a small amount of detergent (washing-up liquid) to the bowl of water in the base of the appliance and press start. Detergent laden steam then helps to soften grease deposits making it easy for you to wipe the interior clean.

Descaling programme

The appliance will automatically inform you when descaling is needed, then simply select the descaling programme and follow the easy to understand instructions.





Flexible installation

Our range of steam ovens offer you total flexibility when it comes to installation. All models are suitable for installation in a standard 60cm unit and can be built into a tall cupboard or built-under a worktop. Our new space-saving HMT85DL53B model can also be housed in a 36cm high wall unit. The door design and control panel perfectly complement our Exxcel wall microwaves allowing them to be installed side-by-side.



	<i>Logixx</i> steam combination oven HBC36D754B brushed steel	<i>Exxcel</i> steam combination oven HBC34D554B brushed steel
Key features	<ul style="list-style-type: none"> – Electronic control – New concept panel with metal touch controls and separate LCD digital clear text and LED symbol displays – LCD digital clear text display – Digital temperature display with proposal – Digital symbol and function display – Heating up indicator and residual heat indicator – Actual temperature display – Automatic safety switch off 	<ul style="list-style-type: none"> – Electronic control – Heating up indicator and residual heat indicator – Automatic safety switch off
Design	<ul style="list-style-type: none"> – Twin display window and central illuminated full metal control dial – Metal touch controls – Straight bar handle with steel handle fixing blocks – U-shape glass on metal door design 	<ul style="list-style-type: none"> – Single display window – Control dials with metal cap – Straight bar handle with steel handle fixing blocks – U-shape glass on metal door design
Features	<ul style="list-style-type: none"> – Electronic clock timer – Control panel lock – Smooth steel oven interior – Removable wire shelf support rails – 4 shelf positions – Tank empty indicator 	<ul style="list-style-type: none"> – Electronic clock timer – Control panel lock – Smooth steel oven interior – Removable wire shelf support rails – 4 shelf positions – Tank empty indicator
Programmes/ functions	<ul style="list-style-type: none"> – Dough proving – Low temperature cooking – Reheating – Keep warm – Plate warming – Cleaning programme – Descaling programme – 1 memory setting – 70 automatic programmes 	<ul style="list-style-type: none"> – Reheating – Cleaning programme – Descaling programme – 40 automatic programmes
Performance/ technical info	<ul style="list-style-type: none"> – Oven capacity: 35 litres – Steam cooking 35 - 100°C – Hot air cooking 30 - 230°C – Water tank 1.3 litres 	<ul style="list-style-type: none"> – Oven capacity: 35 litres – Steam cooking 35 - 100°C – Hot air cooking 30 - 230°C – Water tank 1.3 litres
Optional accessories	<ul style="list-style-type: none"> – Decor strip HEZ860050 	<ul style="list-style-type: none"> – Decor strip HEZ860050



	<i>Excel steamer</i> HBC24D553B brushed steel	<i>Excel wall steamer</i> HMT85DL53B brushed steel
	 	
Key features	<ul style="list-style-type: none"> – Electronic control – Automatic safety switch off 	<ul style="list-style-type: none"> – Electronic control
Design	<ul style="list-style-type: none"> – Single display window – Control dials with metal cap – Straight bar handle with steel handle fixing blocks – U-shape glass on metal door design – Drop down door 	<ul style="list-style-type: none"> – Single display window – Control dials with metal cap – Push buttons – Side opening door, left hinged
Features	<ul style="list-style-type: none"> – Electronic clock timer – Control panel lock – Smooth steel oven interior – Removable wire shelf support rails – 3 shelf positions – Tank empty indicator 	<ul style="list-style-type: none"> – Electronic clock timer – LED light – Stainless steel oven interior – 3 shelf positions – Tank empty indicator
Programmes/ functions	 <ul style="list-style-type: none"> – Descaling programme – 20 automatic programmes 	 <ul style="list-style-type: none"> – Descaling programme – 20 automatic programmes
Performance/ technical info	<ul style="list-style-type: none"> – Oven capacity: 38 litres – Steam cooking range 35 - 100°C – Water tank 1.3 litres 	<ul style="list-style-type: none"> – Oven capacity: 22 litres – Steam cooking 40°C - 100°C – Water tank 0.9 litres
Optional accessories	<ul style="list-style-type: none"> – Decor strip HEZ860050 	<ul style="list-style-type: none"> – Decor strip HEZ860050



Compact and bijoux.

Our range of new compact appliances is stunning. Coordinating control panels* and horizontal lines allow you to mix and match so that you can have a compact oven, compact dishwasher, coffee maker and warming drawer all conveniently displayed together, making a bold and stunning statement in your kitchen.

*Please note that the colour of the displays may vary depending on whether it is an LCD or LED display.

Choose the right compact appliance for you

Bosch offers 3 types of microwave and oven combination:

- Pure microwave ovens are excellent for fast and convenient cooking. (HMT35M653B)
- Microwave combination ovens are perfect for microwave cooking food and also for crisping. Without compromising on speed, the hot air and grill function will crisp and brown your microwave cooked food. (HBC84E653B)
- Multifunction ovens with integrated microwaves are ideal for anyone who prefers a traditional oven with heating elements, but with the added convenience of a microwave function to speed up cooking when required. (HB86P753B).

Stunning design

The new generation of Bosch compact ovens bring style and elegance to the kitchen. Their unique looks are created by the metal behind glass design and the ergonomically designed all-steel straight bar handle that integrates perfectly with the door. Pop-out controls not only make the oven easy to operate, but maintain a clean line when the oven is not in use, with the added advantage of making the control panel easier to clean. The metal touch controls on our top of the range compact ovens only require the lightest touch to activate them and all models are built from the highest quality stainless steel and glass for a sleek, resistant finish.



Pyrolytic self-cleaning system

The ultimate in self-cleaning power and convenience. During the pyrolytic self-cleaning cycle, the oven is heated to around 480°C, at this temperature any deposits are quickly reduced to a thin layer of ash, which can then be simply wiped away with a damp cloth to leave a completely clean oven.



Automatic weight programmes

Simply select the appropriate programme, enter the weight and press start. The automatic programme then takes over to cook your dish to perfection.

Memory function

Store your favourite recipe instructions e.g. heating mode + temperature + cooking duration then simply press the memory button to repeat the sequence at any time.

3-stage programming

Allows you to programme the microwave to automatically run up to three power levels and cooking times consecutively.



Safety lock















Simply press the lock key for 4 seconds to disable all functions.

Decor strips

Designed for the facing edge of furniture shelves positioned between separate compact appliances, microwaves and warming drawers. (Available as an optional extra: HEZ860050 brushed steel, HEZ860060 black, approximate size H22mm x W594mm)





reddot design award
winner 2009

Logixx compact oven with integrated microwave HBC86P753B brushed steel	
	     
Key features	<ul style="list-style-type: none">– Electronic control– New concept control panel with metal touch controls and separate LCD digital clear text and LED symbol displays– Digital clear text display– Digital temperature display with proposal– Digital symbol and function display– Heating up indicator and residual heat indicator– Actual temperature display– Automatic safety switch off– Pyrolytic self-cleaning function
Design	<ul style="list-style-type: none">– Twin display window and central illuminated full metal control dial– Metal touch controls– Straight bar handle with steel handle fixing blocks– U-shape glass on metal door design
Features	<ul style="list-style-type: none">– Electronic clock timer with automatic on/off programmer– Main on/off switch– Electronic door lock, door locking option, control panel lock– Moulded enamelled oven interior– 3 shelf positions
Programmes/ functions	        <ul style="list-style-type: none">– Low temperature cooking– Plate warming, keep warm– 12 automatic cooking programmes– 14 automatic defrost programmes– 44 automatic combination programmes– 3 programmable stages– 6 memory functions– Fast heat
Performance/ technical info	<ul style="list-style-type: none">– Oven capacity: 42 litres– Microwave inverter technology– Stirrer fan distribution– 5 microwave power levels– Maximum microwave power level: 1000W
Optional accessories	<ul style="list-style-type: none">– Brushed steel decor strip HEZ860050








	Logixx compact microwave combination oven HBC84E653B brushed steel HBC84E663B premium black HBC84E623B premium white	Exxcel compact microwave HMT35M653B brushed steel
Key features	<ul style="list-style-type: none"> – Electronic control 	<ul style="list-style-type: none"> – Electronic control
Design	<ul style="list-style-type: none"> – Single display window – Control dials with metal cap – Touch control – Push buttons – Straight bar handle with steel handle fixing blocks – U-shape glass on metal door design 	<ul style="list-style-type: none"> – Single display window – Control dials with metal cap – Touch control – Push buttons – Straight bar handle with steel handle fixing blocks – U-shape glass on metal door design
Features	<ul style="list-style-type: none"> – Electronic clock timer – Control panel lock – Stainless steel interior – 4 shelf positions – Catalytic back liner 	<ul style="list-style-type: none"> – Electronic clock timer – Stainless steel interior
Programmes/ functions	<ul style="list-style-type: none"> – 4 weight automatic defrost programmes – 11 automatic combination programmes – 3 programmable stages – Fast heat 	<ul style="list-style-type: none"> – 5 weight automatic cooking programmes – 4 weight automatic defrost programmes – 2 memory functions – 3 programmable stages
Performance/ technical info	<ul style="list-style-type: none"> – Oven capacity: 36 litres – 5 microwave power levels – Maximum microwave power level: 1000W 	<ul style="list-style-type: none"> – Oven capacity: 36 litres – 5 microwave power levels – Maximum microwave power level: 1000W
Optional accessories	<ul style="list-style-type: none"> – Brushed steel decor strip HEZ860050 – Black decor strip HEZ860060 	<ul style="list-style-type: none"> – Brushed steel decor strip HEZ860050








	Exxcel compact microwave oven HMT85ML53B brushed steel HMT85ML63B premium black	Exxcel compact microwave oven with grill HMT85GL53B brushed steel
		
Key features	<ul style="list-style-type: none">– Electronic control	Same specifications as HMT85ML53B, but with: <ul style="list-style-type: none">– 1300W quartz grill function– 3 automatic combination programmes
Design	<ul style="list-style-type: none">– Single display window– Control dials with metal cap– Touch control– Push buttons	
Features	<ul style="list-style-type: none">– Electronic clock timer– Stainless steel interior	
Programmes/ functions	<ul style="list-style-type: none">– 4 automatic cooking programmes– 3 automatic defrost programmes– 3 programmable steps– 2 memory functions	
Performance/ technical info	<ul style="list-style-type: none">– Oven capacity: 21 litres– Microwave inverter technology– Stirrer fan distribution– 5 microwave power levels– 900W maximum microwave power	




	Compact microwave HMT84M651B brushed steel HMT84M661B black HMT84M621B white	Compact microwave with grill HMT84G651B brushed steel
	 	  
Key features	<ul style="list-style-type: none"> – Electronic control 	Same specifications as HMT84M651B, but with: <ul style="list-style-type: none"> – 1200W quartz grill function – 1 automatic combination programme
Design	<ul style="list-style-type: none"> – Standard control dials – Push buttons 	
Features	<ul style="list-style-type: none"> – Electronic clock timer – Stainless steel interior 	
Programmes/ functions	<ul style="list-style-type: none"> – 3 automatic cooking programmes – 4 automatic defrost programmes – 1 memory function 	
Performance/ technical info	<ul style="list-style-type: none"> – Oven capacity: 25 litres – Turntable distribution – 315 mm turntable diameter – 5 microwave power levels – 900W maximum microwave power 	






	Compact microwave oven HMT75M651B brushed steel HMT75M661B black HMT75M621B white	Compact microwave oven with grill HMT75G651B brushed steel
	 	  
Key features	<ul style="list-style-type: none">– Electronic control	Same specifications as HMT75M651B, but with: <ul style="list-style-type: none">– 1000W quartz grill function– 1 automatic combination programme
Design	<ul style="list-style-type: none">– Standard control dials– Push buttons	
Features	<ul style="list-style-type: none">– Electronic clock timer– Stainless steel interior	
Programmes/ functions	<ul style="list-style-type: none">– 3 weight automatic cooking programmes– 4 weight automatic defrost programmes– 1 memory function	
Performance/ technical info	<ul style="list-style-type: none">– Oven capacity: 17 litres– 245mm turntable diameter– 5 microwave power levels– Maximum microwave power level: 800W	



Compact microwave oven HMT75M551B brushed steel	
	
Key features	<ul style="list-style-type: none">– Electronic control
Design	<ul style="list-style-type: none">– Standard control dials– Push buttons
Features	<ul style="list-style-type: none">– Electronic clock timer– Stainless steel interior
Programmes/ functions	<ul style="list-style-type: none">– 3 weight automatic cooking programmes– 4 weight automatic defrost programmes– 1 memory function
Performance/ technical info	<ul style="list-style-type: none">– Oven capacity: 17 litres– 245mm turntable diameter– 5 microwave power levels– Maximum microwave power level: 800W



Freestanding microwave HMT75M451B brushed steel HMT75M461B black HMT75M421B white	Freestanding microwave with integral grill HMT75G451B brushed steel	Freestanding microwave HMT72M450B brushed steel
	 	
Performance/technical info <ul style="list-style-type: none"> – 17 litre capacity – Can be installed under a wall cupboard – 245mm turntable diameter – 5 microwave power levels – Maximum microwave power level: 800W 	Performance/technical info <ul style="list-style-type: none"> – 17 litre capacity – 245mm turntable diameter – 5 microwave power levels – Maximum microwave power level: 800W – 1000 W quartz grill function 	Performance/technical info <ul style="list-style-type: none"> – 17 litre capacity – Can be installed under a wall cupboard – 245mm turntable diameter – 5 microwave power levels – Maximum microwave power level: 800W
Key features <ul style="list-style-type: none"> – Electronic control 	Key features <ul style="list-style-type: none"> – Electronic control 	
Features <ul style="list-style-type: none"> – LED display – Electronic clock timer – 99 minute timer 	Features <ul style="list-style-type: none"> – LED display – Electronic clock timer – 99 minute timer 	Features <ul style="list-style-type: none"> – 60 minute timer
Programmes/functions <ul style="list-style-type: none"> – 1 main function: <ul style="list-style-type: none"> - microwave – 3 weight automatic cooking programmes – 4 weight automatic defrost programmes – 1 memory function 	Programmes/functions <ul style="list-style-type: none"> – 2 main functions: <ul style="list-style-type: none"> - microwave - Quartz grill – Microwave combination cooking – 1 weight automatic combination programme – 3 weight automatic cooking programmes – 4 weight automatic defrost programmes – 1 memory function 	Programmes/functions <ul style="list-style-type: none"> – 1 main function: <ul style="list-style-type: none"> - microwave
Design <ul style="list-style-type: none"> – Push buttons – 1 retractable control dial – Left hinged door – 1 interior light – Designed to complement the Bosch freestanding cooker range 	Design <ul style="list-style-type: none"> – Push buttons – 1 retractable control dial – Left hinged door – 1 interior light – Designed to complement the Bosch freestanding cooker range 	Design <ul style="list-style-type: none"> – Rotary control – Left hinged door – Interior light – Designed to complement the Bosch freestanding cooker range
	Standard accessories <ul style="list-style-type: none"> – Wire grid 	


Freestanding microwave with integral grill
HMT72G450B brushed steel
Freestanding microwave
HMT84M451B brushed steel
HMT84M461B black
HMT84M421B white

Performance/technical info

- 17 litre capacity
- 245mm turntable diameter
- 5 microwave power levels
- Maximum microwave power level: 800W
- 1000W quartz grill function

Performance/technical info

- 25 litre capacity
- 315mm turntable diameter
- 5 microwave power levels
- 900W maximum microwave power

Key features

- Electronic control

Key features

- Electronic control

Features

- 60 minute timer

Features

- LED display
- Electronic clock timer
- 99 minute timer

Programmes/functions

- 2 main functions:
 - microwave
 - Quartz grill
- Microwave combination cooking

Programmes/functions

- 1 main function:
 - microwave
- 3 weight automatic cooking programmes
- 4 weight automatic defrost programmes
- 1 memory function

Design

- Rotary control
- Left hinged door
- Interior light
- Designed to complement the Bosch freestanding cooker range

Design

- Push buttons
- 1 retractable control dial
- Left hinged door
- 1 interior light
- Designed to complement the Bosch freestanding cooker range

Standard accessories

- Wire grid

Skinny latte, no sugar please!

Whether your preference is a skinny latte, a double shot cappuccino or a delicious hot chocolate our compact coffee maker brings café-style drinks to your home.



SensoFlow heating system

Provides fast water heating and precise temperature control for improved taste and energy efficiency.

Aroma pressure system

Ensures optimum compression and extraction of ground coffee for a perfect tasting cup of coffee.

Fully automatic rinse programme

Each cup of coffee is freshly brewed every time. Pipes are automatically rinsed after use and any residual water is pumped away. Fresh water guarantees fresh coffee flavour and aroma every time.


Cream centre

An external insulated milk container supplies milk into the cream centre only when it is needed, so that the milk keeps fresher for longer. Giving you perfect milk froth and making it easier to clean.

One touch function for milk drinks

Allows you to store the settings for your favourite milk drink e.g. cappuccino, latte, white coffee so that you only have to press one button for your regular drink.



<i>Logixx compact coffee maker</i> TCC78K751B brushed steel	
	
Features	<ul style="list-style-type: none">– Concept control panel with metal touch controls and clear text digital display– Control panel 96mm – allows for perfect vertical coordination with other Bosch Logixx compact appliances and full size Bosch Logixx ovens and horizontal coordination with other Bosch Logixx compact appliances and Bosch Logixx oven HBG78R950B– All metal pop-out control dial with illuminated band– Fully programmable functions; grinding grade, drink type, cup size, strength, temperature– SensoFlow system– Aroma pressure system for optimum flavour extraction– Aroma DoubleShot function– Ceramic coffee grinders – extremely durable and quiet– 4 grinding grades– Brita water filter– Cream centre– One touch function for milk drinks– Individual cup volume function– Frothing nozzle for cappuccino– Steam and hot water function– Fully automatic rinse programme– Container empty / filter / cleaning / descaling warning indicators– Automatic cleaning and descaling programmes– Height adjustable dispenser– 1000g coffee bean container– Ground coffee container– 0.7 litre removable milk container– 2.5 litre removable water tank
Optional accessories	<ul style="list-style-type: none">– Brushed steel decor strip HEZ860050



Hot to the table.

Our range of warming drawers ensures that the food you have lovingly prepared stays piping hot. No more timing problems as you can keep food warm. You can even gently defrost items or prove dough. Versatile and good-looking they can be installed independently, below a single oven, or in combination with a compact appliance.



Plate warming

Food stays warm for longer if served up in preheated ovenware. Bosch warming drawers allow you to preheat porcelain ovenware from 30°C to 65°C.

Keep warm

Not only can you heat-up your crockery with a Bosch warming drawer but you can also keep food hot for up to an hour.

Defrost

Perfect for gently defrosting meat, poultry, bread, cream cakes and much more. Also ideal for defrosting nonsensitive foods.

Dough proving


The gentle heat of the warming drawer is the perfect environment for proving dough.



	Warming drawer HSC290652B brushed steel	Warming drawer HSC140652B brushed steel
Key features	<ul style="list-style-type: none"> – Electronic control – SoftClose 	<ul style="list-style-type: none"> – Electronic control – SoftClose
Design	<ul style="list-style-type: none"> – Can be installed alone if required – Can be installed with a single oven – All metal straight bar handle – Stainless steel handle fixing blocks 	<ul style="list-style-type: none"> – Can be installed alone if required – Can be installed with a compact45 appliance – Can be installed with a single oven – All metal straight bar handle – Stainless steel handle fixing blocks
Features	<ul style="list-style-type: none"> – Operating indicator light – Rotary temperature control dial – 4 functions: dough proving, defrost, hold warm and plate warming – Adjustable temperature range from 30-80°C – Easy to clean toughened glass heating plate – Can accommodate up to: <ul style="list-style-type: none"> - 40 plates - 120 espresso cups – Maximum weight capacity 25kg 	<ul style="list-style-type: none"> – Operating indicator light – Rotary temperature control dial – 4 functions: dough proving, defrost, hold warm and plate warming – Adjustable temperature range from 30-80°C – Easy to clean toughened glass heating plate – Can accommodate up to: <ul style="list-style-type: none"> - 12 plates - 80 espresso cups – Maximum weight capacity 25kg
Performance/technical info	<ul style="list-style-type: none"> – Drawer interior volume: 52 litres – Installation in tall housing unit – Installation under work surface 	<ul style="list-style-type: none"> – Drawer interior volume: 20 litres – Installation in tall housing unit – Installation under work surface



	Warming drawer HSC140P51B brushed steel HSC140P61B black HSC140P21B white	Storage drawer HSC140A51 brushed steel
Key features	Same specifications as HSC140B52B but without handle and with push-pull opening mechanism	
Design		<ul style="list-style-type: none"> – Can be installed alone if required – Can be installed with a compact45 appliance – Can be installed with a single oven – Push-pull opening mechanism
Features		<ul style="list-style-type: none"> – Maximum weight capacity 15kg
Performance/technical info		<ul style="list-style-type: none"> – Drawer interior volume: 23L – Installation under work surface



Gas hobs.

Exxcel

Mid-range models with a broad range of extra features and benefits. Tempered glass or steel base with brushed steel capped control knobs, all models also feature a dedicated wok burner for high intensity cooking up to 5.0kW. As an added safety feature the main switch acts as both a safety lock and quick stop.



ClassiXX

Simple practical models offering Bosch build quality and value for money. Flame failure device, with selected models offering wok-style burners up to 3.3kW. Choice of cast iron or black enamelled pan supports and a range of colours.



When it comes to controllability and style we've got it cracked.

Cooking with gas gives you ultimate control. Our ranges of gas hobs deliver professional performance and stunning good looks. Choose from tempered hard glass, brushed steel or enamel base and a range of colours.





New square design

All our sleek gas-on-glass hobs now feature smart square-design pan supports that not only look good, but provide more stable support for pots and pans. Cleverly designed to give the impression of a stylish elongated support, they are in fact separate pieces, which makes them very easy to handle and clean.



Powerful wok burners

All our professional style 70cm wide hobs include powerful wok burners of up to 5.0kW to give you maximum power for all your cooking requirements (please check individual specification for wok power).

Control dials

Dials complement the design of our range of ovens so that you can perfectly coordinate your kitchen.

Surface or flush mounting

Our new gas on glass models allow for a choice of surface or flush mounting*, depending on your own kitchen design and preferences. Flush mounting gives a sleek continuous worktop effect, whilst surface mounting makes for an easier, quicker installation.




Quick stop main switch



Acts as both a lock and quick stop. It allows all four burners to be turned off quickly should the phone ring, for example.

Flame failure device



If the burner is accidentally extinguished, the thermostat reacts and shuts off the gas supply to the burner.



*Suitable only with natural stone or water resistant work surface






	Exxcel 5 burner gas hob PPS816M91E premium black	Exxcel 4 burner gas hob PPP616M91E premium black PPP612M91E premium white
		
Key features	<ul style="list-style-type: none">– 1 wok style burner– Quick stop main switch	<ul style="list-style-type: none">– Quick stop main switch
Design	<ul style="list-style-type: none">– Front controls– Tempered hard glass base	<ul style="list-style-type: none">– Front controls– Tempered hard glass base
Features	<ul style="list-style-type: none">– Variable power levels– Easy to use front mounted controls with brushed steel caps– Ignition via control dials– Flame failure safety device– 5 individual cast iron pan supports– 2 piece burners	<ul style="list-style-type: none">– Variable power levels– Easy to use front mounted controls with brushed steel caps– Ignition via control dials– Flame failure safety device– 4 individual cast iron pan supports– 2 cast iron pan supports– 2 piece burners
Performance/ technical info	<ul style="list-style-type: none">– 5 gas burners– Pre-set for natural gas– Suitable for surface mounting or flush fitting installation– LPG jets included	<ul style="list-style-type: none">– 4 gas burners– Pre-set for natural gas– Suitable for surface mounting or flush fitting installation– LPG jets included



	Exxcel 5 burner gas hob PCR715M90E brushed steel	Exxcel 4 burner gas hob PCH615M90E brushed steel
		
Key features	<ul style="list-style-type: none"> – 1 dual control wok burner – Quick stop main switch 	<ul style="list-style-type: none"> – 1 wok style burner – Quick stop main switch
Design	<ul style="list-style-type: none"> – Brushed steel base 	<ul style="list-style-type: none"> – Brushed steel base
Features	<ul style="list-style-type: none"> – Variable power levels – Ignition via control dials – Flame failure safety device – 2 cast iron pan supports – 2 piece burners 	<ul style="list-style-type: none"> – Variable power levels – Ignition via control dials – Flame failure safety device – 2 cast iron pan supports – 2 piece burners
Performance/ technical info	<ul style="list-style-type: none"> – 5 gas burners – Pre-set for natural gas – LPG jets included 	<ul style="list-style-type: none"> – 4 gas burners – Pre-set for natural gas – LPG jets included





	<i>Classixx 5 burner gas hob</i> PPQ716B91E premium black	<i>Classixx 4 burner gas hob</i> PPP616B91E premium black
		
Key features	<ul style="list-style-type: none">– 1 wok style burner	<ul style="list-style-type: none">– 1 wok style burner– Quick stop main switch
Design	<ul style="list-style-type: none">– Tempered hard glass base	<ul style="list-style-type: none">– Tempered hard glass base
Features	<ul style="list-style-type: none">– Easy to use front-mounted controls– Variable power levels– Ignition via control dials– Flame failure safety device– 5 individual cast iron pan supports– 2 piece burners	<ul style="list-style-type: none">– Easy to use front-mounted controls– Variable power levels– Ignition via control dials– Flame failure safety device– 4 individual cast iron pan supports– 2 piece burners
Performance/technical info	<ul style="list-style-type: none">– 5 gas burners– Pre-set for natural gas– Suitable for surface mounting or flush fitting installation– LPG jets included	<ul style="list-style-type: none">– 4 gas burners– Pre-set for natural gas– Suitable for surface mounting or flush fitting installation– LPG jets included



	<i>Classixx 4 burner gas hob</i> POP616B81E premium black
	
Design	<ul style="list-style-type: none">– Tempered hard glass base
Features	<ul style="list-style-type: none">– Variable power levels– Ignition via control dials– Flame failure safety device– 2 enamelled pan support– 2 piece burners
Performance/technical info	<ul style="list-style-type: none">– 4 gas burners– Pre-set for natural gas– LPG jets included








	Classixx 5 burner gas hob PCR915B91E brushed steel	Classixx 5 burner gas hob PCS815B90E brushed steel
		
Key features	<ul style="list-style-type: none">– 1 wok style burner	
Design	<ul style="list-style-type: none">– Brushed steel base	<ul style="list-style-type: none">– Brushed steel base
Features	<ul style="list-style-type: none">– Variable power levels– Ignition via control dials– Flame failure safety device– 3 cast iron pan supports	<ul style="list-style-type: none">– Variable power levels– Ignition via control dials– Flame failure safety device– 3 cast iron pan supports
Performance/ technical info	<ul style="list-style-type: none">– 5 gas burners, 2 piece burners– Pre-set for natural gas– LPG jets included	<ul style="list-style-type: none">– 5 gas burners, 2 piece burners– Pre-set for natural gas– LPG jets included



	<i>Classixx 5 burner gas hob</i> PCQ715B90E brushed steel	<i>Classixx 4 burner gas hob</i> PCP615B90B brushed steel PCP616B90E black PCP612B90E white
		
Key features	<ul style="list-style-type: none">– 1 wok style burner	
Design	<ul style="list-style-type: none">– Brushed steel base	
Features	<ul style="list-style-type: none">– Variable power levels– Ignition via control dials– Flame failure safety device– 2 cast iron pan supports	<ul style="list-style-type: none">– Variable power levels– Ignition via control dials– Flame failure safety device– 2 cast iron pan supports
Performance/ technical info	<ul style="list-style-type: none">– 5 gas burners, 2 piece burners– Pre-set for natural gas– LPG jets included	<ul style="list-style-type: none">– 4 gas burners, 2 piece burners– Pre-set for natural gas– LPG jets included



	Classixx 4 burner gas hob PBH615B90E brushed steel	Classixx 4 burner gas hob PBP615B90E brushed steel
		
Key features	<ul style="list-style-type: none">– 1 wok style burner	
Design	<ul style="list-style-type: none">– Brushed steel base	<ul style="list-style-type: none">– Brushed steel base
Features	<ul style="list-style-type: none">– Variable power levels– Ignition via control dials– Flame failure safety device– 2 cast iron pan supports	<ul style="list-style-type: none">– Variable power levels– Ignition via control dials– Flame failure safety device– 2 cast iron pan supports
Performance/ technical info	<ul style="list-style-type: none">– 4 gas burners, 2 piece burners– Pre-set for natural gas– LPG jets included	<ul style="list-style-type: none">– 4 gas burners, 2 piece burners– Pre-set for natural gas– LPG jets included

	Classixx 4 burner gas hob PBP615B80E brushed steel PBP616B80E black PBP612B80E white
	
Design	<ul style="list-style-type: none">– Brushed steel base
Features	<ul style="list-style-type: none">– Variable power levels– Ignition via control dials– Flame failure safety device– 2 enamelled pan support
Performance/ technical info	<ul style="list-style-type: none">– 4 gas burners, 2 piece burners– Pre-set for natural gas– LPG jets included



induction

2.5L/105.5

boost



BOSCH

Electric hobs.


Logixx

Premium induction models with exceptional cutting-edge features and extras. State-of-the-art FlexInduction technology with the option of an extra-large cooking zone for large or multiple pans, offering ultimate flexibility. Beautifully designed for a contemporary kitchen.




Exxcel

Mid-range induction models with a broad range of extra features and benefits. The slim brushed steel profile allows them to be built-in independently or coordinated with Logixx gas domino hobs, such as a wok burner, or any Logixx or Exxcel electric hob without any visible joining strips. Advanced features include DirectSelect, Freeze function and timer.



Classixx

Simple practical models offering Bosch build quality and value for money across induction, Quick-Therm and sealed plate hobs. 17 cooking power levels to choose from and still with technically advanced features such as touch controls and 2-stage residual heat indicators. Choice of white or black glass and brushed steel frame or frameless.



Futureproof your cooking with efficient, responsive induction.

The quickest, safest and most efficient method of cooking available.



Induction for speed, controllability and safety

Induction uses an electromagnetic field to instantly generate heat, giving you the control and responsiveness of gas, whilst being incredibly energy efficient. Heat is only applied where it is required: in the pan. Changes in temperature happen instantaneously which makes cooking with Bosch induction both faster and more precise than a gas or a ceramic hob, saving energy and time into the bargain.

Energy saving


Induction hobs are far more energy efficient than any other hob. Gas only uses about 50% of the energy consumed to heat the pan, where induction uses 75%, and only heats the exact area of the pan placed upon it.

Time saving

More than twice as fast as a standard ceramic hob and up to 45% faster than gas, Bosch induction is ideal for a busy lifestyle.

Cooking speed

Time required to heat 2 litres of water at 15°C to 90°C.





DirectSelect

Select the required power level from keys laid out on the hob instead of having to press +/- keys repeatedly.

Freeze function

'Freezes' the control panel at its current settings to allow the surface to be wiped down (if something spills). Saves the user having to switch off the hob to clean it or risk disturbing the settings. Reverts back at the touch of the key or after approximately 20 seconds.

Boost function

Increases the power output of the selected cooking zone by approximately 50% by 'borrowing' power from another zone. Note that when boost is selected for a particular zone, the partner zone contributing the power cannot be used.

Automatic pan recognition

The hob recognises the size of the pan and only heats up the base of the pan and not the whole zone, saving time and energy. Ideally your pan will be the same diameter as the zone and for safety reasons, 65% of the surface area of the zone should be covered in order for the pan to be 'recognised' and activate the zone.

Small utensil detection

If you leave a serving spoon on the induction zone when it is turned on, the hob will not recognise it as being suitable cookware. As an added safety mechanism, the hob will automatically switch off, giving you peace of mind.

Pans that work with induction

Only pans with a ferrous (magnetic) base can be used with induction hobs. So, if a fridge magnet sticks to your pan, you know it is induction-ready. In general, special stainless steel, iron and enamel are all suitable.

Power Management

Bosch research shows that most households generally use only one or two zones together when preparing meals, which has allowed us to develop a model that can operate with a lower power connection. The new PIA611T66B has a maximum power output of 2.99kW and comes complete with cable and suitable fused UK plug for quick and easy connection to the electrical system*. The available power is sufficient for two zones to operate simultaneously at higher power levels, but if you want to use more than two zones together, no problem: the clever electronics automatically share the available power between the required zones depending on the power levels selected.

Connection Current Management*

This is not the only induction hob in the Bosch range to offer installation options. The default specification of the PIA611T16E is geared to a maximum power output of 4.6kW which usually means 20A fuse connection. However, the maximum output of the hob can be lowered by your installer* via the control panel according to your requirements – output can be limited to the equivalent of 16A, 13A or 10A for maximum flexibility and convenience.

* Professional installation recommended

HEZ390041 – induction pan set

This 4-piece pan set is designed especially for use with induction hobs and has been rigorously tested for optimum use with Bosch induction hobs, facilitating quick, even heat distribution. A handy litre scale is printed on the inside. The dishwasher proof set includes: 1.2L saucepan 16cm, 1.7L pan with glass lid 16cm, 4.2L pan with glass lid 22cm, 24cm frying with non-stick coating.



HEZ390041 – induction pan set

Ultimate flexibility with our new FlexInduction hobs.

One, two, three pots or even a large casserole: the new Bosch FlexInduction feature leaves it up to you. At the flick of a switch, you can combine two induction zones into a large induction surface on which you can cook the way you want.





FlexInduction

FlexInduction hobs feature a rectangular zone covering the length of the hob consisting of four 20cm x 9cm induction coils. This is great for multiple pans, large pans, or for placing pans of varying sizes anywhere on the zone.

Even more energy efficient

Induction hobs are already more energy efficient than other hobs, but FlexInduction saves even more energy. Because it is made up of 4 separate zones, only the zones actually covered will activate, so for example, a small pan would only activate one zone.

Better heat distribution

A large pan placed on the FlexInduction zone will benefit from more even heat distribution. For example a fish kettle or griddle is the wrong shape for a standard circular zone. The FlexInduction zone ensures that every part of the pan is served by an induction zone, eliminating hot and cold spots and giving you perfect results every time.

Small item detection


A zone must be 30% covered to activate, so it is less likely that a small item such as a knife or spoon will activate the hob, making it even safer. Conversely, the fact that each individual induction zone is smaller within the FlexInduction zone, smaller diameter pans will still be activated.

Connect/Disconnect mode

With FlexInduction you can control 2 pots separately on 'Disconnect' default mode. Alternatively, use the whole area on 'Connect' for a large casserole, fish kettle or several pans – there's plenty of space and you can use it any way you like.

Flexible choice


Choose from a variety of configurations to suit your cooking style, from two standard circular zones combined with a FlexInduction zone, to a Twin FlexInduction hob, or our extra wide 80cm 5 zone hob including 1 FlexInduction zone.





Large FlexInduction zone connected





FlexInduction zones disconnected





<div> Logixx 5 zone ceramic FlexInduction hob PIP875N14E brushed steel trim </div>	
	<div> <div> </div> <div> </div> <div> </div> <div> </div> <div> </div> <div> </div> <div> </div> </div>
Key features	<ul style="list-style-type: none"> – Electronic control and power level display – DirectSelect operation – Automatic safety shut off – Control panel lock – Boost setting for all zones – Automatic pan recognition – Power management function
Design	<ul style="list-style-type: none"> – Touch controls – Design trim (front facette with side trim)
Features	<ul style="list-style-type: none"> – Variable 17-stage power settings for each zone – Main on/off switch – Timer for all zones – 2 stage Hh residual heat indicator for each zone – Freeze function
Performance/technical info	<ul style="list-style-type: none"> – 5 induction cooking zones
Optional accessories	<ul style="list-style-type: none"> – Set of 4 pans HEZ390041
















	Logixx 4 zone ceramic FlexInduction hob PIV675N14E brushed steel trim	Logixx 4 zone ceramic FlexInduction hob PIN675N14E brushed steel trim
Key features	<ul style="list-style-type: none"> – Electronic control and power level display – DirectSelect operation – Automatic safety shut off – Control panel lock – Boost setting for all zones – Automatic pan recognition – Power Management function 	<ul style="list-style-type: none"> – Electronic control – DirectSelect operation – Electronic power level display – Automatic safety shut off – Control panel lock – Boost setting for all zones – Automatic pan recognition – Power Management function
Design	<ul style="list-style-type: none"> – Touch controls – Design trim (front facette with side trim) 	<ul style="list-style-type: none"> – Touch controls – Design trim (front facette with side trim) – Can be installed with a Bosch domino hob
Features	<ul style="list-style-type: none"> – Variable 17-stage power settings for each zone – Main on/off switch – Timer for all zones – 2 stage Hh residual heat indicator for each zone – Freeze function – Small utensil detection 	<ul style="list-style-type: none"> – Variable 17-stage power settings for each zone – Main on/off switch – Timer for all zones – 2 stage Hh residual heat indicator for each zone – Freeze function – Anti-overflow protection – Small utensil detection
Performance/ technical info	<ul style="list-style-type: none"> – 4 induction cooking zones 	<ul style="list-style-type: none"> – 4 induction cooking zones
Optional accessories	<ul style="list-style-type: none"> – Set of 4 pans HEZ390041 	<ul style="list-style-type: none"> – Set of 4 pans HEZ390041 – Connecting strip HEZ394301





	Logixx 4 zone ceramic induction hob PIE975N14E brushed steel trim	Logixx 4 zone ceramic induction hob PIL875N14E brushed steel trim
	<div> <div>IN</div> <div>DirectSelect</div> <div>Hh hH</div> <div>ProfileTrim</div> <div>Timer 99</div> <div>Safety</div> <div>90 cm</div> </div>	<div> <div>IN</div> <div>DirectSelect</div> <div>Hh hH</div> <div>ProfileTrim</div> <div>Timer 99</div> <div>Safety</div> <div>80 cm</div> </div>
Key features	<ul style="list-style-type: none"> – Electronic control and power level display – DirectSelect operation – Automatic safety shut off – Control panel lock – Boost setting for all zones – Automatic pan recognition – Power Management function 	<ul style="list-style-type: none"> – Electronic control and power level display – DirectSelect operation – Automatic safety shut off – Control panel lock – Boost setting for all zones – Automatic pan recognition – Power Management function
Design	<ul style="list-style-type: none"> – Touch control – Design trim (front facette with side trim) 	<ul style="list-style-type: none"> – Touch control – Design trim (front facette with side trim) – Can be installed with a Bosch domino hob
Features	<ul style="list-style-type: none"> – Variable 17-stage power settings for each zone – Timer for all zones – 2 stage Hh residual heat indicator for each zone – Freeze function 	<ul style="list-style-type: none"> – Variable 17-stage power settings for each zone – Timer for all zones – 2 stage Hh residual heat indicator for each zone – Freeze function
Optional accessories	<ul style="list-style-type: none"> – Set of 4 pans HEZ390041 	<ul style="list-style-type: none"> – Connecting strip HEZ394301 – Set of 4 pans HEZ390041











	Logixx 4 zone ceramic induction hob PIE675N14E brushed steel trim	Classixx 4 zone ceramic induction hob PIE651T14E frameless with faceted edges
	      	    
Key features	<ul style="list-style-type: none"> – Electronic control and power level display – DirectSelect operation – Automatic safety shut off – Control panel lock – Boost setting for all zones – Automatic pan recognition – Power Management function 	<ul style="list-style-type: none"> – Electronic control and power level display – Automatic safety shut off – Control panel lock – Boost setting for all zones – Automatic pan recognition – Power Management function
Design	<ul style="list-style-type: none"> – Touch control – Design trim (front facette with side trim) – Can be installed with a Bosch domino hob 	<ul style="list-style-type: none"> – Touch control – Three sided bevelled frameless finish
Features	<ul style="list-style-type: none"> – Variable 17-stage power settings for each zone – Timer for all zones – 2 stage Hh residual heat indicator for each zone – Freeze function 	<ul style="list-style-type: none"> – Variable 17-stage power settings for each zone – Timer for all zones – 2 stage Hh residual heat indicator for each zone
Optional accessories	<ul style="list-style-type: none"> – Connecting strip HEZ394301 – Set of 4 pans HEZ390041 	<ul style="list-style-type: none"> – Set of 4 pans HEZ390041



Classixx 4 zone ceramic induction hob PIL811T14E frameless	
<div><div></div><div></div><div></div><div></div></div>	
Key features	<ul style="list-style-type: none">– Electronic control and power level display– Automatic safety shut off– Control panel lock– Boost setting for all zones– Automatic pan recognition– Power Management function
Design	<ul style="list-style-type: none">– Touch control– Frameless design
Features	<ul style="list-style-type: none">– Variable 17-stage power settings for each zone– 2 stage Hh residual heat indicator for each zone
Optional accessories	<ul style="list-style-type: none">– Set of 4 pans HEZ390041




	Classixx 4 zone ceramic induction hob PIE611T14E frameless	Classixx 4 zone ceramic induction hob PIA611T16E frameless
	   	   
Key features	<ul style="list-style-type: none">– Electronic control and power level display– Automatic safety shut off– Control panel lock– Boost setting for all zones– Automatic pan recognition– Power Management function	<ul style="list-style-type: none">– Electronic control and power level display– Automatic safety shut off– Control panel lock– Automatic pan recognition– Connection Management options 20, 16, 13, 10A
Design	<ul style="list-style-type: none">– Touch control– Frameless design	<ul style="list-style-type: none">– Touch control– Frameless design
Features	<ul style="list-style-type: none">– Variable 17-stage power settings for each zone– 2 stage Hh residual heat indicator for each zone	<ul style="list-style-type: none">– Variable 17-stage power settings for each zone– Timer for all zones– 2 stage Hh residual heat indicator for each zone
Optional accessories	<ul style="list-style-type: none">– Set of 4 pans HEZ390041	<ul style="list-style-type: none">– Set of 4 pans HEZ390041

Replacing your hob is now even easier for your installer with this model. For further information, see page 80.

Connection Current Management*
This is not the only induction hob in the Bosch range to offer installation options. The default specification of the PIA611T16E is geared to a maximum power output of 4.6kW which usually means 20A fuse connection. However, the maximum output of the hob can be lowered by your installer* via the control panel according to your requirements – output can be limited to the equivalent of 16A, 13A or 10A for maximum flexibility and convenience.

* Professional installation recommended



Exxcel 4 zone ceramic induction hob PIA611T66B frameless	
<div><div></div><div></div><div></div><div></div></div>	
Key features	<ul style="list-style-type: none">– Electronic control and power level display– Safety cut-out switch off– Control panel lock– Boost setting for all zones– Automatic pan recognition– Cable and 13A plug
Design	<ul style="list-style-type: none">– Touch control– Frameless design
Features	<ul style="list-style-type: none">– Variable 17-stage power settings for each zone– Main on/off switch– Timer for all zones– Residual heat indicators– Freeze function– Small utensil detection

Power Management

Bosch research shows that most households generally use only one or two zones together when preparing meals, which has allowed us to develop a model that can operate with a lower power connection. The new PIA611T66B has a maximum power output of 2.99kW and comes complete with cable and suitable fused UK plug for quick and easy connection to the electrical system*. The available power is sufficient for two zones to operate simultaneously at higher power levels, but if you want to use more than two zones together, no problem: the clever electronics automatically share the available power between the required zones depending on the power levels selected.

* Professional installation recommended



Our elegant electric hobs will transform the look of your kitchen.

With their electronic touch controls and flexible cooking zones they combine great looks with smart function and design. Dual ring cook zones save on energy, whilst extendable zones allow you to use specialist cookware such as fish kettles.



Quick-Therm ceramic hobs

With their electronic touch controls and flexible cooking zones, our ceramic hobs combine great looks with smart function and design. The smooth ceramic glass hob surface is tough and durable as well as being practical and easy to clean.

Dual zones

Available on selected hobs, this energy-saving feature allows you to select a smaller cook zone for small pans, and a larger zone for larger pans.

Extendable zone

The cooking zone can be extended giving you a much larger area to accommodate big saucepans, fish kettles and other special cooking dishes.



Timer

99-minute timer with acoustic tone, which automatically switches off the zone once the cooking time has come to an end.



2-stage residual heat display

Provides clear indication of when a zone is still hot after it has been turned off. There are two levels: 'H' – residual heat sufficient to finish off cooking or to keep items warm. 'h' – residual heat insufficient to cook, but zone is still hot enough for caution.

Emergency stop

Allows you to switch all cook zones off at the touch of a single button – ideal if the doorbell rings.

Automatic boil start

The cooking zone may be set to operate at full power for a period of time before reverting back to a pre-set power level.



Automatic safety shut off



If the hob is left unattended for an extended period of time, the safety shut off facility ensures the hob turns itself off.








SafetyLock


Featured as standard on all touch control models, it prevents the hob from being inadvertently operated.





	Exxxcel 4 zone Quick-Therm ceramic hob PKN811E14E frameless	Exxxcel 4 zone Quick-Therm ceramic hob PKE611E14E frameless
	<div><div><div>Hh</div><div>hH</div></div><div>Safety</div><div><div>80</div><div>cm</div></div></div>	<div><div><div>Hh</div><div>hH</div></div><div>Safety</div><div><div>60</div><div>cm</div></div></div>
Key features	<div><div>– Electronic control</div><div>– Electronic power level display</div><div>– Automatic safety shut off</div><div>– Control panel lock</div></div>	<div><div>– Electronic control</div><div>– Electronic power level display</div><div>– Automatic safety shut off</div><div>– Control panel lock</div></div>
Design	<div><div>– Touch control</div><div>– Frameless design</div></div>	<div><div>– Touch control</div><div>– Frameless design</div></div>
Features	<div><div>– Variable 17-stage power settings for each zone</div><div>– Main on/off switch</div><div>– Power on indicator via on/off switch</div><div>– 2 stage Hh residual heat indicator for each zone</div><div>– Automatic boil start</div></div>	<div><div>– Variable 17-stage power settings for each zone</div><div>– Main on/off switch</div><div>– Power on indicator via on/off switch</div><div>– 2 stage Hh residual heat indicator for each zone</div><div>– Automatic boil start</div></div>
Performance/ technical info	<div><div>– 4 zone Quick-Therm hob</div><div>– 2 dual/extendable zones</div></div>	<div><div>– 4 zone Quick-Therm hob</div></div>



	<i>Classixx</i> 4 zone Quick-Therm ceramic hob PKF659V14E frameless premium white	<i>Classixx</i> 4 zone Quick-Therm ceramic hob PKE645C14D brushed steel frame
		 
Design	<ul style="list-style-type: none"> – Standard control dials – Three sided bevelled frameless finish 	<ul style="list-style-type: none"> – Control dials with metal cap – Standard control dials – All around trim
Features	<ul style="list-style-type: none"> – Variable 9-stage power settings for each zone – Residual heat indicator for each zone 	<ul style="list-style-type: none"> – Variable 9-stage power settings for each zone – Residual heat indicator for each zone
Performance/ technical info	<ul style="list-style-type: none"> – 4 zone Quick-Therm hob – 1 dual/extendable zone 	<ul style="list-style-type: none"> – 4 zone Quick-Therm hob





	<i>Classixx</i> 4 zone Quick-Therm ceramic hob PKE611C14D frameless	4 zone sealed plate electric hob NCT615C01 brushed steel NCT616C01 black NCT612C01 white
		
Design	<ul style="list-style-type: none"> – Standard control dials – Frameless design 	<ul style="list-style-type: none"> – Standard control dials
Features	<ul style="list-style-type: none"> – Variable 9-stage power settings for each zone – Residual heat indicator for each zone 	<ul style="list-style-type: none"> – Variable 9-stage power settings for each zone
Performance/ technical info	<ul style="list-style-type: none"> – 4 zone Quick-Therm hob 	<ul style="list-style-type: none"> – 4 super fast sealed cooking plates

Stylish, high spec, spacing-saving domino hobs.

If you haven't got the space, but still want the function, or you simply need extra cooking capacity alongside your existing hob, our dominos are just the thing.





	<i>Logixx</i> 2 zone ceramic induction hob PIE375C14E brushed steel trim	<i>Logixx</i> 2 zone Quick-Therm ceramic hob PKF375V14E brushed steel trim
Key features	<ul style="list-style-type: none"> – Electronic control – Automatic pan recognition 	
Design	<ul style="list-style-type: none"> – Metal control dials – Design trim (front facette with side trim) – Can be installed with a Bosch domino hob 	<ul style="list-style-type: none"> – Metal control dials – Design trim (front facette with side trim) – Can be installed with a Bosch domino hob
Features	<ul style="list-style-type: none"> – Variable 9-stage power settings for each zone – 2 stage Hh residual heat indicator for each zone 	<ul style="list-style-type: none"> – Variable 9-stage power settings for each zone – 2 stage residual heat indicator – 1 dual/extendable zone
Optional accessories	<ul style="list-style-type: none"> – Connecting strip HEZ394301 – Set of 4 pans HEZ390041 	<ul style="list-style-type: none"> – Connecting strip HEZ394301



	<i>Logixx</i> wok style domino gas hob PRA326B70E brushed steel trim	<i>Logixx</i> 2 burner domino gas hob PRB326B70E brushed steel trim
Key features	<ul style="list-style-type: none"> – 1 dual control wok burner 	
Design	<ul style="list-style-type: none"> – Metal control dials – Design trim (front facette with side trim) – Can be installed with a Bosch domino hob 	<ul style="list-style-type: none"> – Metal control dials – Design trim (front facette with side trim) – Can be installed with a Bosch domino hob
Features	<ul style="list-style-type: none"> – Variable power levels – Ignition via control dials – Flame failure safety device – 1 cast iron pan support 	<ul style="list-style-type: none"> – Variable power levels – Ignition via control dials – Flame failure safety device – 1 cast iron pan support – Low profile single piece burners
Performance/technical info	<ul style="list-style-type: none"> – 1 gas burner – Pre-set for natural gas – LPG jets included 	<ul style="list-style-type: none"> – Two gas burners – Pre-set for natural gas – LPG jets included
Optional accessories	<ul style="list-style-type: none"> – Connecting strip HEZ394301 	<ul style="list-style-type: none"> – Connecting strip HEZ394301



Hoods.

Logi**xx**

Premium models with exceptional cutting-edge features and extras. Our most energy efficient model, the DWB09T855B can save up to 82% energy compared with a similar 5 year old model. Choose from angled black glass to brushed steel, all with soft-touch electronic buttons, energy efficient halogen spotlights and dishwasher-safe multi-layer mesh filter system.



Ex**xx**cel

Mid-range models with a broad range of extra features and benefits. Stylish and practical, yet exceptionally quiet. Our quietest model (DWB09E752B) runs at only 39dBA – equivalent to a quiet conversation. Vapours and odours are powerfully drawn away at a maximum extraction rate of up to 820m³/h on the intensive setting. All models feature soft-touch electronic buttons, energy efficient halogen spotlights and dishwasher-safe multi-layer mesh filter system.



Classi**xx**

Simple, practical models offering Bosch build quality and value for money. Controlled with push button controls, rocker switches or a sliding control with a maximum extraction rate of up to 650m³/h. Quiet operation as low as 40dBA on selected models. All models feature 3 speed operation, integral lighting and dishwasher-safe mesh filters for added convenience.





A cooker hood design for every kitchen.

Hidden, focal point, bevelled or glass? Our range of cooker hoods is designed to work brilliantly for you in terms of function and performance, whatever your style. The choice is yours.



Island

A stylish choice designed to perfectly complement an island hob installation.



L-shape

Customize your hood with mood lighting and décor panels.



Box style

Chimney hoods in a box design are also available with slim or super-slim box versions. New to the range are models with beveled lower edges for a really super-slim appearance.



Angled

Offers unrestricted headroom thanks to the angled design.



Curved glass

Metal and glass for a contemporary look, curved to give smooth lines.



Flat glass

A linear design in contemporary materials for a stylish kitchen.



Pyramid

Impress with classic lines and gently inclined contours.



Canopy

Designed to be fully integrated in cabinets/chimneys and are therefore never seen.



Telescopic

Extends when in use and slides neatly away when not in operation.



Integrated

Pull out when in use and close to neatly conceal when not in operation.



Conventional

Mounted under cabinets and always visible, allowing you to keep your storage space.

Exceptionally quiet noise levels.

Relax in a quieter kitchen with your guests. We have standardised all our extractor motors using state-of-the-art technology, meaning quieter noise levels throughout the range. Many models have noise levels of only 43dBA, the sound level of a quiet conversation, with the quietest running at a library-quiet 39dBA.



Metal grease filter

Efficiently filters grease and other solid particles out of the extracted air. To make sure they operate at maximum efficiency, they should be cleaned around twice a month by hand or in the dishwasher.



Brushed steel filter

The filter is concealed behind a stylish brushed steel cover with a brushed steel handle to hide grease build up, for a really sleek finish.



Rim ventilation filter

Looks exceptionally stylish with its smooth uninterrupted surface and is very easy to wash by hand or in the dishwasher. The patented filter sealing system, along with the flow-optimised multi-layer filter mats give an ultra-efficient grease separation level.



Standard lighting

Standard 40W screw fit filament bulbs, or the equivalent 28W halogen bulb for brilliant lighting.



Halogen spotlights

High or low voltage spots create an attractive, bright, even illumination of your cooking area, with the added advantage of lasting longer than standard bulbs.




L-design chimney hoods

Our unique L-design chimney hood give you the opportunity to further enhance your kitchen design by choosing from a range of décor panels – brushed steel, premium white or premium black – so that you can perfectly coordinate your hood with your other Bosch kitchen appliances. The DWB099752B also features two vertical sidelights for ambient mood lighting.


Ducted extraction

Ducting out is the most effective method of extraction if the hood can be sited on an outside wall, or an outside wall can be reached via ducting. All our extractors are now standardised to facilitate a 150mm diameter outlet for maximum performance, although smaller ducting can be used if required. Please see our installation guide for further advice on best practise installation.



Recirculating kit

Odours are extracted and filtered, then purified air is returned to the room. The kit comprises a carbon filter and all components needed to ensure that odour free air is returned into the kitchen. To maintain performance, the carbon filter should be replaced on a regular basis. Recirculating kit needs to be purchased as a separate accessory (see installation guide for relevant accessory codes).



Quick and easy wall mounting system

We have re-designed our wall mounting system to make it superbly easy. In fact, it is so unique that it is now protected by a patent. The self-levelling "cam" rings allow you to adjust the fixings by up to a 6mm radius, simply and easily levelling the hood if the drill holes are not 100% level. This makes it possible for only one person to install and allows for secure, precise adjustment.

Variable power settings

All Bosch hoods feature multiple power settings. Many models also feature an intensive setting and automatic switch off. Depending on the model you choose, operation is via either a rocker switch, mechanical push button, standard electronic or top of the range Metal touch controls.



Control: Rocker switch

3 power levels



Control: Mechanical push buttons

3 power levels with additional intensive setting. Back lit push buttons.



Control: Standard electronics

3 powers with additional intensive setting. Automatic switch back.





Control: Metal touch control

3 power levels with additional intensive setting. Automatic switch back, filter saturation display, automatic after running.

Automatic after running

The hood continues running at a low speed for approximately 10 minutes after cooking and then turns itself off.



	Exxcel island chimney hood DIA09E751B brushed steel	Exxcel island chimney hood DIB09E850B brushed steel
		
Key features	<ul style="list-style-type: none"> – Electronic control – Electronic power level display 	<ul style="list-style-type: none"> – Electronic control – Electronic power level display
Design	<ul style="list-style-type: none"> – Designed for ceiling mounted installation – Height adjustable chimney sections – Brushed steel with glass canopy 	<ul style="list-style-type: none"> – Designed for ceiling mounted installation – Height adjustable chimney sections – Brushed steel canopy and chimney section
Features	<ul style="list-style-type: none"> – Soft touch button control – 3 power levels & intensive setting – Automatic intensive revert – 4 x 20W low energy halogen lights – 2 removable metal grease filter cassettes 	<ul style="list-style-type: none"> – Soft touch button control – 3 power levels & intensive setting – Automatic intensive revert – 4 x 20W low energy halogen lights – Additional noise reduction insulation – 3 removable metal grease filter cassettes
Performance/ technical info	<ul style="list-style-type: none"> – Suitable for ducted or recirculating operation – Maximum extraction rate 420m³/h – Noise level according to EN 60704-3 and EN 60704-2-13 exhaust air: Max. normal use: 56dB (re 1pW) (42dB(A) re 20µPa sound pressure) Intensive: 69dB (re 1pW) (55dB(A) re 20µPa sound pressure) – Extractor hose 150 or 120mm 	<ul style="list-style-type: none"> – Suitable for ducted or recirculating operation – Maximum extraction rate 550m³/h – Noise level according to EN 60704-3 and EN 60704-2-13 exhaust air: Max. normal use: 57dB (re 1pW) (43dB(A) re 20µPa sound pressure) Intensive: 66dB (re 1pW) (52dB(A) re 20µPa sound pressure) – Extractor hose 150 or 120mm
Optional accessories	<ul style="list-style-type: none"> – Recirculating kit DHZ5365 	<ul style="list-style-type: none"> – Recirculating kit DHZ5385

Introducing our most energy efficient hood.



The DWB09T855B chimney hood is ultra powerful and the most energy efficient within the range. This is thanks to the revolutionary friction-free brushless BLDC Motor. Combined with energy saving LED lights, it saves up to 82% energy* compared to a similar 5 year old model.



Logixx box chimney hood DWB09T855B brushed steel	
	90 cm
Key features	<ul style="list-style-type: none"> – Electronic control – Electronic power level display – Charcoal filter saturation indicator
Design	<ul style="list-style-type: none"> – Designed for wall mounted installation – Height adjustable chimney sections – Brushed steel canopy with chimney section
Features	<ul style="list-style-type: none"> – Soft touch button control – 3 power levels & intensive setting – Automatic intensive revert – 3 x 5W LED light strips – Softlight dimmer function – Fluorescent mood lighting – Additional noise reduction insulation – Steel filter cover – 3 removable metal grease filter cassettes
Performance/technical info	<ul style="list-style-type: none"> – Suitable for ducted or recirculating operation – Maximum extraction rate 520m³/h – Intensive 820m³/h – Noise level according to EN 60704-3 and EN 60704-2-13 at maximum normal setting extraction rate: 56dB (re 1pW) (42dB(A) re 20µPa sound pressure) – Extractor hose 150 or 120mm
Optional accessories	<ul style="list-style-type: none"> – Recirculating kit DHZ5345 – Active carbon filter DHZ5346

*Power setting, same extraction rate, halogen lights.



	<i>Exxxel</i> box style hood DWB09E752B brushed steel	<i>Classixx</i> box chimney hood DWB09W450B brushed steel
		
Key features	<ul style="list-style-type: none"> – Electronic control – Electronic power level display 	
Design	<ul style="list-style-type: none"> – Designed for wall mounted installation – Height adjustable chimney sections – Brushed steel canopy and chimney section 	<ul style="list-style-type: none"> – Designed for wall mounted installation – Height adjustable chimney sections
Features	<ul style="list-style-type: none"> – Soft touch button control – 3 power levels & intensive setting – Automatic intensive revert – 3 x 20W low energy halogen lights – Steel filter cover – 3 removable metal grease filter cassettes 	<ul style="list-style-type: none"> – Rocker switch control – 3 power levels – 2 x 28W halogen lights – 3 removable metal grease filter cassettes
Performance/technical info	<ul style="list-style-type: none"> – Easy installation system – Suitable for ducted or recirculating operation – Maximum extraction rate 420m³/h – Noise level according to EN 60704-3 and EN 60704-2-13 at maximum normal setting extraction rate: 53dB (re 1pW) (39dB(A) re 20µPa sound pressure) Intensive: 66dB (re 1pW) (52dB (A) re 20µPa sound pressure) – Extractor hose 150 or 120mm 	<ul style="list-style-type: none"> – Easy installation system – Suitable for ducted or recirculating operation – Maximum extraction rate 440m³/h – Noise level according to EN 60704-3 and EN 60704-2-13 at maximum normal setting extraction rate: 60dB (re 1pW) (46dB(A) re 20µPa sound pressure) – Extractor hose 150 or 120mm – Additional noise reduction insulation
Optional accessories	<ul style="list-style-type: none"> – Recirculating kit DHZ5345 	<ul style="list-style-type: none"> – Recirculating kit DHZ5345

**DWB06E752B brushed steel**

As DWB09E752BB except:

- 60cm wide chimney extractor hood

**DWB07W450B brushed steel**

As DWB09W450B except:

- 70cm wide chimney extractor hood
- Recirculating kit DHZ5325

**DWB06W450B brushed steel**

As DWB09W450B except:

- 60cm wide chimney extractor hood
- Recirculating kit DHZ5325



**Exxcel L-design box chimney hood
DWB099752B brushed steel**

90
cm

Key features

- Electronic control
- Rim ventilation
- Grease and charcoal filter saturation indicators

Design

- Designed for wall mounted installation

Features

- Metal touch controls
- 3 power levels & intensive setting
- Automatic switch back
- 4 x 20W low energy halogen lights
- Softlight dimmer function
- Fluorescent mood lighting
- Automatic after-running (10 mins)
- 2 removable metal grease filter cassettes



**Performance/
technical info**

- Suitable for ducted or recirculating operation
- Maximum extraction rate 550 m³/h (intensive)
- Noise level according to EN 60704-3 and EN 60704-2-13 exhaust air:
Max. normal use: 56dB (re 1pW) (42dB(A) re 20μPa sound pressure)
Intensive: 64dB (re 1pW) (50dB(A) re 20μPa sound pressure)
- Extractor hose 150 or 120mm

**Optional
accessories**

- Recirculating kit DSZ5100
- Décor panel premium white (see above) DSZ0620
- Décor panel premium black (see above) DSZ0660



	<i>Exxcel</i> chimney hood with glass canopy DWA09E750B brushed steel	<i>Exxcel</i> chimney hood with glass canopy DWA09E650B brushed steel
		
Key features	<ul style="list-style-type: none"> – Electronic control – Electronic power level display 	<ul style="list-style-type: none"> – Electronic control – Electronic power level display
Design	<ul style="list-style-type: none"> – Designed for wall mounted installation – Height adjustable chimney sections – Brushed steel with glass canopy 	<ul style="list-style-type: none"> – Designed for wall mounted installation – Height adjustable chimney sections – Brushed steel with glass canopy
Features	<ul style="list-style-type: none"> – Soft touch button control – 3 power levels & intensive setting – Automatic intensive revert – 2 x 20W low energy halogen lights – 1 removable metal grease filter cassette 	<ul style="list-style-type: none"> – Soft touch button control – 3 power levels & intensive setting – Automatic intensive revert – 2 x 20W low energy halogen lights – 1 removable metal grease filter cassette
Performance/ technical info	<ul style="list-style-type: none"> – Suitable for ducted or recirculating operation – Maximum extraction rate 420m³/h – Noise level according to EN 60704-3 and EN 60704-2-13 exhaust air: Max. normal use: 56dB(A) re 1pW (42dB(A) re 20µPa sound pressure) Intensive: 69dB (re 1pW) (55dB(A) re 20µPa sound pressure) – Extractor hose 150 or 120mm 	<ul style="list-style-type: none"> – Easy installation system – Suitable for ducted or recirculating operation – Maximum extraction rate 430m³/h – Noise level according to EN 60704-3 and EN 60704-2-13 exhaust air: Max. normal use: 57dB(A) re 1pW (43dB(A) re 20µPa sound pressure) Intensive: 67dB((re 1pW) (53dB(A) re 20µPa sound pressure) – Extractor hose 150 or 120mm
Optional accessories	<ul style="list-style-type: none"> – Recirculating kit DHZ5325 	<ul style="list-style-type: none"> – Recirculating kit DHZ5325

**DWA06E750B brushed steel**

As DWA09E750B except:

- 60cm wide chimney extractor hood

**DWA07E650B brushed steel**

As DWA09E650B except:



- 70cm wide chimney extractor hood

**DWA06E650B brushed steel**

As DWA09E650B except:

- 60cm wide chimney extractor hood



	<i>Classixx</i> chimney hood with glass canopy DWA09W451B brushed steel	<i>Classixx</i> chimney hood with glass canopy DWA09W450B brushed steel
		
Design	<ul style="list-style-type: none"> – Designed for wall mounted installation – Height adjustable chimney sections 	<ul style="list-style-type: none"> – Designed for wall mounted installation – Height adjustable chimney sections
Features	<ul style="list-style-type: none"> – Rocker switch control – 3 power levels – 2 x 25W halogen lights – 1 removable metal grease filter cassette 	<ul style="list-style-type: none"> – Rocker switch control – 3 power levels – 2 x 28W halogen lights – 1 removable metal grease filter cassette
Performance/ technical info	<ul style="list-style-type: none"> – Easy installation system – Suitable for ducted or recirculating operation – Maximum extraction rate 430m³/h – Noise level according to EN 60704-3 and EN 60704-2-13 at maximum normal setting extraction rate: 62dB (re 1pW) (48dB(A) re 20µPa sound pressure) – Extractor hose 150 or 120mm 	<ul style="list-style-type: none"> – Easy installation system – Suitable for ducted or recirculating operation – Maximum extraction rate 430m³/h – Noise level according to EN 60704-3 and EN 60704-2-13 at maximum normal setting extraction rate: 62dB (re 1pW) (48dB(A) re 20µPa sound pressure) – Extractor hose 150 or 120mm
Optional accessories	<ul style="list-style-type: none"> – Recirculating kit DHZ5325 	<ul style="list-style-type: none"> – Recirculating kit DHZ5325

**DWA06W451B brushed steel**

As DWA09W451B except:

- 60cm wide chimney extractor hood

**DWA07W450B brushed steel**

As DWA09W450B except:

- 70cm wide chimney extractor hood

**DWA06W450B brushed steel**



As DWA09W450B except:

- 60cm wide chimney extractor hood





Logixx angled chimney hood with glass canopy DWK09M760B	
	<div>90 cm</div>
Key features	<ul style="list-style-type: none">– Electronic control– Electronic power level display
Design	<ul style="list-style-type: none">– Designed for wall mounted installation– Height adjustable chimney sections– Black with glass canopy
Features	<ul style="list-style-type: none">– Touch control– 3 power levels & intensive setting– Automatic intensive revert– 2 x 20W low energy halogen lights– 2 removable metal grease filter cassettes
Performance/ technical info	<ul style="list-style-type: none">– Suitable for ducted or recirculating operation– Maximum extraction rate 560m³/h– Noise level according to EN 60704-3 and EN 60704-2-13 exhaust air at max. normal use: 61dB (re 1pW) (47dB(A) re 20µPa sound pressure)Intensive: 76dB (re 1pW) (54dB(A) re 20µPa sound pressure)– Extractor hose 150 or 120mm
Optional accessories	<ul style="list-style-type: none">– Recirculating kit DHZ5595



	Exxcel angled chimney hood with glass canopy DWK09E850B brushed steel DWK09E820B white	Exxcel angled chimney hood with glass canopy DWK06E650B brushed steel
		
Key features	<ul style="list-style-type: none"> – Electronic control – Electronic power level display 	
Design	<ul style="list-style-type: none"> – Designed for wall mounted installation – Height adjustable chimney sections – Brushed steel with glass canopy 	<ul style="list-style-type: none"> – Designed for wall mounted installation – Height adjustable chimney sections – Brushed steel with glass canopy
Features	<ul style="list-style-type: none"> – Soft touch button control – 3 power levels & intensive setting – Automatic intensive revert – 2 x 20W low energy halogen lights – 2 removable metal grease filter cassettes 	<ul style="list-style-type: none"> – Soft touch button control – 3 power levels & intensive setting – 2 x 20W low energy halogen lights – 2 removable metal grease filter cassettes
Performance/ technical info	<ul style="list-style-type: none"> – Easy installation system – Suitable for ducted or recirculating operation – Maximum extraction rate 510m³/h – Noise level according to EN 60704-3 and EN 60704-2-13 exhaust air Max. normal use: 62dB (re 1pW) (48dB(A) re 20µPa sound pressure) Intensive: 68dB (re 1pW) (54dB(A) re 20µPa sound pressure) – Extractor hose 150 or 120mm 	<ul style="list-style-type: none"> – Easy installation system – Suitable for ducted or recirculating operation – Maximum extraction rate 420m³/h – Noise level according to EN 60704-3 and EN 60704-2-13 exhaust air: Max. normal use: 56dB (re 1pW) (42dB(A) re 20µPa sound pressure) Intensive: 67dB (re 1pW) (53dB(A) re 20µPa sound pressure) – Extractor hose 150 or 120mm
Optional accessories	<ul style="list-style-type: none"> – Recirculating kit DHZ5325 	<ul style="list-style-type: none"> – Recirculating kit DHZ5325



	<i>Classixx</i> pyramid chimney hood DWW09D650B brushed steel	<i>Classixx</i> chimney extractor hood DWW092460B black
		
Design	<ul style="list-style-type: none"> – Designed for wall mounted installation – Height adjustable chimney sections – Brushed steel canopy and chimney section 	<ul style="list-style-type: none"> – Designed for wall mounted installation – Height adjustable chimney sections
Features	<ul style="list-style-type: none"> – Push button control – 3 power levels & intensive setting – 2 x 25W halogen lights – 3 removable metal grease filter cassettes 	<ul style="list-style-type: none"> – Rocker switch control – 3 power levels – 2 x 40W bulbs – 3 removable metal grease filter cassettes
Performance/ technical info	<ul style="list-style-type: none"> – Easy installation system – Suitable for ducted or recirculating operation – Maximum extraction rate 450m³/h – Noise level according to EN 60704-3 and EN 60704-2-13 at maximum normal setting extraction rate: 54dB (re 1pW) (40dB(A) re 20µPa sound pressure) Intensive: 64dB (re 1pW) (50dB (A) re 20µPa sound pressure) – Extractor hose 150 or 120mm 	<ul style="list-style-type: none"> – Suitable for ducted or recirculating operation – Maximum extraction rate 400m³/h – Noise level according to EN 60704-3 and EN 60704-2-13 at maximum normal setting extraction rate: 69dB (re 1pW) (53dB(A) re 20µPa sound pressure)
Optional accessories	<ul style="list-style-type: none"> – Recirculating kit DHZ5345 	<ul style="list-style-type: none"> – Recirculating kit DHZ5145

**DWW07D650B brushed steel**

As DWW09D650B except:

- 70cm wide chimney extractor hood
- Recirculating kit DHZ5325

**DWW06D650B brushed steel**

As DWW09D650B except:

- 60cm wide chimney extractor hood
- Recirculating kit DHZ5325

**DWW062460B black**

As DWW092460 except:

- 60cm wide chimney extractor hood
- 2 removable metal grease filters



	<i>Classixx</i> chimney extractor hood DWW091350B brushed steel
	<div>90 cm</div>
Design	<ul style="list-style-type: none">– Designed for wall mounted installation– Height adjustable chimney sections
Features	<ul style="list-style-type: none">– Slider switch control– 2 power levels– 2 x 40W bulbs– 3 removable metal grease filter cassettes
Performance/ technical info	<ul style="list-style-type: none">– Suitable for ducted or recirculating operation– Maximum extraction rate 320m³/h– Noise level according to EN 60704-3 and EN 60704-2-13 at maximum normal setting extraction rate: 66dB (re 1pW) (42dB(A) re 20µPa sound pressure)
Optional accessories	<ul style="list-style-type: none">– Recirculating kit DHZ5145







DWW061350B brushed steel

As DWW091350B except:

- 60cm wide chimney extractor hood
- 1 removable metal grease filter





	Telescopic hood DHI965VGB silver metallic lacquer (90cm) DHI665VGB silver metallic lacquer (60cm)	Telescopic hood DHI635HGB silver metallic lacquer
	 	
Key features	<ul style="list-style-type: none"> – Electronic control and power level display – Interval operation – Grease and charcoal filter saturation indicators – Variable control position 	
Features	<ul style="list-style-type: none"> – Soft touch button control – 3 power levels & intensive setting with auto switchback – 3 x 20W low energy halogen lights, (2 x 20W DHI665VGB) – Softlight dimmer function – Automatic after-running (10 mins) – 2 removable metal grease filter cassettes 	<ul style="list-style-type: none"> – Rocker switch control – 3 power levels – 2 x 40W bulbs – Double filter system – 2 removable metal grease filter cassettes
Performance/technical info	<ul style="list-style-type: none"> – Maximum extraction rate 450m³/h – Noise level at maximum normal setting extraction rate: 59dB(A) re 1pW (47dB(A) re 20µPa sound pressure) – Intensive 62dB (re 1pW) (50dB(A) sound pressure) 	<ul style="list-style-type: none"> – Maximum extraction rate 400m³/h – Noise level at maximum normal setting extraction rate: 64dB (re 1pW) (52dB(A) re 20µPa sound pressure)
Optional accessories	<ul style="list-style-type: none"> – Recirculating kit DHZ4505 – Front profile DHZ4950 (90cm), DHZ4650 (60cm) – Front profile with control opening DHZ4955 (90cm), DHZ4655 (60cm) 	<ul style="list-style-type: none"> – Recirculating kit DHZ3405 – Front profile DHZ4650






	Canopy hood DHL545SGB silver metallic lacquer	Canopy hood DHL535BGB silver metallic lacquer
Features	<ul style="list-style-type: none"> – Slider switch control – 3 power levels & intensive setting – 2 x 20W low energy halogen lights – 2 removable metal grease filter cassettes 	<ul style="list-style-type: none"> – Rocker switch control – 2 power levels & intensive setting – 2 x 40W bulbs – Paper grease filter
Performance/technical info	<ul style="list-style-type: none"> – Maximum extraction rate 400m³/h (intensive) – Noise level at maximum normal setting extraction rate: 62dB (re 1pW) (50dB(A) re 20µPa sound pressure) – Intensive 69dB (re 1pW) (57dB(A) sound pressure) 	<ul style="list-style-type: none"> – Maximum extraction 280m³/h – Noise level at maximum normal setting extraction rate: 60dB (re 1pW) (41dB(A) re 20µPa sound pressure) – Intensive 66dB (re 1pW) (48dB(A) sound pressure)
Optional accessories	<ul style="list-style-type: none"> – Charcoal odour filter DHZ7304 	<ul style="list-style-type: none"> – Paper grease filters DHZ2100 – Charcoal odour filter DHZ7304



	Integrated extractor DHE645MGB silver metallic lacquer	Integrated extractor DHE635BGB silver metallic lacquer
		
Design	– For installation between cupboards	– For installation between cupboards
Features	<ul style="list-style-type: none"> – Rocker switch control – 3 power levels – 2 x 40W bulbs – 2 removable metal grease filter cassettes 	<ul style="list-style-type: none"> – Rocker switch control – 3 power levels – 1 x 40W bulbs – Paper grease filter
Performance/technical info	<ul style="list-style-type: none"> – Suitable for ducted or recirculating operation – Maximum extraction rate 360m³/h – Noise level according to EN 60704-3 and EN 60704-2-13 at maximum normal setting extraction rate: 64dB (re 1pW) (52dB(A) re 20µPa sound pressure) 	<ul style="list-style-type: none"> – Suitable for ducted or recirculating operation – Maximum extraction rate 280m³/h – Noise level according to EN 60704-3 and EN 60704-2-13 at maximum normal setting extraction rate: 66dB (re 1pW) (54dB(A) re 20µPa sound pressure)
Optional accessories	– Charcoal odour filter DSZ11AF	<ul style="list-style-type: none"> – Paper grease filters DHZ2100 – Charcoal odour filter DSZ11AF



	Built under conventional hood extractor DHU625MGB brushed steel	Built-under conventional hood extractor DHU635PGB brushed steel DHU636PGB black DHU632PGB white
		
Design	– Designed for wall mounted installation or suspended beneath a reduced height wall cupboard	<ul style="list-style-type: none"> – Designed for wall mounted installation or suspended beneath a reduced height wall cupboard – Adjustable vapour screen
Features	<ul style="list-style-type: none"> – Push button control – 3 power levels – 2 x 20W low energy halogen lights – 2 removable metal grease filter cassettes 	<ul style="list-style-type: none"> – Rocker switch control – 3 power levels – 1 x 40W bulbs – Paper grease filter
Performance/technical info	<ul style="list-style-type: none"> – Suitable for ducted or recirculating operation – Maximum extraction rate 280m³/h – Noise level according to EN 60704-3 and EN 60704-2-13 at maximum normal setting extraction rate: 65dB(A) re 1pW (57dB(A) re 20µPa sound pressure) 	<ul style="list-style-type: none"> – Suitable for ducted or recirculating operation – Maximum extraction rate 190m³/h – Noise level according to EN 60704-3 and EN 60704-2-13 at maximum normal setting extraction rate: 64dB(A) re 1pW (52dB(A) re 20µPa sound pressure)
Optional accessories	– Charcoal odour filter DHZ2400	<ul style="list-style-type: none"> – Paper grease filters DHZ2100 – Charcoal odour filter DHZ1100

 **BOSCH**



Refrigeration.

*Logi***xx**

Our premium range, with exceptional cutting-edge features and extras. A beautiful combination of high convenience technology and intelligent design, from our XXL American-style fridge freezer with advanced MultiAirflow Cooling system, to our DayLight illumination, and SoftClose doors, to ensure the door always shuts, and without a sound. All with auto defrost function in the fridge or full NoFrost systems that mean you never have to worry about defrosting again. Full width chrome bottle rack included in the fridge freezer.



*Exx***cel**

Mid-range models with a broad range of extra features and benefits. Stylishly finished with aluminium trim, state-of-the-art features include SuperFreezing and SuperCool for maximum food protection when re-stocking the fridge or freezer and precise electronic temperature control.



*Classi***xx**

Simple, practical models offering Bosch build quality and value for money. All Classixx fridges and fridge freezers feature an auto defrost function in the fridge and airstream shelving for improved air circulation. In addition, electronic control and SuperFreezing come as standard. They are so efficient that all are at least A+ rated for energy efficiency.





Cutting-edge technology that cuts energy costs too.

At Bosch we take energy efficiency very seriously, and we work hard to make our cooling products some of the most energy-efficient performers in the industry.



Save energy with a Bosch fridge or freezer

Unlike your washing machine or dishwasher, your fridge or freezer is on 24 hours a day, so it is especially important that the appliance does not waste energy. Our cooling products are among the most energy-efficient performers in the industry, minimising environmental damage and saving you money. Every model in our range has at least an A+ rating, and four models achieve an A++ in the EU Energy Efficiency rating scheme.

Longer lasting food is good for the environment

Thanks to the advanced technology incorporated into each and every Bosch refrigeration appliance, food stays fresher for longer. That means less food ends up in the rubbish bin. Plus more food can be bought in bulk, which means fewer shopping trips, and so less waste of natural resources.



Look out for this Bosch energy-efficiency symbol as it is there to help you identify our most energy efficient models.



Our refrigeration products are packed full of good ideas.

Research shows that UK households are throwing away £12 billion worth of food every year. That means the average household with children throws away about £50 worth of food and drink a month.* Thanks to advanced technology, Bosch refrigeration products are packed with innovative features and storage solutions to keep food fresher for longer. For example, humidity control and Active Cooling ensures your food is protected against bacterial growth, providing the ideal environment for your food.

This means that fruit and vegetables can be kept for longer, giving you more time to use them.

Ensuring you get more out of the food you buy and waste less.



*Source: Wrap – The Food We Waste, Executive Summary, 2008

Active Cooling

The temperature within a conventional fridge can be uneven, since warmer air rises. Bosch Active Cooling solves this problem by blowing cold air into all areas of the fridge by fan or rear wall venting. Sensor electronics maintain a constant temperature throughout the compartment to $\pm 1^{\circ}\text{C}$. Your food is protected against bacterial growth, and is kept fresher for longer.



SuperCool

Putting new food into your fridge causes the internal temperature to increase, so your fridge has to work harder to cool down, and the food already stored in there can get warmer. SuperCool will prepare your fridge by rapidly reducing the temperature, keeping the contents cool, and quickly cooling the new groceries down to 2°C .



SuperFreezing

Adding new food to the freezer raises the temperature, and the freezer has to work harder to avoid the food already in there from warming up, and possibly even part-defrosting. With SuperFreezing, just press the button before you go shopping and the function rapidly lowers the temperature in the freezer, ensuring that the fresh food is frozen quickly, while surrounding frozen food stays frozen. So even when the door is open for longer periods the contents are protected.



NoFrost

This system eliminates the formation of ice on food and the freezer interior, meaning you never have to worry about defrosting again. Intelligent electronics ensure that the defrost operation is only initiated when the appliance actually needs it.

Auto-defrost

Automatically defrosts the fridge at regular intervals without the need to switch off the appliance or remove the food stored.



Electronic temperature control

Accurate temperature control is essential to maximise the freshness of your food. Our premium fridge freezers feature accurate electronic control and temperature display for both fridge and freezer sections.



freezer compartment

Bosch freezer compartments allow food to be stored below -18°C so that it can be stored for longer. As it is a 4 star compartment, you can freeze fresh food.

Airstream shelving

Air vents at the back of the shelf allow an increased level of air circulation within the fridge. This improved circulation leads to food staying fresher for longer due to a more even temperature within the fridge.

Humidity control

Allows adjustment of both temperature and humidity levels to maximise the shelf life of fruit and vegetables. Lettuce, for example should be stored at high air humidity compared to other fruit and vegetables.

Vegetable/Salad drawer with rippled base

Food will stay fresher for longer, as the ripple base technology helps improved air circulation around the produce.



Day Light

This bright, white light will throw an attractive light on the produce on your fridge, illuminating the whole space brilliantly.

Soft Close

It's the little things that make all the difference. Soft Close ensures that your fridge door is never left open by mistake. The special hinges mean you can push your door to and it will close silently without a 'clunk', and will never swing back open.

Flat hinge design

To facilitate the quick and easy fitting of secondary furniture doors, without the need for extra drilling. Easy to fit, this design offers an increased opening angle of 115° and features automatic door closing at an angle of less than 20° .

Sliding hinge design

Are attached to a slide connector pre-fitted at the factory, which offers a simple low cost route to adding door furniture. It offers adjustment in depth and height for precise fitting.

Door open alarm

With this feature, if you inadvertently leave your freezer door ajar an alarm will sound so that you can prevent food spoilage. Then for extra peace of mind, there is a warning light that will illuminate to let you know immediately should the freezer reach a dangerously high temperature.



American-style Fridge Freezers.

Brilliant masterpieces in XXL format, the new Bosch American-style fridge freezers will easily cope with the demands of a large family, and make a bold design statement too.



High capacity with stylish design

Choose from classic steel look, with fingerprint resistant finish, sleek, chic gloss black, or the stunning white high-gloss glass front model.



Saving a further 20% of energy with A+

The Bosch American-style models set the standard in high-performance refrigeration technology combined with outstanding environmental-friendliness. All models have an A+ energy efficiency rating and are up to 20% more economical than energy efficiency class A.



In-door electronic controls

All models feature fully electronic controls set conveniently into the door exterior, giving you precise fingertip control of the temperature of both the fridge and freezer compartments.

In-door ice and chilled water dispenser

The in-door ice and chilled water dispenser gives you the choice of chilled, filtered water, crushed ice and ice cubes – up to 140 every 24 hours.

AirFresh filter

Lasting the lifetime of the appliance, the AirFresh filter ensures that odours in the fridge are reduced, and the transfer of food smells is minimised.



FreshProtectBox

Our top-of-the-range model features a separate compartment with independent temperature control. Conveniently accessible on smooth-running telescopic rails, the multi-purpose FreshProtectBox keeps food items fresher for longer. With 3 temperature settings: 4°C, 2°C and 0°C, it can be used to store different foods like fish, meat, vegetables, fruit or dairy products, at the most appropriate temperature for the food type.



EasyLift safety glass shelf

The EasyLift safety glass shelf on our top of the range model can be raised or lowered without emptying it first – convenient, flexible, easy.

Dazzling illumination

The interiors of our American-style fridge freezers shine with exceptionally bright lighting for optimum viewing.



Separate cooling systems

A separate evaporator for the fridge and freezer sections, not only prevents the transfer of flavours, but also allows the fridge and freezer temperatures to be controlled separately.



Logixx American-style fridge freezer KAD62S21 premium white glass



Performance and consumption	<ul style="list-style-type: none"> – Energy efficiency class: A+ – Annual energy consumption 464kWh – Total net capacity: 528 litres – Net fridge capacity: 351 litres – Net freezer capacity: 177 litres – Noise level 62dB (re 1pW)
Design features	<ul style="list-style-type: none"> – Glass door design, high-door design – Left hinged/right hinged door – Vertical door handle – External in-door LCD electronic controls – Two separate cooling circuits prevents transfer of odours
Food freshness system	<ul style="list-style-type: none"> – MultiAirflow system – improves circulation of air around the fridge – FreshProtectBox – vegetable container with three temperature settings
Key features – fridge section	<ul style="list-style-type: none"> – AirFresh filter – reduces strong odours – Interior design with metal applications – 4 safety glass shelves in fridge compartment – 2 vegetable/salad containers on telescopic rails – Metal bottle rack – 1 dairy compartment in door – Door trays in fridge door: 2 large and 2 small – Day Light – bright interior fridge light (2 x 40W)
Key features – freezer section	<ul style="list-style-type: none"> – In-door ice and water dispenser: chilled water, crushed ice, ice cubes, Quick Ice, water filter included. Dispenser features: child lock, LED light and water filter replacement indicator – NoFrost, never have to defrost ever again – Door trays in freezer door: 4 – Climate class SN-T (suitable for ambient temperatures between 10 to 43°C) – Automatic defrost fridge – ★★★★★ freezer – 2 freezer drawers – SuperCool function with automatic deactivation – SuperFreezing function with automatic deactivation – Optical and acoustical door open warning – Freezer malfunction warning signal: optical and acoustic warning system – Freezing capacity in 24 hours: 12kg
Design	<ul style="list-style-type: none"> – White door and painted sides – Electronic control – Dimensions: 175.6cm H x 91cm W x 76.1cm D
Included accessories	<ul style="list-style-type: none"> – 2 x ice packs – 1 x egg tray – 1 x connection hose





Exxcel American-style fridge freezer KAD62V40GB stainless steel look	
<div> <div>Energy A+</div> <div>NoFrost</div> <div>Cooking System</div> <div>SafetyGlass</div> <div>MultiAirflow</div> <div>SuperCool</div> <div>SuperFreezing</div> </div>	
Performance and consumption	<ul style="list-style-type: none"> Energy efficiency class: A+ Annual energy consumption 455kWh (per year). Total net capacity: 562 litres Net fridge capacity: 385 litres Net freezer capacity: 177 litres Noise level 44dB (re 1pW)
Design features	<ul style="list-style-type: none"> Stainless steel look high-door design and chrome inox metallic side panels Left hinged, right hinged door Vertical door handle Electronic control with LED display Removable magnetic door seals – easy to clean Two separate cooling circuits for independent temperature control. Also prevents transfer of humidity
Food freshness system	<ul style="list-style-type: none"> MultiAirflow system – improves circulation of air around the fridge 2 vegetable/salad containers on telescopic rails with rippled base
Key features – fridge section	<ul style="list-style-type: none"> 4 safety glass shelves of which 3 are height adjustable Extendable glass shelf 1 dairy compartment in door Door trays in fridge door: 2 large and 2 small Interior fridge light (2 x 25W)
Key features – freezer section	<ul style="list-style-type: none"> In-door ice and water dispenser: chilled water, crushed ice, ice cubes, water filter. Features: child lock, LED light, no water filter replacement indicator NoFrost, never have to defrost ever again Door trays in freezer door: 4 2 freezer drawers, drawers on telescopic rails (partially extendable) ★★★★ freezer Interior freezer light (2x 25W) Freezing capacity in 24 hours: 12kg Maximum freezer storage time in power failure: 16 hours
Functions	<ul style="list-style-type: none"> LED temperature readout SuperCool function with automatic deactivation SuperFreezing function with automatic deactivation Optical and acoustic door open warning Freezer malfunction warning: optical, acoustic
Dimensions and installation	<ul style="list-style-type: none"> Height adjustable front feet Front ventilation through plinth Climate class SN-T (suitable for ambient temperatures between 10 to 43°C) Dimensions: 175.6cm H x 91cm W x 72.5cm D
Included accessories	<ul style="list-style-type: none"> 1 connection hose, 1 x egg tray









**Avantixx American-style fridge freezer
KAN62V41GB stainless steel look**


Performance and consumption	<ul style="list-style-type: none"> – Energy efficiency class: A+ – Annual energy consumption 497kWh (per year). – Total net capacity: 604 litres – Net fridge capacity: 385 litres – Net freezer capacity: 219 litres – Noise level 44dB (re 1pW)
Design features	<ul style="list-style-type: none"> – Stainless steel look high-door design and chrome inox metallic side panels – Left hinged, right hinged door – Vertical door handle – Electronic control with LED display – Removable magnetic door seals – easy to clean – Two separate cooling circuits for independent temperature control. Also prevents transfer of humidity
Food freshness system	<ul style="list-style-type: none"> – MultiAirflow system – improves circulation of air around the fridge
Key features – fridge section	<ul style="list-style-type: none"> – 2 vegetable/salad containers on telescopic rails with rippled base – 4 safety glass shelves of which 3 are height adjustable – Extendable glass shelf – 1 dairy compartment in door – Trays in fridge door: 2 large, 2 small – Day Light – bright fridge light (2 x 25W)
Key features – freezer section	<ul style="list-style-type: none"> – NoFrost, never have to defrost ever again – Door trays in freezer door: 5 – 2 freezer drawers, drawers on telescopic rails (partially extendable) – ★★★★★ freezer – Day Light - bright freezer light (1x 25W) – Freezing capacity in 24 hours: 12kg – Maximum freezer storage time in power failure: 16 hours
Functions	<ul style="list-style-type: none"> – LED temperature readout – SuperCool function with automatic deactivation – SuperFreezing function with automatic deactivation – Optical and acoustic door open warning – Freezer malfunction warning: optical, acoustic
Dimension and installation	<ul style="list-style-type: none"> – Height adjustable front feet – Front ventilation through plinth – Climate class SN-T (suitable for ambient temperatures between 10 to 43°C) – Dimensions: 175.6cm H x 91cm W x 72.5cm D



Black edition american-style fridge freezer KAN58A55GB black	
<div> <div>Energy A+</div> <div>NoFrost</div> <div>SafetyGlass</div> <div>MultiAirflow</div> <div>SuperCool</div> <div>SuperFreezing</div> <div>Electronic Control</div> <div>177 cm</div> </div>	
Performance and consumption	<ul style="list-style-type: none"> Energy efficiency class: A+ Annual energy consumption 460kWh (per year). Total net capacity: 531 litres Net fridge capacity: 356 litres Net freezer capacity: 175 litres Noise level 45dB (re 1pW)
Design features	<ul style="list-style-type: none"> Black Softline-Design and black side panels Left hinged, right hinged door Vertical door handle Electronic control for fridge and freezer with LED display Removable magnetic door seals – easy to clean 1 compressor
Food freshness system	<ul style="list-style-type: none"> MultiAirflow system – improves circulation of air around the fridge 1 vegetable/salad container, 2 vegetable/ salad containers with rippled base for improved air circulation
Key features – fridge section	<ul style="list-style-type: none"> 3 safety glass shelves of which 2 are height adjustable Extendable glass shelf 1 dairy compartment in door Trays in fridge door: 2 large, 2 small Interior fridge light (2x 25W)
Key features – freezer section	<ul style="list-style-type: none"> In-door ice and water dispenser: chilled water, crushed ice, ice cubes, water filter included. Dispenser features: child lock, on/off switch, LCD display, flow-free ice cube system and water filter replacement indicator NoFrost, never have to defrost ever again Door trays in freezer door: 4 2 freezer drawers ★★★★ freezer Interior freezer light (1x 15W) Freezing capacity in 24 hours: 10kg Maximum freezer storage time in power failure: 5 hours
Functions	<ul style="list-style-type: none"> LED temperature readout SuperCool function with automatic deactivation SuperFreezing function with automatic deactivation Optical and acoustic door open warning
Dimension and installation	<ul style="list-style-type: none"> Height adjustable front feet Front ventilation through plinth Climate class SN-T (suitable for ambient temperatures between 10 to 43°C) Dimensions: 180cm H x 90cm W x 67.45cm D



Logixx built-in fridge freezer KIN32A55GB white	
      	
Performance and consumption	<ul style="list-style-type: none"> – Energy efficiency class: A+ – Annual energy consumption 315kWh (per year). – Total net capacity: 233 litres – Net fridge capacity: 147 litres – Net freezer capacity: 86 litres – Noise level 40dB (re 1pW)
Design features	<ul style="list-style-type: none"> – SoftClose door – Right hinged, door reversible – Electronic LED display – Removable magnetic door seals – easy to clean
Food freshness system	<ul style="list-style-type: none"> – Active Cooling – quick and even temperature distribution on all shelf levels – Two separate cooling circuits for independent temperature control. Also prevents transfer of humidity
Key features – Fridge section	<ul style="list-style-type: none"> – Metal bottle rack – Automatic defrost fridge – Interior fridge light (1x 25W) – 4 safety glass shelves in fridge compartment of which 3 are height adjustable – 2 vegetable/salad containers with rippled base for improved air circulation
Key features – Freezer section	<ul style="list-style-type: none"> – NoFrost, never have to defrost ever again – SuperFreezing function with automatic deactivation – 4 freezer drawers – **** freezer – Easy twist ice box – Calendar frozen food – Freezing capacity in 24 hours: 7kg – Maximum freezer storage time in power failure: 22 hours
Functions	<ul style="list-style-type: none"> – Freezer malfunction warning: optical, acoustic – Acoustic door open warning
Dimension and installation	<ul style="list-style-type: none"> – Climate class SN-T (suitable for ambient temperatures between 10 to 43°C) – Connection value 120 W – Dimensions: 177.2cm H x 53.8cm W x 53.3cm D – Niche Dimensions: 177.5cm H x 56.2cm W x 55cm D
Included accessories	<ul style="list-style-type: none"> – 2 x ice packs – 1 x butter dish – 1 x egg tray – 1 x ice cube tray









Logixx built-in fridge freezer KIN32A50GB white	
<div> <div>Energy A+</div> <div>NoFrost</div> <div>2 Cooling Systems</div> <div>SafetyGlass</div> <div>SuperFreezing</div> <div>Electronic Control</div> <div>Separate Temperature Control</div> <div>177.5 cm</div> </div>	
Performance and consumption	<ul style="list-style-type: none"> – Energy efficiency class: A+ – Annual energy consumption 315kWh (per year). – Total net capacity: 233 litres – Net fridge capacity: 147 litres – Net freezer capacity: 86 litres – Noise level 40dB (re 1pW)
Design features	<ul style="list-style-type: none"> – Flush-folding flat hinge – Right hinged, door reversible – Electronic LED display – Removable magnetic door seals – easy to clean
Food freshness system	<ul style="list-style-type: none"> – Active Cooling – quick and even temperature distribution on all shelf levels – Two separate cooling circuits for independent temperature control. Also prevents transfer of humidity
Key features – Fridge section	<ul style="list-style-type: none"> – Interior fridge light (1x 25W) – 4 safety glass shelves in fridge compartment of which 3 are height adjustable – 2 vegetable/salad containers – Pull out fridge tray with rippled base for improved air circulation
Key features – Freezer section	<ul style="list-style-type: none"> – NoFrost, never have to defrost ever again – SuperFreezing function with automatic deactivation – 4 freezer drawers – ★★★★★ freezer – Easy Twist ice box – Calendar frozen food – Freezing capacity in 24 hours: 7kg – Maximum freezer storage time in power failure: 22 hours
Functions	<ul style="list-style-type: none"> – Freezer malfunction warning: optical, acoustic – Acoustic door open warning
Dimension and installation	<ul style="list-style-type: none"> – Climate class SN-T (suitable for ambient temperatures between 10 to 43°C) – Dimensions: 177.2cm H x 53.8cm W x 53.3cm D – Niche Dimensions: 177.5cm H x 56.2cm W x 55cm D
Included accessories	<ul style="list-style-type: none"> – 2 x ice packs – 1 x butter dish – 2 x egg trays – 1 x ice cube tray



	Exxcel built-in fridge freezer KIV32A50GB white	Exxcel built-in fridge freezer KIV38A51GB white
Performance and consumption	<ul style="list-style-type: none"> – Energy efficiency class: A+ – Annual energy consumption 287kWh (per year). – Total net capacity: 262 litres – Net fridge capacity: 168 litres – Net freezer capacity: 94 litres – Noise level 40dB (re 1pW) 	<ul style="list-style-type: none"> – Energy efficiency class: A+ – Annual energy consumption 290kWh (per year). – Total net capacity: 281 litres – Net fridge capacity: 222 litres – Net freezer capacity: 59 litres – Noise level 40dB (re 1pW)
Design features	<ul style="list-style-type: none"> – Flush-folding flat hinge – Right hinged door, door reversible – LED electronic control – Removable magnetic door seals – easy to clean 	<ul style="list-style-type: none"> – Flush-folding flat hinge – Right hinged, door reversible – LED electronic control – Removable magnetic door seals – easy to clean
Food freshness system	<ul style="list-style-type: none"> – 1 compressor 	<ul style="list-style-type: none"> – 1 compressor
Key features – fridge section	<ul style="list-style-type: none"> – Automatic defrost fridge – Interior fridge light (1x 25W) – 4 safety glass shelves in fridge compartment of which 3 are height adjustable – 1 vegetable/salad container – Pull out fridge tray with rippled base for improved air circulation 	<ul style="list-style-type: none"> – Automatic defrost fridge – Interior fridge light (1x 25W) – 5 safety glass shelves in fridge compartment of which 4 are height adjustable – 1 vegetable/salad container – Pull out fridge tray with rippled base for improved air circulation
Key features – freezer section	<ul style="list-style-type: none"> – Manual defrost freezer – SuperFreezing function with automatic deactivation – 4 freezer drawers – **** freezer – Calendar frozen food – Freezing capacity in 24 hours: 6kg – Maximum freezer storage time in power failure: 22 hours 	<ul style="list-style-type: none"> – Manual defrost freezer – SuperFreezing function with automatic deactivation – 3 freezer drawers – **** freezer – Calendar frozen food – Freezing capacity in 24 hours: 6kg – Maximum freezer storage time in power failure: 22 hours
Dimensions and installation	<ul style="list-style-type: none"> – Climate class SN-ST (suitable for ambient temperatures between 10 to 38°C) – Dimensions: 177.2cm H x 54.1cm W x 54.5cm D – Niche Dimensions: 177.5cm H x 56.2cm W x 55cm D 	<ul style="list-style-type: none"> – Climate class SN-ST (suitable for ambient temperatures between 10 to 38°C) – Dimensions: 177.2cm H x 54.1cm W x 54.5cm D – Niche Dimensions: 177.5cm H x 56.2cm W x 55cm D
Included accessories	<ul style="list-style-type: none"> – 2 x ice packs – 1 x butter dish – 2 x egg trays – 1 x ice cube tray 	<ul style="list-style-type: none"> – 2 x ice packs – 1 x butter dish – 2 x egg trays – 1 x ice cube tray



	Classixx built-in fridge freezer KIV38V20GB white	Classixx built-in fridge freezer KIV32V20GB white
	  	  
Performance and consumption	<ul style="list-style-type: none"> – Energy efficiency class: A+ – Annual energy consumption 290kWh (per year). – Total net capacity: 279 litres – Net fridge capacity: 219 litres – Net freezer capacity: 60 litres – Noise level 40dB (re 1pW) 	<ul style="list-style-type: none"> – Energy efficiency class: A+ – Annual energy consumption 287kWh (per year). – Total net capacity: 262 litres – Net fridge capacity: 167 litres – Net freezer capacity: 95 litres – Noise level 40dB (re 1pW)
Design features	<ul style="list-style-type: none"> – Sliding hinge – Right hinged door, door reversible – Mechanical control – Removable magnetic door seals – easy to clean 	<ul style="list-style-type: none"> – Sliding hinge – Right hinged door, door reversible – Mechanical control – Removable magnetic door seals – easy to clean
Food freshness system	<ul style="list-style-type: none"> – 1 compressor 	<ul style="list-style-type: none"> – 1 compressor
Key features – fridge section	<ul style="list-style-type: none"> – Automatic defrost fridge – Interior fridge light (1x 15W) – 5 safety glass shelves in fridge compartment of which 4 are height adjustable – 1 vegetable/salad container with rippled base for improved air circulation 	<ul style="list-style-type: none"> – Automatic defrost fridge – Interior fridge light (1x 15W) – 3 safety glass shelves in fridge compartment of which 2 are height adjustable – 1 vegetable/salad container with rippled base for improved air circulation
Key features – freezer section	<ul style="list-style-type: none"> – Manual defrost freezer – 3 freezer drawers – ★★★★★ freezer – Calendar frozen food – Freezing capacity in 24 hours: 3kg – Maximum freezer storage time in power failure: 13 hours 	<ul style="list-style-type: none"> – Manual defrost freezer – 3 freezer drawers – ★★★★★ freezer – Calendar frozen food – Freezing capacity in 24 hours: 4.5kg – Maximum freezer storage time in power failure: 13 hours
Dimensions and installation	<ul style="list-style-type: none"> – Climate class ST – Dimensions: 177.2cm H x 54.1cm W x 54.5cm D – Niche Dimensions: 177.5cm H x 56.2cm W x 55cm D 	<ul style="list-style-type: none"> – Climate class ST – Dimensions: 177.2cm H x 54.1cm W x 54.5cm D – Niche Dimensions: 177.5cm H x 56.2cm W x 55cm D
Included accessories	<ul style="list-style-type: none"> – 1 x butter dish 	<ul style="list-style-type: none"> – 1 x butter dish



Logixx built-in fridge with ice-box KIL38A65 white	
<div> <div>Energy A++</div> <div>SafetyGlass</div> <div>DayLight</div> <div>SuperFreeze</div> <div>Electronic Control</div> <div>177.5 cm</div> </div>	
Performance and consumption	<ul style="list-style-type: none"> – Energy efficiency class: A++ – Annual energy consumption 209kWh (per year). – Total net capacity: 280 litres – Net fridge capacity: 244 litres – Net freezer capacity: 36 litres – Noise level 39dB (re 1pW)
Design features	<ul style="list-style-type: none"> – Right hinged, door reversible – SoftClose door – dampens door movement, for smooth and effortless closure – Flush-folding flat hinge – LED electronic control – Day Light - bright fridge light (1x 25W) – Removable magnetic door seals – easy to clean
Food freshness system	<ul style="list-style-type: none"> – 2 vegetable/salad containers on telescopic rails – Pull out fridge tray with rippled base for improved air circulation – Active Cooling – quick and even temperature distribution on all shelf levels – 1 compressor
Key features – fridge section	<ul style="list-style-type: none"> – 5 safety glass shelves, of which 4 are height adjustable – 2 removable door storage compartments. – 2 dairy compartments – Trays in fridge door: 2 large, 5 small – Automatic defrost fridge
Key features – freezer section	<ul style="list-style-type: none"> – 1 hinged freezer compartment – Ice box – 1 wire shelf
Functions	<ul style="list-style-type: none"> – Maximum freezer storage time in power failure: 18 hours – Freezing capacity in 24 hours: 2kg – Optical door open warning
Dimension and installation	<ul style="list-style-type: none"> – Ventilation in plinth, the plinth size can be varied – Climate class SN-ST (suitable for ambient temperatures between 10 to 38°C) – Dimensions: 177.2cm H x 53.8cm W x 53.3cm D – Niche Dimensions: 177.5cm H x 56cm W x 55cm D
Included accessories	<ul style="list-style-type: none"> – 1 x butter dish – 1 x egg tray – 1 x ice cube tray



	Logixx built-in fridge KIR38A55GB white	Logixx built-in freezer GIN38A55GB white
Performance and consumption	<ul style="list-style-type: none"> – Energy efficiency class: A+ – Annual energy consumption 149kWh (per year) – Total net capacity: 308 litres – Noise level 38dB (re 1pW) 	<ul style="list-style-type: none"> – Energy efficiency class: A+ – Annual energy consumption 325kWh (per year) – Total net capacity: 213 litres – Noise level 40dB (re 1pW)
Design features	<ul style="list-style-type: none"> – Door right hinged, reversible – SoftClose door – smooth and effortless closure – LED Electronic control – Day Light – bright interior fridge light (1 x 25W) 	<ul style="list-style-type: none"> – Door left hinged, reversible – SoftClose door – smooth and effortless closure – LED Electronic control – Bright interior LED light
Food freshness system	<ul style="list-style-type: none"> – 2 vegetable/salad containers on telescopic rails, pull out fridge tray with rippled base for improved air circulation – Active Cooling – quick and even temperature distribution on all shelf levels 	
Key features – fridge section	<ul style="list-style-type: none"> – 7 safety glass shelves, of which 6 are height adjustable – 6 removable door storage compartments – 1 dairy compartment in door – 1 wire shelves – Automatic defrost fridge 	
Key features – freezer section		<ul style="list-style-type: none"> – NoFrost, never have to defrost ever again – ★★★★★ freezer – 5 freezer drawers – SuperFreezing function with automatic deactivation – 1 compressor/1 cooling circuit – Freezing capacity in 24 hours: 25kg – Maximum freezer storage time in power failure: 11 hours
Functions	<ul style="list-style-type: none"> – SuperCool function with automatic deactivation 	<ul style="list-style-type: none"> – Optical and acoustic door open warning – Freezer malfunction warning: optical and acoustic
Dimension and installation	<ul style="list-style-type: none"> – Ventilation in plinth, the plinth size can be varied – Climate class SN-ST (suitable for ambient temperatures between 10 to 38°C) – Dimensions: 177.2cm H x 53.8cm W x 53.3cm D – Niche Dimensions: 177.5cm H x 56cm W x 55cm D 	<ul style="list-style-type: none"> – Climate class SN-T (suitable for ambient temperatures between 10 and 43°C) – Dimensions: 177.2cm H x 55.6cm W x 54.5cm D – Niche Dimensions: 177.5cm H x 56cm W x 55cm D
Included accessories	<ul style="list-style-type: none"> – 1 x butter dish 	<ul style="list-style-type: none"> – 1 x butter dish



	Exxcel built-in fridge with ice-box KIL38A50GB white	Exxcel built-in fridge with ice-box KIL24A50GB white
Performance and consumption	<ul style="list-style-type: none"> – Energy efficiency class: A+ – Annual energy consumption 279kWh (per year). – Total net capacity: 282 litres – Net fridge capacity: 246 litres – Noise level 39dB (re 1pW) 	<ul style="list-style-type: none"> – Energy efficiency class: A+ – Annual energy consumption 235kWh (per year). – Total net capacity: 206 litres – Net fridge capacity: 189 litres – Net freezer capacity: 17 litres – Noise level 37dB (re 1pW)
Design features	<ul style="list-style-type: none"> – Right hinged, door reversible – Flush-folding flat hinge – LED electronic control – Interior fridge light (1x 25W) – Removable magnetic door seals – easy to clean – 1 compressor 	<ul style="list-style-type: none"> – Right hinged, door reversible – Flush-folding flat hinge – LED electronic control – Interior fridge light (1x 25W) – Removable magnetic door seals – easy to clean – 1 compressor
Food freshness system	<ul style="list-style-type: none"> – 2 vegetable/salad containers on telescopic rails, pull out fridge tray, rippled base for improved air circulation 	<ul style="list-style-type: none"> – 1 vegetable/salad container, pull out fridge tray with rippled base for improved air circulation
Key features – fridge section	<ul style="list-style-type: none"> – 5 safety glass shelves, of which 4 are height adjustable – 5 removable door storage compartments. – 1 dairy compartment in door – 1 wire shelves – Automatic defrost fridge 	<ul style="list-style-type: none"> – Interior design with metal applications – 5 safety glass shelves, of which 4 are height adjustable – 5 removable door storage compartments. – Automatic defrost fridge
Key features – freezer section	<ul style="list-style-type: none"> – 1 hinged freezer compartment – Ice box – Net freezer capacity: 36 litres – Net freezer capacity: 36 litres – Max. freezer storage time in power failure: 18 hours – Freezing capacity in 24 hours: 2kg 	<ul style="list-style-type: none"> – Ice box – 1 hinged freezer compartment – Maximum freezer storage time in power failure: 10 hours – Freezing capacity in 24 hours: 2kg
Functions	<ul style="list-style-type: none"> – SuperCool function with automatic deactivation – Optical door open warning signal 	<ul style="list-style-type: none"> – SuperCool function with automatic deactivation
Dimension and installation	<ul style="list-style-type: none"> – Ventilation in plinth, the plinth size can be varied – Climate class SN-ST (suitable for ambient temperatures between 10 to 38°C) – Dimensions: 177.2cm H x 53.8cm W x 53.3cm D – Niche Dimensions: 177.5cm H x 56cm W x 55cm D 	<ul style="list-style-type: none"> – Ventilation in plinth, the plinth size can be varied – Climate class SN-ST (suitable for ambient temperatures between 10 to 38°C) – Dimensions: 122.1cm H x 54.1cm W x 54.2cm D – Niche Dimensions: 122.5cm H x 56cm W x 55cm D
Included accessories	<ul style="list-style-type: none"> – 2 egg trays – 1 x ice cube tray 	<ul style="list-style-type: none"> – 1 x butter dish – 1 egg tray – 1 x ice cube tray



	Exxcel built-in fridge KIR24A50GB white	Logixx built-in fridge KIR24A65 white
Performance and consumption	<ul style="list-style-type: none"> – Energy efficiency class: A+ – Annual energy consumption 138kWh (per year). – Total net capacity: 226 litres – Noise level 34dB (re 1pW) 	<ul style="list-style-type: none"> – Energy efficiency class: A++ – Annual energy consumption 104kWh (per year). – Total net capacity: 226 litres – Noise level 37dB (re 1pW)
Design features	<ul style="list-style-type: none"> – Right hinged, door reversible – Flush-folding flat hinge – LED electronic control – Interior fridge light (1 x 25W) – Removable magnetic door seals – easy to clean – 1 compressor 	<ul style="list-style-type: none"> – Right hinged, door reversible – SoftClose door – dampens door movement, for smooth and effortless closure – Flush-folding flat hinge – LED electronic control – Day Light – bright fridge light (1 x 25W) – Removable magnetic door seals – easy to clean – 1 compressor
Food freshness system	<ul style="list-style-type: none"> – 1 vegetable/salad container, pull out fridge tray with rippled base for improved air circulation 	<ul style="list-style-type: none"> – 1 vegetable/salad container, pull out fridge tray with rippled base for improved air circulation
Key features	<ul style="list-style-type: none"> – 6 safety glass shelves, of which 5 are height adjustable – 5 removable door storage compartments. – Automatic defrost fridge 	<ul style="list-style-type: none"> – 6 safety glass shelves, of which 5 are height adjustable – Dividable glass shelf – 5 removable door storage compartments. – Automatic defrost fridge
Functions	<ul style="list-style-type: none"> – SuperCool function with automatic deactivation 	<ul style="list-style-type: none"> – SuperCool function with automatic deactivation
Dimension and installation	<ul style="list-style-type: none"> – Ventilation in plinth, the plinth size can be varied – Climate class SN-ST (suitable for ambient temperatures between 10 to 38°C) – Dimensions: 122.1cm H x 54.1cm W x 54.2cm D – Niche Dimensions: 122.5cm H x 56cm W x 55cm D 	<ul style="list-style-type: none"> – Ventilation in plinth, the plinth size can be varied – Climate class SN-ST (suitable for ambient temperatures between 10 to 38°C) – Dimensions: 122.1cm H x 54.1cm W x 54.2cm D – Niche Dimensions: 122.5cm H x 56cm W x 55cm D
Included accessories	<ul style="list-style-type: none"> – 1 x butter dish – 1 x egg tray 	<ul style="list-style-type: none"> – 1 x butter dish – 1 x egg tray



Classixx built-in fridge
KIR24V20GB white



Performance and consumption

- Energy efficiency class: A+
- Annual energy consumption 138kWh (per year).
- Total net capacity: 224 litres
- Net fridge capacity: 224 litres
- Noise level 34dB (re 1pW)

Design features

- Right hinged, door reversible
- Sliding hinge
- Mechanical control
- Interior fridge light (1 x 15W)
- Removable magnetic door seals – easy to clean
- 1 compressor

Food freshness system

- 1 vegetable/salad container with rippled base for improved air circulation









Key features

- 6 safety glass shelves, of which 5 are height adjustable
- 4 removable door storage compartments

Dimension and installation

- Ventilation in plinth, the plinth size can be varied
- Climate class SN-ST (suitable for ambient temperatures between 10 to 38°C)
- Connection value 90 W
- Dimensions:
122.1cm H x 54.1cm W x 54.2cm D
- Niche Dimensions:
122.5cm H x 56cm W x 55cm D









	Exxcel built-in fridge KIR18A51GB white	Exxcel built-in freezer GID18A50GB white
	    	  
Performance and consumption	<ul style="list-style-type: none"> – Energy efficiency class: A+ – Annual energy consumption 129kWh (per year). – Total net capacity: 153 litres – Noise level 34dB (re 1pW) 	<ul style="list-style-type: none"> – Energy efficiency class: A+ – Annual energy consumption 203kWh (per year). – Total net capacity: 96 litres – Noise level 36dB (re 1pW)
Design features	<ul style="list-style-type: none"> – Right hinged, door reversible – Flush-folding flat hinge – LED electronic control – Interior fridge light (1 x 25W) – Removable magnetic door seals – easy to clean – 1 compressor 	<ul style="list-style-type: none"> – Right hinged, door reversible – Mechanical control
Food freshness system	<ul style="list-style-type: none"> – 1 vegetable/salad container, pull out fridge tray with rippled base for improved air circulation 	
Key features – fridge section	<ul style="list-style-type: none"> – 4 safety glass shelves, of which 3 are height adjustable – 4 removable door storage compartments – Automatic defrost fridge 	
Key features – freezer section		<ul style="list-style-type: none"> – Manual defrost freezer – ★★★★★ freezer – 4 freezer drawers – SuperFreezing function with manual deactivation – 1 compressor/1 cooling circuit – Freezing capacity in 24 hours: 12kg – Maximum freezer storage time in power failure: 25 hours
Functions	<ul style="list-style-type: none"> – SuperCool function with automatic deactivation 	<ul style="list-style-type: none"> – Freezer malfunction warning: optical, acoustic
Dimension and installation	<ul style="list-style-type: none"> – Ventilation in plinth, the plinth size can be varied – Climate class SN-ST (suitable for ambient temperatures between 10 to 38°C) – Dimensions: 87.4cm H x 54.1cm W x 54.2cm D – Niche Dimensions: 88cm H x 56cm W x 55cm D 	<ul style="list-style-type: none"> – Climate class SN-ST (suitable for ambient temperatures between 10 to 38°C) – Fixed water connection with a 3m hose supplied (3/4") – Dimensions: 87.4cm H x 54.1cm W x 54.2cm D – Niche Dimensions: 88cm H x 56cm W x 55cm D
Included accessories	<ul style="list-style-type: none"> – 1 x butter dish – 1 x egg tray 	<ul style="list-style-type: none"> – 2 x ice packs – 1 x berry tray – 1 x ice cube tray










	Exxcel built-in fridge KIR18V60	Exxcel built-under fridge KUL15A60GB white
Performance and consumption	<ul style="list-style-type: none"> – Energy efficiency class: A++ – Annual energy consumption 96kWh (per year). – Total net capacity: 151 litres – Noise level 37dB (re 1pW) 	<ul style="list-style-type: none"> – Energy efficiency class: A++ – Annual energy consumption 140kWh (per year). – Total net capacity: 125 litres – Net fridge capacity: 110 litres – Net freezer capacity: 15 litres – Noise level 38dB (re 1pW)
Design features	<ul style="list-style-type: none"> – Right hinged, door reversible – Flush-folding flat hinge – Mechanical control – Interior fridge light (1 x 15W) – Removable magnetic door seals – easy to clean – 1 compressor 	<ul style="list-style-type: none"> – Right hinged, door reversible – Flush-folding flat hinge – Mechanical control – Day Light – bright fridge light (1 x 25W) – Removable magnetic door seals – easy to clean – 1 compressor
Food freshness system	<ul style="list-style-type: none"> – 1 vegetable/salad container with rippled base for improved air circulation 	<ul style="list-style-type: none"> – 1 vegetable/salad container with rippled base for improved air circulation
Key features – fridge section	<ul style="list-style-type: none"> – 4 safety glass shelves in fridge compartment of which 3 are height adjustable – 4 removable door storage compartments. 	<ul style="list-style-type: none"> – 2 safety glass shelves, of which 1 are height adjustable – 1 removable door storage compartment – Automatic defrost fridge
Key features – freezer section		<ul style="list-style-type: none"> – 1 hinged freezer compartment – Ice box – Maximum freezer storage time in power failure: 12 hours – Freezing
Dimension and installation	<ul style="list-style-type: none"> – Ventilation in plinth, the plinth size can be varied – Climate class SN-ST (suitable for ambient temperatures between 10 to 38°C) – Dimensions: 87.4cm H x 54.1cm W x 54.2cm D – Niche Dimensions: 88cm H x 56cm W x 55cm D – without door open warning signal 	<ul style="list-style-type: none"> – Ventilation in plinth, the plinth size can be varied – Climate class SN-ST (suitable for ambient temperatures between 10 to 38°C) – Dimensions: 82cm H x 59.8cm W x 54.8cm D – Niche Dimensions: 82cm H x 60cm W x 55cm D – without door open warning signal
Included accessories	<ul style="list-style-type: none"> – 1 x egg tray 	<ul style="list-style-type: none"> – 1 x egg tray – 1 x ice cube tray



	<i>Classixx</i> built-in fridge KIR18V20GB white	<i>Classixx</i> built-in freezer GID18A20GB white
	  	  
Performance and consumption	<ul style="list-style-type: none"> – Energy efficiency class: A+ – Annual energy consumption 128kWh (per year). – Total net capacity: 151 litres – Noise level 34dB (re 1pW) 	<ul style="list-style-type: none"> – Energy efficiency class: A+ – Annual energy consumption 194kWh (per year). – Total net capacity: 98 litres – Noise level 36dB (re 1pW)
Design features	<ul style="list-style-type: none"> – Right hinged, door reversible – Sliding hinge – Mechanical control – Interior fridge light (1x 15W) – Removable magnetic door seals – easy to clean – 1 compressor 	<ul style="list-style-type: none"> – Right hinged, door reversible
Food freshness system	<ul style="list-style-type: none"> – 1 vegetable/salad container with rippled base for improved air circulation 	
Key features – fridge section	<ul style="list-style-type: none"> – 4 safety glass shelves, of which 3 are height adjustable – 4 removable door storage compartments. – Automatic defrost fridge 	
Key features – freezer section		<ul style="list-style-type: none"> – SuperFreezing – 4 transparent freezer drawers – Ice cube tray
Functions		<ul style="list-style-type: none"> – Acoustic door open warning – Freezer malfunction warning: optical, acoustic
Dimension and installation	<ul style="list-style-type: none"> – Ventilation in plinth, the plinth size can be varied – Climate class SN-ST (suitable for ambient temperatures between 10 to 38°C) – Dimensions: 87.4cm H x 54.1cm W x 54.2cm D – Niche Dimensions: 88cm H x 56cm W x 55cm D 	<ul style="list-style-type: none"> – Climate class SN-ST (suitable for ambient temperatures between 10 to 38°C) – Fixed water connection with a 3m hose supplied (3/4") – Dimensions: 87cm H x 54cm W x 54cm D – Niche Dimensions: 88cm H x 56cm W x 55cm D
Included accessories	<ul style="list-style-type: none"> – 1 x butter dish 	<ul style="list-style-type: none"> – 2 x ice packs – 1 x berry tray – 1 x ice cube tray



	Exxcel built-under fridge KUR15A50GB white	Exxcel built-under freezer GUD15A50GB white
	   	  
Performance and consumption	<ul style="list-style-type: none"> – Energy efficiency class: A+ – Annual energy consumption 123kWh (per year). – Total net capacity: 138 litres – Noise level 38dB (re 1pW) 	<ul style="list-style-type: none"> – Energy efficiency class: A+ – Annual energy consumption 193kWh (per year). – Total net capacity: 98 litres – Noise level 38dB (re 1pW)
Design features	<ul style="list-style-type: none"> – Right hinged, door reversible – Flush-folding flat hinge – Mechanical control – Day Light – bright interior fridge light (1x 25W) – Removable magnetic door seals – easy to clean – 1 compressor 	<ul style="list-style-type: none"> – Right hinged, door reversible – Mechanical control
Food freshness system	<ul style="list-style-type: none"> – 1 vegetable/salad container, pull out fridge tray with rippled base for improved air circulation 	<ul style="list-style-type: none"> – 1 compressor/1 cooling circuit
Key features – fridge section	<ul style="list-style-type: none"> – 3 safety glass shelves, of which 3 are height adjustable – 1 removable door storage compartment – 1 dairy compartment in door – Automatic defrost fridge 	
Key features – freezer section		<ul style="list-style-type: none"> – Manual defrost – Defrost water outlet – convenient defrosting – ★★★★★ freezer – 3 freezer drawers – SuperFreezing function with manual deactivation – 1 compressor/1 cooling circuit – Freezing capacity in 24 hours: 12kg – Maximum freezer storage time in power failure: 23 hours
Functions		<ul style="list-style-type: none"> – Acoustic door open warning – Freezer malfunction warning: optical, acoustic
Dimension and installation	<ul style="list-style-type: none"> – Climate class SN-ST (suitable for ambient temperatures between 10 to 38°C) – Dimensions: 82cm H x 59.8cm W x 54.8cm D – Niche Dimensions: 82cm H x 60cm W x 55cm D 	<ul style="list-style-type: none"> – Climate class SN-ST (suitable for ambient temperatures between 10 to 38°C) – Fixed water connection with a 3m hose supplied (3/4") – Dimensions: 82cm H x 59.8cm W x 54.8cm D – Niche Dimensions: 82cm H x 60cm W x 55cm D
Included accessories	<ul style="list-style-type: none"> – 1 x egg tray 	<ul style="list-style-type: none"> – 2 x ice packs – 1 x ice cube tray



Dishwashers.

Logixx

Our premium range, with exceptional cutting-edge features and extras. Exceptionally quiet thanks to EcoSilence technology. 3 stage Rackmatic™ height adjustable VarioFlexPlus silver baskets for easy loading, as well as the innovative VarioDrawer which allows 14 place settings to be accommodated.



Exxcel

Mid-range models with a broad range of extra features and benefits. Featuring our AquaStar model, using just 6 litres of water and only 0.92kWh of electricity. Up to 13 place settings, VarioFlexPlus baskets and 6 programmes.



Classixx

Simple, practical models offering Bosch build quality and value for money. A+ energy rated, and incorporating a host of useful features, including a large item spray head and 5 programmes including the convenient Quick Wash programme.



Save a staggering 43 litres of water with every single load.

Our new AquaStar dishwashers use only 6 litres* of water to wash 13 place settings on a standard Eco 50°C programme – every time. This compares to a staggering 49 litres of water if you washed-up the same load by hand.



*6l water consumption on the standard Economy 50°C programme

ActiveWater

ActiveWater technology from Bosch is a revolutionary new dishwashing system that gets the maximum use out of each and every drop of water. This incredible increase in efficiency has been achieved through maximising water efficiency in the rinse cycles, faster heating-up, targeted water circulation and improved pump performance meaning that the new ActiveWater dishwashers use less water and less energy, but with increased performance.



Look out for this new Bosch energy efficiency symbol as it is there to help you identify our most energy efficient models. You will see it next to our Exxcel and Logixx models.



Less water

Our new AquaStar dishwashers use only 6 litres* of water to wash 13 place settings on a standard Eco 50°C programme – every time. This compares to a staggering 49 litres of water if you washed-up the same load by hand.



Less energy

Our new ActiveWater dishwashers not only save water but they lead the way on energy consumption too. Our AquaStar models use just 0.92kWh on a standard 50°C Eco programme which is 29% less energy than an equivalent Bosch dishwasher of 15 years ago. Now every household can not only save money but actively protect the environment too.



More performance

ActiveWater technology not only saves water and energy but also increases the performance of the machine with faster heating-up times, optimum water circulation and improved pump performance. All Bosch ActiveWater dishwashers deliver an A wash and A drying performance every time.



Bosch dishwasher programmes.

Designed to make your life easier – Bosch dishwashers offer the ultimate in wash performance. A range of different programme options ensure that the wash and rinse cycles are tailored to the load.



Pre-rinse

For rinsing dishes prior to the main wash, and can be used to prevent odours when storing dirty dishes over night.

Normal 65°C

A daily wash programme for a normally soiled mixed load.

Delicate 40°C

A gentle wash, perfect for delicate crockery and glassware.

Economy 50°C

The most efficient and eco-friendly programme, it uses less energy and water.

Intensive 70°C

Perfect for heavily soiled, burnt-on pots and pans.

Quick wash 45°C

A-rated cleaning performance – perfect for entertaining, or when the tableware is only lightly soiled.

Auto delicate 35–45°C

A gentle sensor-controlled wash programme for delicate tableware. The sensors adjust the programme according to the amount of soiling.

Auto daily 45–65°C

A sensor-controlled wash programme for a normally soiled mixed load. The sensors adjust the programme according to the amount of soiling.

Auto intensive 65–75°C

A sensor-controlled wash programme designed for heavily soiled, burnt-on pots and pans. The sensors adjust the programme according to the amount of soiling.

**Intensive Zone**

Cleans heavily soiled saucepans and fragile items at the same time. The bottom basket receives an extra-intensive wash, perfect for pans, burnt casserole dishes and baked-on stains, whilst the top basket programme carries on as normal so that you can load it as you always would, with no risk to fragile glasses.

**Hygiene Exxtra**

Select the new Hygiene Exxtra option for a hotter final rinse – perfect for cooking utensils, glass jars, chopping boards and baby bottles.

**Speed Perfect**

Optionally reduces programme times by up to 50%, but without compromising on quality. So you still get hygienically clean and dry dishes, but in as little as half the time – ideal for busy households and when entertaining.

**Half load**

If you don't have enough for a full load and can't wait, simply load the crockery, plates, pots and pans anywhere in your dishwasher, select the programme temperature and press the half load button. The programme time is reduced and up to 30% less water is used.

Extra Dry

The Extra dry option is designed specifically for plastic items like plastic ware, picnic ware, and baby bottles. These items do not hold as much residual heat after the wash process as crockery and glassware, and therefore require a higher drying temperature to ensure they come out clean and dry.

Bosch recommends Finish

Use Finish to get amazing results every time you open your Bosch dishwasher. Finish have a complete range of products to suit your dishwashing needs, including new Finish Quantum which combines the power of three separate ingredients in one single product to give you amazing shine and clean. A range of enhancers are also available such as Finish Intensive Clean & Care Dishwasher Cleaner which removes grease and limescale to maintain your machine's performance and give you perfect results in every cycle.



More flexibility. More capacity – up to 14 place settings.

Our innovative basket designs offer more adaptability than ever before. On Logixx models, the VarioDrawer replaces standard cutlery baskets and creates space for up to 14 place settings. Foldable racks and the height adjustable Rackmatic™ basket system provide even more space for ultimate loading flexibility.



Model shown SMI69T15GB



Vario, VarioFlex or VarioFlexPlus baskets with Rackmatic™

With the enlarged loading area, the Bosch basket systems featured in the Exxxel and Logixx models offer more capacity, up to 13 and 14 place settings, and greater flexibility. With up to six foldable racks the system can be adapted to any load, and all items are assured a firm, secure place in the protective racks. The new 3-stage Rackmatic™ system makes it a simple matter to adjust the height of the upper basket, even when it is fully loaded – normally a cumbersome task. With three different loading heights a large variety of plates, glasses and other dishes can easily be accommodated.



The VarioDrawer

A unique feature of our new top-of-the-range Logixx dishwasher interior is a third loading level – the VarioDrawer. It replaces the cutlery basket, freeing up even more space in the bottom basket. The innovative VarioDrawer is easily removable to allow loading and unloading of cutlery, and there is even room for espresso cups and kitchen utensils. And what's more, even with the drawer in place you can still load long-stem wine glasses in the upper basket.



14 place settings

There is enough space for 14 full place settings in the Logixx dishwashers with VarioDrawer. Or, put into figures: 14 dinner, soup and dessert plates, 14 cups and saucers, 14 glasses and 14 cutlery settings – knife, fork, soup, tea and dessert spoons, plus 1 oval serving plate, 2 serving bowls, 2 serving spoons, 1 serving fork and 1 sauce spoon.




Large item spray head

The large item spray head makes light work of baking trays or oven shelves, without the need for pre-soaking. Simply remove the upper basket, attach the large item spray head, and get powerful cleaning where you need it. The large item spray head comes as standard with all Bosch dishwashers.

Larger interior for added convenience

An additional benefit of the SBV65E00GB dishwasher is that it has an extra 5cm of interior space. This means that even larger than normal items can be washed comfortably. For example if the top basket is adjusted, plates as large as 33cm can be accommodated in the lower basket. With its height adjustable feet the SBV65E00GB is suitable for niche heights from 865mm – 925mm. (See page 141 for full product details).



86.5cm model compared with a standard dishwasher

Hard working technology that gives you peace of mind.

Advanced technology gives you sparkling dishes every time, using the absolute minimum of energy and water. Bosch dishwashers are also amongst the quietest in the world, even quieter than a bee and less intrusive. So you can relax whilst your dishwasher quietly does all the hard work.



Top energy performance

At Bosch we are aware of the importance of energy efficient and environmentally friendly appliances. We are so confident of the quality and efficiency of our dishwashers that our Logixx and Exxcel dishwashers are rated a super-efficient A++ for energy, whilst all Classixx models are rated A+ for energy. Throughout the range A wash and A drying performance is standard.



10-year anti-rust warranty

Our appliances are made from top quality materials and in addition to our standard appliance warranty, we provide a free of charge warranty against rusting-through of the dishwasher's inner cavity.

Technology that gives you peace of mind

Advanced technology gives you sparkling, hygienic dishes every time using the absolute minimum of energy and water, preserving precious resources for future generations. Bosch dishwashers are also amongst the quietest in the world, so you can relax whilst your dishwasher does all the hard work.



EcoSilence

Noise pollution affects all of us, even if we are not aware of it. Research shows that a quieter environment is a less stressful environment. Bosch is committed to making your life that little bit easier and at only 41dB*, the EcoSilence dishwasher is quieter than a low conversation; even quieter than a bee – and much less intrusive. To put it all into perspective, a reduction of just 3 decibels will halve the perceived noise level. You will barely notice a Bosch EcoSilence working away in the background, allowing you to relax in a quieter kitchen.

* 41dB in the standard Economy 50°C programme

**AquaSensor III**

Checks the degree of soiling in the pre-rinse water and decides whether it is clean enough to be used for the main wash cycle. If the water contains only a small amount of soiling, the water is reused. Around 20%, or 4 litres, of water can be saved using the AquaSensor.

**Heat exchanger**


The unique heat recycling reservoir maximises performance by using heat that is generated in the main wash to pre-heat cold water used for the rinse cycles before it enters the dishwasher. Preheating the water minimises the risk of thermal shock which can occur when cold water strikes warm delicate items which can cause cracking or breakages. As an additional benefit, this system is also an extremely energy efficient method of heating the water.

5 spray levels

The uniquely designed curved spray arms distribute water precisely and effectively, ensuring perfect results every time. The water is sprayed on five different levels for maximum performance, including a downward spray to ensure that the filter area is kept permanently flushed clean.

AquaMix

Bosch AquaMix allows you to wash your delicate glasses with complete confidence. By regulating the level of water hardness in the machine and topping up with water directly from the mains, it produces the best water hardness level for glass, ensuring a sparkling finish every time.

**DosageAssist**

The DosageAssist feature maximises the effectiveness of detergent tablets. The detergent dispenser is conveniently located in the centre of the top of the door, where it is protected from food remnants that drip whilst loading the dirty dishes. At the beginning of the wash cycle, the tab drops into a special tray in the top basket where its dissolving is controlled to assure outstanding results. This prevents tabs dropping down between plates or cutlery, or not dissolving completely, which would result in a less-than-perfect cleaning performance.

Detergent aware

No matter which detergent you use – 5in1, 4in1, 3in1, 2in1 tablets or separate components – all our dishwashers will adjust the cycle to ensure that you always get the best possible results – every time. (Note that to ensure these results dishwasher salt should always be used).

Advanced filter system

Our easy to remove and clean filter system now has 50% more surface area. This allows for up to 15% more water to be circulated through the system, so that even more cleaning power can be squeezed from every drop of water.

Logical control

All our machines feature water supply, salt and rinse-aid indicators, some also display remaining programme time and have start time delay up to 24 hours.

**AquaStop 24-hr flood protection**

All Bosch dishwashers have flood protection systems, but for added peace of mind our Logixx model features 'AquaStop', a device that cuts off the water supply in the case of leaks, and a safety water valve to guard against siphoning, even when the machine is switched off.

Safety lock

Most of our dishwashers feature a lock which prevents the door from being opened during operation, while selected models also feature tamperproof controls, to stop little fingers interfering while the machine is running.

**DuoPower™**

A double spray arm in the top basket ensures optimum water circulation to all the corners of the dishwasher interior. Available on 45cm dishwashers.



Logixx semi integrated dishwasher SMI69T15GB



Performance	<ul style="list-style-type: none"> – Energy Efficiency Class: A++ – Capacity: 14 place settings. VarioDrawer on 3rd level – Energy consumption in Economy 50 programme: 266kWh per year, based on 280 standard cleaning cycles – Water consumption in Economy 50 programme: 2800 litres per year, based on 280 standard cleaning cycles – Programme time in Economy 50 programme: 175 minutes – A rated performance for washing and A for drying – Noise level 41dB (re 1pW)
Programmes/ functions	<ul style="list-style-type: none"> – 6 programmes: Auto 65-75°C, Auto 45-65°C, Auto 35-45°C, Economy 50°C, Quick Wash 45°C, Pre Rinse – 4 Special options: Intensive Zone, Speed Perfect, Hygiene Extra, Extra Dry
Flexible design elements	<ul style="list-style-type: none"> – VarioDrawer on 3rd level – VarioFlexPlus basket system – 3 stage Rackmatic height-adjustable top basket – Silver baskets with pullout handle and stainless steel inlay – 6 foldable plate racks in top basket – 6 foldable plate racks in bottom basket – 2 foldable cup shelves in top basket and 2 foldable cup racks in bottom basket – Glass rack in bottom basket
Innovations and technology	<ul style="list-style-type: none"> – EcoSilence BLDC drive – Heat exchanger – Hygienic and efficient drying – DosageAssist detergent dispenser – Automatic detergent detection – AquaSensor III, Load Sensor – AquaStop anti flood device with guarantee
Design features	<ul style="list-style-type: none"> – Stainless steel Piezo touch control – Large item spray head, steam protection plate – Black display with red LED indicators – Self-cleaning filter system with 3 piece corrugated filter – Child safety – childproof door lock – Dimensions (HxWxD): 81.5 x 59.8 x 57.3cm

Note: we offer a full range of Optional Accessories. For full details refer to Product Specification and installation guide.

For full specification details please see matrix page or website.



	<i>Exxcel AquaStar 6L semi integrated dishwasher</i> SMI53E05GB	<i>Classixx semi integrated dishwasher</i> SMI50C05GB stainless steel SMI50C06GB black SMI50C02GB white
Performance	<ul style="list-style-type: none"> – Energy Efficiency Class: A++ – Capacity: 13 place settings – Energy consumption in Economy 50 programme: 262kWh per year, based on 280 standard cleaning cycles – Water consumption in Economy 50 programme: 1680 litres per year, based on 280 standard cleaning cycles – Programme time in Economy 50 programme: 185 minutes – A rated performance for washing and A for drying – Noise level 46dB (re 1pW) 	<ul style="list-style-type: none"> – Energy Efficiency Class: A+ – Capacity: 12 place settings – Energy consumption in Economy 50 programme: 290kWh per year, based on 280 standard cleaning cycles – Water consumption in Economy 50 programme: 3360 litres per year, based on 280 standard cleaning cycles – Programme time in Economy 50 programme: 175 minutes – A rated performance for washing and A for drying – Noise level 48dB (re 1pW)
Programmes/ functions	<ul style="list-style-type: none"> – 5 programmes: Intensive 70°C, Auto 45-65°C, Economy 50°C, Quick Wash 45°C, Pre Rinse – 3 special options: Intensive Zone, Speed Perfect, Half Load 	<ul style="list-style-type: none"> – 5 programmes: Intensive 70°C, Auto 45-65°C, Economy 50°C, Quick Wash 45°C, Pre Rinse – 2 special options: Speed Perfect, Half Load
Flexible design elements	<ul style="list-style-type: none"> – VarioFlex basket system – 3 stage Rackmatic height-adjustable top basket – Silver baskets with pull-out handle – 2 foldable plate racks in top basket – 2 foldable plate racks in bottom basket – 2 foldable cup shelves in top basket – Knife rack in top basket 	<ul style="list-style-type: none"> – Vario basket system – Height adjustable top basket when empty – Silver baskets – 2 foldable plate racks in bottom basket
Innovations and technology	<ul style="list-style-type: none"> – Heat exchanger – Hygienic and efficient drying – DosageAssist detergent dispenser – AquaStop anti flood device with guarantee 	<ul style="list-style-type: none"> – Residual heat drying system – DosageAssist detergent dispenser – Automatic detergent detection – AquaSensor III, Load Sensor – AquaStop anti flood device with guarantee
Design features	<ul style="list-style-type: none"> – Red LED indicators – Self-cleaning filter system with 3 piece corrugated filter – Dimensions (HxWxD): 81.5 x 59.8 x 57.3cm 	<ul style="list-style-type: none"> – Large item spray head, steam protection plate – Red LED indicators – Self cleaning filter system with 3 piece corrugated filter – Dimensions (HxWxD): 81.5 x 59.8 x 57.3cm

Note: we offer a full range of Optional Accessories. For full details refer to Product Specification and Installation guide.

For full specification details please see matrix page or website.



Logixx fully integrated dishwasher SMV69T20GB black



Performance	<ul style="list-style-type: none"> – Energy Efficiency Class: A++ – Capacity: 14 place settings. VarioDrawer on 3rd level – Energy consumption in Economy 50 programme: 266kWh per year, based on 280 standard cleaning cycles – Water consumption in Economy 50 programme: 2800 litres per year, based on 280 standard cleaning cycles – Programme time in Economy 50 programme: 175 minutes – A rated performance for washing and A for drying – Noise level 41dB (re 1pW)
Programmes/ functions	<ul style="list-style-type: none"> – 6 programmes: Auto 65-75°C, Auto 45-65°C, Auto 35-45°C, Economy 50°C, Quick Wash 45°C, Pre Rinse – 4 special options: Intensive Zone, Speed Perfect, Hygiene Extra, Extra Dry
Flexible design elements	<ul style="list-style-type: none"> – VarioDrawer on 3rd level – VarioFlexPlus basket system – 3 stage Rackmatic height-adjustable top basket – Silver baskets with pullout handle and stainless steel inlay – 6 foldable plate racks in top basket – 6 foldable plate racks in bottom basket – 2 foldable cup shelves in top basket and 2 foldable cup racks in bottom basket – Glass rack in bottom basket
Innovations and technology	<ul style="list-style-type: none"> – EcoSilence BLDC drive – Heat exchanger – Hygienic and efficient drying – DosageAssist detergent dispenser – AquaSensor III, Load Sensor – AquaStop anti flood device with guarantee
Design features	<ul style="list-style-type: none"> – Touch control – Large item spray head, steam protection plate – Red LED indicators – Self-cleaning filter system with 3 piece corrugated filter – Dimensions (HxWxD): 81.5 x 59.8 x 55cm

Note: we offer a full range of Optional Accessories. For full details refer to Product Specification and installation guide.
For full specification details please see matrix page or website.



	Exxcel fully integrated dishwasher SMV65E00GB stainless steel	Exxcel fully integrated dishwasher SBV65E00GB stainless steel
Performance	<ul style="list-style-type: none"> – Energy Efficiency Class: A++ – Capacity: 13 place settings – Energy consumption in Economy 50 programme: 262kWh per year, based on 280 standard cleaning cycles – Water consumption in Economy 50 programme: 1680 litres per year, based on 280 standard cleaning cycles – Programme time in Economy 50 programme: 185 minutes – A rated performance for washing and A for drying – Noise level 44dB (re 1pW) 	<ul style="list-style-type: none"> – Energy Efficiency Class: A++ – Capacity: 13 place settings – Energy consumption in Economy 50 programme: 262kWh per year, based on 280 standard cleaning cycles – Water consumption in Economy 50 programme: 1680 litres per year, based on 280 standard cleaning cycles – Programme time in Economy 50 programme: 185 minutes – A rated performance for washing and A for drying – Noise level 44dB (re 1pW)
Programmes/ functions	<ul style="list-style-type: none"> – 6 programmes: Intensive 70°C, Auto 45-65°C, Economy 50°C, Delicate 40°C, Quick Wash 45°C, Pre Rinse – 4 special options: Intensive Zone, Speed Perfect, Hygiene Exxtra, Extra Dry 	<ul style="list-style-type: none"> – 6 programmes: Intensive 70°C, Auto 45-65°C, Economy 50°C, Delicate 40°C, Quick Wash 45°C, Pre Rinse – 4 special options: Intensive Zone, Speed Perfect, Hygiene Exxtra, Extra Dry
Flexible design elements	<ul style="list-style-type: none"> – VarioFlexPlus basket system – 3 stage Rackmatic height-adjustable top basket – Silver baskets with pullout handle and stainless steel inlay – 6 foldable plate racks in top basket – 4 foldable plate racks in bottom basket – 2 foldable cup shelves in top basket and 2 foldable cup racks in bottom basket – Glass rack in bottom basket – Knife rack in top basket 	<ul style="list-style-type: none"> – VarioFlexPlus basket system – 3 stage Rackmatic height-adjustable top basket – Silver baskets with pullout handle and stainless steel inlay – 6 foldable plate racks in top basket – 4 foldable plate racks in bottom basket – 2 foldable cup shelves in top basket and 2 foldable cup racks in bottom basket – Glass rack in bottom basket – Knife rack in top basket
Innovations and technology	<ul style="list-style-type: none"> – Heat exchanger – Hygienic and efficient drying – DosageAssist detergent dispenser – AquaStop anti flood device with guarantee 	<ul style="list-style-type: none"> – Heat exchanger – Hygienic and efficient drying – DosageAssist detergent dispenser – AquaStop anti flood device with guarantee
Design features	<ul style="list-style-type: none"> – Red LED indicators – Self-cleaning filter system with 3 piece corrugated filter – Dimensions (HxWxD): 81.5 x 59.8 x 55cm 	<ul style="list-style-type: none"> – Red LED indicators – Self-cleaning filter system with 3 piece corrugated filter – Dimensions (HxWxD): 86.5 x 59.8 x 55cm

Note: we offer a full range of Optional Accessories. For full details refer to Product Specification and installation guide.


For full specification details please see matrix page or website.



	Classixx fully integrated dishwasher SMV53A00GB stainless steel	Classixx fully integrated dishwasher SMV50C00GB black
Performance	<ul style="list-style-type: none"> – Energy Efficiency Class: A+ – Capacity: 12 place settings – Energy consumption in Economy 50 programme: 290kWh per year, based on 280 standard cleaning cycles – Water consumption in Economy 50 programme: 3360 litres per year, based on 280 standard cleaning cycles – Programme time in Economy 50 programme: 175 minutes – A rated performance for washing and A for drying – Noise level 46dB (re 1pW) 	<ul style="list-style-type: none"> – Energy Efficiency Class: A+ – Capacity: 12 place settings – Energy consumption in Economy 50 programme: 290kWh per year, based on 280 standard cleaning cycles – Water consumption in Economy 50 programme: 3360 litres per year, based on 280 standard cleaning cycles – Programme time in Economy 50 programme: 195 minutes – A rated performance for washing and A for drying – Noise level 50dB (re 1pW)
Programmes/ functions	<ul style="list-style-type: none"> – 5 programmes: Intensive 70°C, Auto 45-65°C, Economy 50°C, Quick Wash 45°C, Pre Rinse – 2 Special options: Speed Perfect, Half Load 	<ul style="list-style-type: none"> – 5 programmes: Intensive 70°C, Normal 65°C, Economy 50°C, Quick Wash 45°C, Pre Rinse – 1 Special option: Half Load
Flexible design elements	<ul style="list-style-type: none"> – VarioFlex basket system – 3 stage Rackmatic height-adjustable top basket – Silver baskets with pull-out handle – 2 foldable plate racks in top basket – 2 foldable plate racks in bottom basket – 2 foldable cup shelves in top basket – Knife rack in top basket 	<ul style="list-style-type: none"> – Vario basket system – Height adjustable top basket when empty – Silver baskets – 2 foldable plate racks in bottom basket
Innovations and technology	<ul style="list-style-type: none"> – Residual heat drying system – DosageAssist detergent dispenser – AquaStop anti flood device with guarantee 	<ul style="list-style-type: none"> – DosageAssist detergent dispenser – Automatic detergent detection – AquaStop anti flood device with guarantee
Design features	<ul style="list-style-type: none"> – Large item spray head, steam protection plate – Red LED indicators – LED salt refill indicator, LED rinse aid refill indicator – Self-cleaning filter system with 3 piece corrugated filter – Acoustic end of cycle indicator – Dimensions (HxWxD): 81.5 x 59.8 x 55cm 	<ul style="list-style-type: none"> – Large item spray head, steam protection plate – Red LED indicators – Self cleaning filter system with 3 piece corrugated filter – Child safety - childproof door lock – Acoustic end of cycle indicator – Dimensions (HxWxD): 81.5 x 59.8 x 55cm

Note: we offer a full range of Optional Accessories. For full details refer to Product Specification and installation guide.

For full specification details please see matrix page or website.



	<i>Logixx</i> fully integrated dishwasher SPV68L00GB stainless steel	<i>Classixx</i> fully integrated dishwasher SPV40C00GB black
Performance	<ul style="list-style-type: none"> – Energy Efficiency Class: A+ – Capacity: 10 place settings – Energy consumption in Economy 50 programme: 237kWh per year, based on 280 standard cleaning cycles – Water consumption in Economy 50 programme: 2520 litres per year, based on 280 standard cleaning cycles – Programme time in Economy 50 programme: 170 minutes – A rated performance for washing and A for drying – Noise level 46dB (re 1pW) 	<ul style="list-style-type: none"> – Energy Efficiency Class: A+ – Capacity: 9 place settings – Energy consumption in Economy 50 programme: 220kWh per year, based on 280 standard cleaning cycles – Water consumption in Economy 50 programme: 2520 litres per year, based on 280 standard cleaning cycles – Programme time in Economy 50 programme: 170 minutes – A rated performance for washing and A for drying – Noise level 48dB (re 1pW)
Programmes/ functions	<ul style="list-style-type: none"> – 6 programmes: Intensive 70°C, Auto 45-65°C, Economy 50°C, Delicate 40°C, Quick Wash 45°C, Pre Rinse – 2 Special options: Intensive Zone, Speed Perfect 	<ul style="list-style-type: none"> – 4 programmes: Intensive 70°C, Economy 50°C, Quick Wash 45°C, Pre Rinse – 1 Special option: Speed Perfect
Flexible design elements	<ul style="list-style-type: none"> – VarioDrawer on 3rd level – VarioFlex basket system – 3 stage Rackmatic height-adjustable top basket – Silver baskets with pull-out handle – 2 foldable plate racks in top basket – 2 foldable plate racks in bottom basket – 1 cup shelf in top basket 	<ul style="list-style-type: none"> – Vario basket system – Height adjustable top basket when empty – Silver baskets – 2 foldable plate racks in bottom basket – Cup shelf in top basket
Innovations and technology	<ul style="list-style-type: none"> – DuoPower spray arm in upper basket – Heat exchanger - hygienic and efficient drying – ActiveWater hydraulic water system – DosageAssist detergent dispenser – AquaStop anti flood device with guarantee 	<ul style="list-style-type: none"> – DuoPower spray arm in upper basket – Heat exchanger - hygienic and efficient drying – ActiveWater hydraulic water system – DosageAssist detergent dispenser – AquaStop anti flood device with guarantee
Design features	<ul style="list-style-type: none"> – Large item spray head, steam protection plate – Red LED indicators – Self-cleaning filter system with 3 piece corrugated filter – Child safety - childproof door lock – Acoustic end of cycle indicator – Dimensions (HxWxD): 81.5 x 44.8 x 55cm 	<ul style="list-style-type: none"> – Large item spray head, steam protection plate – Red LED indicators – Self-cleaning filter system with 3 piece corrugated filter – Child safety - childproof door lock – Acoustic end of cycle indicator – Dimensions (HxWxD): 81.5 x 44.8 x 55cm

Note: we offer a full range of Optional Accessories. For full details refer to Product Specification and installation guide.

For full specification details please see matrix page or website.



Home laundry.

*Logi**xx***

Our premium range, with exceptional cutting-edge features and extras. A 1400rpm washing machine, with LED display clearly showing you the wash progress. Offering a wide range of programme options designed for today's lifestyle, like the Dark and Sports Wash programmes, and the blisteringly fast Super Quick 15-minute programme for light loads.



*Ex**xx**cel*

Mid-range models with a broad range of extra features and benefits. Our large capacity 7kg washing machine features 1200rpm spin speed and Express Wash system with up to 40% faster wash times. If you're looking for a space saving option our washer dryer offers sensor drying and a range of specialist programmes including Night Wash and Sensitive.



Perfectly tailored to suit modern fabrics and lifestyles.

Because every garment is different we have designed a whole range of individual care programmes to make sure you get the best results every time.



Cottons

An intensive programme with a temperature range up to 90°C and a fast final spin.



Easy Care

Designed for synthetic fabrics, which absorb minimal moisture and dirt. A range of temperatures up to 60°C and a gentle spin up to 1200rpm ensures maximum care of all your laundry.



Mixed Load

A fast wash that allows mixed fabrics and colour loads to be safely washed together. Originally designed with school uniforms in mind, it is capable of handling up to 3kg of washing, and is ideal for quick washes.



Delicates / Silk

An especially caring programme with a gentle wash action. Intermediate spinning in the rinse cycle is omitted, and a gentle final spin at 600rpm completes this delicate programme.



Wool

An exceptionally gentle woollens handwash programme, which runs at only 27rpm (usual speed 50rpm) with a soft wash action and special spin phase that ensures that everything stays in good shape.



Dark Wash

Designed specifically for dark clothes, and available across a range of temperatures, this programme reduces fading, and ensures no flecks of washing powder remain on your clothes at the end of the wash.



Sportswear

A programme for modern sports clothes with Sportswear microfibre technology like those used for gym, cycling or jogging.



Sensitive

By prolonging the maximum wash temperature, increasing the water level, and adding an extra rinse, this programme reduces exposure to allergens that irritate sensitive skin.



Super Quick 15

A short programme of approximately 15 minutes for 2kg of lightly soiled washing – that's roughly equivalent to one outfit or 10 men's shirts. Packing in a wash, two rinse cycles and improved rinse spinning, this is one of the shortest complete washing programmes of any machine on the market.

Power Wash 60

The Power Wash 60 programme for medium loads (up to 5kg) gives an A-class performance wash within 60 minutes.

Night Wash

Designed especially to be quiet running for night use. Based on a 4kg mixed load programme with a 1200rpm final spin and using gentle dry mode.

Prewash

A 20-minute, 35°C wash for especially dirty clothes. The prewash loosens and removes dirt prior to the main wash.



We take the chore out of laundry.

As Europe's No. 1 washing machine manufacturer you can rest assured that when it comes to laundry we've thought of everything.



Twice the amount of laundry.

The maximum drying capacity of a standard washer dryer is 2.5kg. The new Bosch washer dryers can wash and dry up to 4kg of laundry in one go, which is equivalent to 18 shirts or 30 T-shirts. And if you're just using one of the wash programmes you can wash up to 6kg of laundry.

Fluff Clean

For use after each drying cycle, the Fluff Clean programme conveniently cleans the drum preventing fluff on the next wash load.

Sensor drying

Throughout the drying cycle advanced sensor electronics monitor your laundry, preventing overheating, and automatically stopping once your garments reach the desired level of dryness. Fibre damage caused by over drying becomes a thing of the past, and there is no excess energy consumption.

Flexi time

Designed especially for lightly soiled items, FlexiTime allows you to reduce the wash time by up to 30%. Press the button once to reduce the wash time or if the items are only very lightly soiled press it twice to reduce the wash time even further.

Drying load detection

For added protection of your garments, our washer dryers are able to automatically detect the size of the load, and cut-out after a specific amount of time if there is no signal from the sensor. They can even detect when the drum is empty and automatically switch off.



Better than A-rated energy efficiency

All our washing machines deliver an A rated wash performance, while using as much as 10% less energy than required for A rated energy efficiency.

Aqua Plus

A higher water level is used throughout the wash and rinse cycles of the chosen wash programme – for best rinsing results.

Wash Plus system

The Wash Plus system extends a wash programme to give a more intensive wash, and brings the equivalent of an A-class wash performance to a wider range of temperatures than ever before. Unlike most washing machines on the market, Bosch machines now deliver the equivalent of an A-class performance not only at 60°C, but at 40°C and 90°C as well.

Reduced Ironing

The laundry is tumbled gently periodically during the normal programme spin cycle, and then again at the end of the spin phase, keeping laundry fluffy and tangle free. The result is reduced creasing, and therefore easier ironing.



Unique SoftSurge™ drum system

Gives better cleaning results, as well as providing greater protection for your washing. The asymmetric paddles and raindrop drum surface design provide power for those heavy-duty jobs, while being gentle on your clothes. The advanced Water Flow System distributes the water and detergents more efficiently throughout the wash, and reduces soaking time. Add to this the new moulding of the window glass that guides your laundry towards the centre of the drum, avoiding snagging of small items between the glass and the door seal, and you have the new state-of-the-art SoftSurge™ drum system; efficient, gentle and time saving.



3D AquaSpa wash system

A wash and shower system for optimum washing results.

Water enters the drum from three sides for quick and effective distribution. During the cycle especially designed paddles scoop up the water gently bathing the wash load, ensuring gentle washing and optimum usage of the water in the drum.





















MultiSafe

All Bosch washing machines are designed with safety in mind, from the highly pressure-resistant water supply hose and overflow prevention systems, to the electronic lock that prevents the porthole from being opened unintentionally mid-cycle.

Safety lock

The safety lock feature will prevent little fingers from interfering with the machine when it is functioning.
































	Logixx washing machine WIS28440GB white	Logixx washing machine WIS24140GB white
	        	        
Performance	<ul style="list-style-type: none"> – Energy efficiency class: A+ – Capacity: 7kg – Max. spin speed: 1400 rpm remaining moisture: 53% – B spin class – Energy consumption: 218kWh per year, based on 220 standard washing cycles – Energy consumption: standard 60°C cotton programme 0.98kWh full load and 0.97kWh partial load and 40°C cotton programme 0.83kWh partial load – Water consumption 10560 litres per year based on 220 standard washing cycles – Drum volume: 55 litres – Noise level: washing: 46dB (re 1pW) – Noise level: spinning: 64dB (re 1pW) 	<ul style="list-style-type: none"> – Energy efficiency class: A+ – Capacity: 7kg – Max. spin speed: 1200 rpm remaining moisture: 57% – B spin class – Energy consumption: 218kWh per year, based on 220 standard washing cycles – Energy consumption: standard 60°C cotton programme 0.98kWh full load and 0.97kWh partial load and 40°C cotton programme 0.83kWh partial load – Water consumption 10560 litres per year, based on 220 standard washing cycles – Drum volume: 55 litres – Noise level: washing: 46dB (re 1pW) – Noise level: spinning: 63dB (re 1pW)
Programmes/ functions	<ul style="list-style-type: none"> – Fully electronic control dial – Special programmes: Dark Wash, Sensitive programme, SportsWear programme, Super Quick 15, Power Wash 60, Mixed Load, Wool programme, Delicates – Option buttons: Start, Wash Plus system for A-class wash performance, Prewash, Reduced Ironing option, temperature selection, spin speed reduction, start delay 	<ul style="list-style-type: none"> – Fully electronic control dial – Special programmes: Mixed Load, Wool programme, Delicates – Option buttons: Start, Wash Plus system for A-class wash performance, Prewash, Reduced Ironing option, spin speed reduction
Key features	<ul style="list-style-type: none"> – 3D AquaSpa wash system with cascade for faster water penetration 	<ul style="list-style-type: none"> – 3D AquaSpa wash system with cascade for faster water penetration
Additional features	<ul style="list-style-type: none"> – Large display for programme progress indication, temperature, spin speed, time remaining and time delay – Safeguard monitoring system to protect clothes – AquaStop with guarantee – Foam detection system – Buzzer to indicate the end of cycle 	<ul style="list-style-type: none"> – Safeguard monitoring system to protect clothes – AquaStop with guarantee – Foam detection system – Noise insulation package – Buzzer to indicate the end of cycle – Metal door catch
Technical information	<ul style="list-style-type: none"> – Dimensions (H X W X D): 81.8 x 60 x 57cm 	<ul style="list-style-type: none"> – Dimensions (H X W X D): 81.8 x 60 x 57cm


























	Logixx washer dryer WKD28540GB white	Exxcel washer dryer WKD28350GB white
Performance	<ul style="list-style-type: none"> – B energy, A wash and B spin class – Capacity: 6kg washing : 3kg drying – Non-stop wash and dry programme 4kg – Spin speed selection 1400 to 600 rpm – Energy consumption wash and dry 4.81kWh – Water consumption wash and dry 79 litres – Drum volume: 52 litres – Noise level: washing 57dB (re 1pW) – Noise level: spinning 74dB (re 1pW) 	<ul style="list-style-type: none"> – B energy, A wash and B spin class – Capacity: 6kg washing : 3kg drying – Non-stop wash and dry programme 4kg – Spin speed selection 1400 to 600 rpm – Energy consumption wash and dry 4.85kWh – Water consumption wash and dry 83 litres – Drum volume: 52 litres – Noise level: washing 57dB (re 1pW) – Noise level: spinning 74dB (re 1pW)
Programmes/ functions	<ul style="list-style-type: none"> – Fully electronic control dial for all wash and special programmes – Special programmes: Night Wash, Mixed Load, Super Quick 15, Delicates – Special programme – drying: Fluff removal cycle – Option buttons: menu, select 	<ul style="list-style-type: none"> – Fully electronic control dial for all wash and special programmes – Special programmes: Mixed Load, Wool programme, delicates – Special programme – drying: Fluff removal cycle – Option buttons: Start, spin speed reduction, menu, drying time
Key features	<ul style="list-style-type: none"> – AquaSpa wash system – Electronic Humidity Control, time selection options 	<ul style="list-style-type: none"> – AquaSpa wash system
Additional features	<ul style="list-style-type: none"> – Large display for programme progress indication, temperature, spin speed, time remaining and 24 hours time delay, and indication of drying level – Safeguard monitoring system to protect clothes – Aquasecure – Foam detection system – Buzzer to indicate the end of cycle – Child lock – Metal door catch 	<ul style="list-style-type: none"> – Display for programme progress indication, time remaining and 19 hours time delay – Safeguard monitoring system to protect clothes – Foam detection system – Buzzer to indicate the end of cycle – Child lock – Metal door catch
Technical information	<ul style="list-style-type: none"> – Dimensions (H X W X D): 82 x 59.5 x 58.4cm 	<ul style="list-style-type: none"> – Dimensions (H X W X D): 82 x 59.5 x 58.4cm
Optional accessories	<ul style="list-style-type: none"> – Connecting piece WMZ20470 – Floor securing kit WMZ2200 – Extension for water inlet/HydroSafe WMZ2380 	<ul style="list-style-type: none"> – Connecting piece WMZ20470 – Floor securing kit WMZ2200 – Extension for water inlet/HydroSafe WMZ2380










A quick reference guide to Bosch product features.


















0-10	
0.93kWh 	Refers to the amount of electricity used on the Economy 50°C programme to wash a full dishwasher load.
2 Cooling Systems 	Separate evaporators for the fridge and freezer sections prevents the transfer of flavours and allows the fridge and freezer temperatures to be controlled separately.
2-stage residual heat display 	The indicator will show 'H', or 'h', depending on the remaining heat. 'H' indicates enough heat to finish off cooking, whilst 'h' means not enough heat to cook, but still hot enough for caution or for keeping food warm.
3D AquaSpa	Water enters the drum from three sides for quick and effective distribution. During the cycle, specially designed paddles scoop up the water, gently bathing the wash load, ensuring gentle washing and optimum usage of the water in the drum.
Water 6L 	Refers to the litres of water used on the Economy 50°C programme to wash a full dishwasher load.
6kg/7kg 	Refers to washing capacity
12+2 	Refers to number of place settings the dishwasher can accommodate.
44dB 	Refers to maximum operating noise levels in decibels. Most Bosch appliances operate at a very quiet level.
70cm (width icons) 	Refers to the approximate width of the appliance
88cm (height icons) 	Refers to the approximate height of the appliance
A	
ActiveWater 	Minimum energy and water used thanks to optimised water circulation, pump, filtration and heating systems.
AquaSensor 	The AquaSensor III saves up to 4 litres of water by checking the degree of soiling in the prerinse water and reusing water where appropriate.
AquaStop 	Cuts off the water supply in case of leaks, even when the machine is switched off, for complete peace of mind.
Auto Cook 	Select an automatic cooking programme according to the dish, specify how you would like it cooked (ie. Rare), input the weight and press start. The oven will automatically select the right temperature and cooking duration. There are 40 or 68 recipes to choose from depending on the model.
B	
Big Box 	This extra large freezer drawer (26cm instead of 18cm high) means you can store bulky frozen goods or stack freezer containers.
Bottle rack 	Allows you to stack up to six wine bottles in a pyramid configuration. Selected models feature the space-saving clip-on chrome bottle rack, which hangs underneath a shelf, or the premium full-width chrome bottle rack.
C	
Cooking Functions - ovens	
3D hot air cooking 	An element around the fan distributes the heat quickly and evenly throughout the oven for same temperature cooking on three levels. At higher temperatures (200-220°C) the effect is to evenly grill on three levels.
3D Multifunction 	Multifunction oven offering a combination of features including conventional top and bottom heat, bottom heat only, 3D hot air and defrost.
Auto Cook 	Automatic cooking programme with 40 or 68 recipes to choose from depending on the model.

Bottom heat only 	Only the bottom element is used to generate heat. Ideal for reheating or for when a crisp underside is required such as pizza bases and pastry cases. Can also be used for drying herbs and bain-marie cooking.
Conventional top and bottom heat 	Employs both the upper and lower heating elements. Best suited to foods that require a dark crisp finish or long slow cooking.
Defrost 	Perfect for gently defrosting meat, poultry, bread, cream cakes and much more.
EcoClean self-cleaning programme 	Choose from three different cleaning cycles depending on how dirty the liners are: Level 1 = 45 minutes, Level 2 = 1 hour, Level 3 = 1 hour 15 minutes.
Fast heat 	This time-saver preheats the oven approx. 30% faster by using all the heating elements at once.
Full width variable grill 	Enables you to grill large quantities with precise temperature control.
Half width variable grill 	Select just the centre section of the grill element as an economical way to grill smaller quantities of food.
Hotair Eco 	Electronics intelligently optimise the heat for single level cooking, making big energy savings, 30% more economical than the threshold value for A rated appliances.
Hot air grilling 	An ideal cooking method for meat and poultry where a rotisserie effect is desired. The grill and fan operate alternately, which results in even crisp food and can use up to 50% less energy than traditional roasting.
Hydrobaking 	Retains the natural moisture emitted during the cooking process to prevent your baking from drying out. Ideal for bread and pastries.
Intensive heat 	Delivers immediate intense heat from below, particularly effective for foods with a crisp base such as flans. No need to preheat the oven when baking cakes and quiches, and is also ideal for baking with tin, glass or porcelain moulds.

Keep warm 	This convenient function keeps food items warm at temperatures between 66°C and 100°C.
Low temperature cooking	Ideally suited for keeping pan-fried meat at the desired level of rareness or otherwise for an extended period of time without it spoiling.
Microwave 	Fast and convenient cooking method suitable for defrosting, reheating, and cooking.
Pizza function 	Designed for pizzas, but equally useful for quiches and tarts, delivers a perfectly crisp, browned base while keeping the topping moist. Suitable for frozen food.
Plate warming 	Preheats porcelain ovenware to between 30°C to 65°C.
Automatic weight programmes 	Select the appropriate programme, enter the weight and press start. The automatic programme then decides on the cooking duration and temperature.
Pyrolytic self-cleaning system 	The oven is heated to around 480°C, at this temperature any deposits are quickly reduced to a thin layer of ash, which can then be simply wiped away with a damp cloth to leave a completely clean oven.
Control panel lock 	When the oven is off, press the lock key for 4 seconds to disable the temperature and function dials.
Combination cooking 	A combination of steam and hot air cooking, ideal for meat like tender roast beef, crispy leg of lamb and casseroles. Also perfect for bread and baking and for yeast dough that rises beautifully. Also combines microwave with hot air and grill. Or defrost frozen food without loss of shape, and keep food hot with no risk of hard, dried-up results.
D	
Design Trim 	Design trim features a faceted edge and slim steel trim on each side.
DirectSelect 	Select the required power level from keys laid out on the hob instead of having to press +/- keys repeatedly.

Door open alarm	With this feature, if you inadvertently leave your freezer door ajar an alarm will sound so that you can prevent food spoilage. Then for extra piece of mind, there is a warning light that will illuminate to let you know immediately should the freezer reach a dangerously high temperature.
DuoPower™ 	A double spray arm in the top basket ensures optimum water circulation to all corners of the dishwasher. 45cm dishwashers only.
E	
Easy Cleaning – coffee maker 	Fully automatic rinse programme.
Easy Cleaning – steamers 	Select the cleaning programme, add a small amount of detergent and press start. Detergent-laden steam helps to soften grease deposits, making it easy for you to wipe the interior clean.
EasyLift 	This safety glass shelf can be raised or lowered without emptying it first.
Electronic Control 	User-friendly integrated control panel for precise temperature setting, with independent control for the fridge and freezer.
Energy Efficiency	
Dishwasher  	Dishwashers with A++ rating consume on average 21% less energy than class A products. Whilst A+ dishwashers consume on average 11% less energy than the already efficient A rated appliances.
Refrigeration  	Cooling products with an A++ energy rating require 40% less energy than an equally sized appliance with energy label class A, and A+ appliances use 20% less energy.
Washing Machines   	Laundry products with an A+++ rating are up to 32% more energy efficient than already efficient class A products. A++ means that the appliance is 24% more efficient than A and A+ is 13% more efficient than A.
F	
Frameless design 	Neutral finish to complement most kitchen and work surface styles, with no specific frame or trim.

Flat hinge design	To facilitate the quick and easy fitting of secondary furniture doors, without the need for extra drilling. Easy to fit, this design offers an increased opening angle of 115° and features automatic door closing at an angle of less than 20°.
FlexInduction 	Rectangular FlexInduction zone covering the length of the hob consisting of four 20cm x 9cm induction coils. Can be one large zone or two smaller zones. Great for multiple pans, or for placing pans of varying sizes anywhere on the zone.
**** Freezer compartments 	Bosch freezer compartments allow food to be stored below –18°C so that it can be stored for longer. As it is a 4 star compartment you can freeze fresh food.
FreshProtect Box 	A separate compartment with independent temperature control to keep food fresher for longer. With 3 temperature settings: 4°C, 2°C and 0°C, it can be used for different foods like, fish, meat, vegetables, fruit or dairy.
Frost Free 	This convenient feature means that there is 50% less ice creation on the freezer housing walls, reducing the time it takes to defrost by 50%.
G	
Gas symbol 	Four or five-burner gas hob with or without dedicated wok-burner.
H	
Heat Exchanger 	An extremely energy efficient method of heating water, the Heat Exchanger maximises performance and minimises the risk of thermal shock which can cause cracks or breakages.
Half Load 	If you don't have enough for a full load, just load crockery, pots and pans anywhere in your dishwasher and the half load option will reduce the programme time and use up to 30% less water.
Hygiene Extra 	Select the Hygiene Extra option for a hotter final rinse – perfect for cooking utensils, glass jars, chopping boards and baby bottles.
I	
Induction 	Uses an electromagnetic field to instantly generate heat, giving you the control and responsiveness of gas, whilst being incredibly energy efficient. Heat is only applied where it is required: in the pan. Changes in temperature happen instantaneously which makes cooking with Bosch induction both faster and more precise than a gas or ceramic hob.

Intensive 70°C	An intense, high temperature wash, ideal for removing very adhesive dried or burned on food.
Intensive Zone 	Cleans heavily soiled saucepans and fragile items at the same time. The bottom basket receives an extra-intensive wash, whilst the top basket programme carries on as normal.
L	
LED Lighting 	Brilliant, even light to help you see inside the whole fridge interior more clearly, ensuring that you use your fridge space as efficiently as possible.
Load Sensor 	Measures the load and adjusts water consumption accordingly.
M	
MultiSafe 	All Bosch washing machines are designed with safety in mind. The Multisafe system includes a highly pressure-resistant water supply hose and overflow prevention, to the electronic lock that prevents the porthole from being opened unintentionally mid-cycle.
MultiAirFlow Cooling 	Improves circulation of air, regulating temperature and humidity levels, and eradicating condensation build-up, so your food stays fresher for longer.
P	
Automatic weight programme 	Simply select the appropriate programme, enter the weight and press start. The automatic programme takes over to cook your dish to perfection.
R	
Rackmatic 	Vario, Varioflex or VarioFlexPlus baskets with Rackmatic™. These basket systems offer more capacity and more flexibility to ensure everything can be fitted in, as well as the facility to adjust the height of a fully loaded upper basket with ease.
S	
Safety 	Door locking option – locks the door during operation. Selected models also feature tamperproof controls to stop interference during a programme.
SafetyGlass 	Safety Glass shelves
Sliding hinge design	
SoftClose door 	Are attached to a slide connector pre-fitted at the factory, which offers a simple low cost route to adding door furniture. It offers adjustment in depth and height for precise fitting.
SoftSurge drum 	Ensures your door is never left open by mistake. Special hinges mean you can push your door to and it will close silently, preventing it from swinging back open.
Steaming 	Asymetric paddles, a raindrop design drum surface, advanced waterflow system and porthole design all help deliver faster, better and gentler clothes washing.
SuperCool 	Steam function, perfect for vegetables and fish, drying fruit, blanching, making hard or soft-boiled eggs and sterilizing jars and bottles (after thorough cleaning).
SuperFreezing 	Prepares the fridge in advance of introducing new groceries by rapidly reducing the temperature, and once new food is introduced, it is cooled more quickly.
Super Quick 15 	Prepares the freezer in advance of introducing new groceries by rapidly reducing the temperature, and once new food is introduced, it is cooled more quickly. Just press the button before you go shopping.
V	
VarioDrawer 	A short programme of approximately 15 minutes for 2kg of lightly soiled washing. One of the shortest complete washing programmes of any machine on the market.
W	
Wool 	A third loading level – the innovative VarioDrawer replaces the cutlery basket, freeing even more space in the bottom basket. As well as cutlery, there is room for espresso cups and kitchen utensils, and even with the drawer in place, you can still load long-stemmed wine glasses in the upper basket.
Wrap-around evaporator	An exceptionally gentle woollens handwash programme
Wrap-around evaporator	New wrap around evaporator technology means there is now even more flexibility in the freezers, like removable glass drawers and a Big Box drawer.

Service you can depend on.

For help with your home appliance, trust Bosch Customer Service.



Reliability guaranteed. No compromises

All Bosch appliances come with a full two year warranty.

This warranty can be extended for a further three years (total 5 years) with a protection plan which covers parts, labour and call out charges for an unlimited number of breakdown repairs and also extends your warranty to include accidental damage*.



Speedy response

Our customer's time is valuable and so we react quickly, with Bosch engineers based locally across the country.



Quality service straight from the original manufacturer: Bosch

A technical team analyses all repairs in advance to select the replacement parts needed. These are then shipped to the engineer's van the night before the visit so that the parts are ready to complete the repair on the first visit. Only original Bosch parts are used and we keep them available for our appliances for up to ten years.



Lifetime service goes without saying at Bosch

Once your guarantee period is over, we are still there to assist you. You can rely on expert care and first-rate service throughout your appliance's life cycle. From missing instruction manuals to appliance repair – we take care of everything. A promise is a promise!



Online

Book an engineer online, or order replacement spare parts and accessories 24/7.

To arrange an engineer visit or for replacement spare parts and accessories visit www.bosch-home.co.uk

Republic of Ireland customers:

To arrange an engineer visit www.bosch-home.co.uk

Or for replacement spare parts and accessories visit www.bosch-eshop.ie



On-call

Our friendly Bosch Customer Service team is on hand to provide competent, reliable assistance, from product advice to arranging a visit from a service engineer, to ordering the right original accessories or spare parts.

For engineer visits, to order replacement spare parts and accessories and for product advice call 0844 892 8979

For our 24 hour warranty helpline call 0844 481 0320

Republic of Ireland customers:

For engineer visits and to order replacement spare parts and accessories call 01450 2655

For our 24 hour warranty helpline call 01230 0344



Best customer service – three times in a row!

For the past three years, Bosch Customer Service has won the coveted Domestic and General Total Excellence and Quality Award. The Award is decided from surveys sent out to customers of the leading home appliance manufacturers in the UK. Bosch Customer Service came out on top once again, with an impressive 94.8% of customers rating our service as excellent or good.

*Only available to UK customers.

To see our full range of freestanding appliances either download a copy of our catalogue online www.bosch-home.co.uk or call **0844 8929023**



Contact Bosch Customer Service

To arrange an engineer visit, obtain product advice or order replacement spare parts or accessories visit www.bosch-home.co.uk or call **0844 892 8979**

Republic of Ireland customers should visit www.bosch-home.co.uk to arrange an engineer's visit, www.bosch-eshop.ie for spare parts and accessories or call **01450 2655**

Follow us on:



Bosch Home UK



@BoschHomeUK

Bosch

Grand Union House
Old Wolverton Road, Wolverton
Milton Keynes MK12 5PT
www.bosch-home.co.uk

Origo (Republic of Ireland)

Magna Drive, Magna Business Park
City West, Dublin 24
Tel: (0)1 4666700, Fax: (0)1 4666706
www.origo.ie

UK Calls provided by a UK BT Landline will be charged at up to 3 pence per minute. A Call Set-Up Fee of up to 6 pence per call applies to calls from residential lines. Mobile and other providers' costs may vary. See www.bt.com/pricing for details.

This brochure is current as from the publication date and supersedes all previous brochures for these products. Every effort has been made to ensure the information in it is correct at the time of going to press. Due to a policy of continuous development, Bosch reserves the right to modify technical data without notice. All rights reserved. No part of this publication may be reproduced in any form or by any means without the prior written permission of BSH Home Appliances Ltd. All colour variations are due to the limitations of the printing process. This brochure is printed on environment-friendly chlorine-free bleached paper. 4/2012.

