

# Gardening Tool Catalogue 2012



VIKING – A member of the STIHL Group.







# “Love your lawn.”

VIKING wants you to not only love your lawn, but also to love looking after it! To tend it to perfection so that you can sit back, relax and love the results on lazy, outdoor afternoons. VIKING's quality lawn care products make this easy. Our innovative and efficient gardening power tools are keenly developed to provide everything needed to care for your lawn, and are engineered to never let you down.

Our passion for lawn care is equalled only by the quality engineering and performance of our products. Whether you're looking for a mower, tiller, shredder or scarifier, VIKING's range promises innovative, problem-solving features, ease of use, and reliable performance.

Years of experience have taught us to listen to your needs and develop our products accordingly, so we can provide the features you really need. We believe it's not just about the latest technology, it's about making sure our progressive products really make a difference to the time and energy that you put into improving your garden.

Love your lawn and, with VIKING's help, your lawn will love you too!



VIKING is based in Langkampfen near Kufstein (Tyrol, Austria) with all departments united under one roof, including research, development, production, purchasing, marketing, sales and product testing. This means that all teams can easily share and manage information and knowledge together, to ensure the best products and consistently high quality for our customers.

10

## Lawn mowers

Practical innovations for lawn care with powerful electric, battery-powered and petrol lawn mowers.

Now with  
5 year  
warranty\*



52

## Ride-on mowers

Comfortable and versatile lawn tractors and ride-on mowers for larger gardens.

Now with  
5 year  
warranty\*



76

## Garden shredders

A large choice of machines for shredding garden waste.



88

## Tillers

Powerful and versatile tools for efficient soil cultivation.





72

**Scarifier**

Scarifiers with petrol engine to refresh your lawn:

Now with  
5 year  
warranty\*



94

**Junior range**

Just for fun:  
the junior-size tools for kids.



	Page
Lawn mowers	10–51
Ride-on mowers	54–71
Scarifier	72–75
Garden shredders	76–87
Tillers	88–93
Junior range	94–95







## Battery power system

The latest in environmentally friendly technology, our innovative STIHL and VIKING battery system range operates quietly, with no exhaust emissions or cables. The system features an energy-efficient STIHL electric motor that is virtually wear-free and a 36 Volt lithium-ion battery for optimum energy conversion.

The lithium-ion battery fits all STIHL and VIKING battery-powered machines.




### VIKING MA 339

Mobile, powerful and easy-to-transport lawn mowers with robust polymer housing and 5-setting cutting height adjustment. Special highlift blades provide a perfect cut.



### STIHL MSA 160 C-BQ

The first battery-powered chain saw from STIHL: outstanding cutting power, comfortable to use and ideal for cutting firewood, horticulture and indoor use. Featuring a low-vibration and low-kickback ¼" PM3 saw chain and a 30-cm guide bar ideal for branches and small trees up to a diameter of 20 cm.



### STIHL HSA 65/HSA 85

Efficient battery-powered hedge trimmers with high stroke rate and long tooth height for branches with a diameter of up to 22 mm. The HSA 65 with a cutting length of 50 cm and single-sided tooth finish is recommended for private grounds, the HSA 85 with a cutting length of 62 cm and double-sided tooth finish for professional use.



### STIHL BGA 85

A high-performance and easy to use, portable, battery-powered blower. Adjustment of the air stream and blowing force is easy with its infinitely variable control lever. Quietly and efficiently clears leaves, cuttings and waste from all surfaces.



### STIHL FSA 65/FSA 85

These two battery-powered brushcutters deliver optimum mowing performance and outstanding comfort. The battery provides complete freedom of movement and the brushcutters are ideal for mowing and trimming work in gardens, parks or public areas.

#### STIHL AL 100 and AL 300 chargers

When charging the STIHL AP 80 and AP 160 batteries, you can choose between the standard AL 100 charger with operating status display and the particularly rapid AL 300 quick charger with additional air cooling.



The Lithium-ion PRO symbol indicates the innovative battery technology in STIHL and VIKING machines. It stands for first-class, professional-quality battery performance.



The electronically-controlled STIHL electric motor (EC) operates without carbon brushes, is virtually immune to mechanical wear and impresses with its efficiency, which far exceeds that of conventional electric motors. The battery power is thus converted into performance in the best possible manner.





**Love  
your lawn.**





# Which mower is the right one for you?



**Small lawns -**  
up to 300 m<sup>2</sup>  
(up to approx.  
1 tennis court)



**Medium lawns -**  
up to 500 m<sup>2</sup>  
(up to approx.  
2 tennis courts)



**Large lawns - up**  
to 750-1000 m<sup>2</sup>+  
(up to approx. 3-4  
tennis courts +)



**Suitable for**  
professional use

Every garden, and every gardener, is different, so it can be tricky to choose your perfect lawn mower. We hope these tips will help...

## 1. How big is your lawn?

This is your first major consideration. Our light and easy-to-handle lawn mowers are designed with small to medium-sized lawns of up to 500 m<sup>2</sup> in mind, while larger mowers with features like self-propulsion or wider cutting widths are suited to larger lawns over 1000 m<sup>2</sup>.

## 2. Electric motor, petrol engine or battery-powered?

Lawns no larger than 300 m<sup>2</sup> and with few obstacles suit light, compact electric mowers, as the cable will be no problem, or cordless battery powered models. Both of these have the added benefits of a quiet motor and no exhaust emissions. Large or uneven lawns will benefit from a more powerful petrol model.

## 3. Grass collection or mulching?

All VIKING lawn mowers (except the R Series) are equipped with a grass catcher box as standard, making them excellent grass collectors. A particularly ingenious product is the VIKING Multi-Mower™: the grass is cut in small steps by specially shaped multi-blades and shredded into fine particles in the housing. With the grass catcher box attached, the Multi-Mower™ also works as a grass collector. If the mulch insert is used without the grass catcher box, the mower housing is closed and the finely cut grass falls back onto the lawn – eliminating the need to dispose of the clippings. In addition to the Multi-Mowers™, VIKING also offers pure mulching mowers as well as side-discharge and high-grass mowers (see special R Series mowers – pages 42-45).



**Mowing with  
a grass catcher  
box**



**Mulch  
mowing**

**3**

**5**

**3**



Motor

**Electric**



Area

up to 300 m<sup>2</sup>  
(up to approx.  
1 tennis court)  
**mulching** (optional)



Cutting width

**37 cm (14.5")**



**3 Series**  
from page 16



**Electric**



Area

up to 500 m<sup>2</sup>  
(up to approx.  
2 tennis courts)  
**mulching** (optional)



**43 cm (17")**



**5 Series**  
from page 26



Motor

**Battery**



Area

up to 300 m<sup>2</sup> \*  
(up to approx. 1  
tennis court)  
**mulching** (optional)



Cutting width

**37 cm (14.5")**



**3 Series**  
from page 16

## 4. Make your choice and start mowing.

To help select your perfect lawn mower, please refer to the chart below. For example, if you have a garden with an area of up to 2500 m<sup>2</sup> and are looking for a petrol lawn mower that can also mulch, then turn to page 32 onwards. On the corresponding pages you will find key product information. These pages are followed by technical data tables from page 46, offering you an objective comparison of all the lawn mowers. This should provide all you need to find your ideal lawn mower.

### Even more comfortable mowing



#### Self-propulsion:

saves effort when mowing and mulching. Available on many VIKING models as a 1-speed or continuously variable Vario drive.



#### Easy-start engines:

With petrol engines, our easy-start systems ensure fast and easy engine starting.



#### Cutting height adjustment:

The cutting height of all VIKING lawn mowers can be easily adjusted with little effort.








#### Grass catcher box with innovative design:

Large handles and practical snap fastening for opening the lid ensure easy and complete emptying.



#### Mulching function:

The grass clippings are finely shredded by special blades and returned to the lawn as fertiliser. No emptying of a grass catcher box is necessary. Can be retrofitted on virtually all VIKING lawn mowers.

	2	4	5	6	7	R
 Engine	Petrol	Petrol	Petrol	Petrol	Petrol	Petrol
 Area	up to 500 m <sup>2</sup> (up to approx. 2 tennis courts)	up to 300-500 m <sup>2</sup> (up to approx. 2 tennis courts) mulching (optional)	up to 500 m <sup>2</sup> (up to approx. 2 tennis courts) mulching (optional)	up to 750-1000+ m <sup>2</sup> (up to approx. 3-4 tennis courts plus) mulching option roller option	Suitable for professional use	up to 1000-2000+ m <sup>2</sup> (up to approx. 4-8 tennis courts plus) mulching
 Cutting width	46 cm (18")	41/46 cm (16/18")	43 cm (17")	48/53 cm (19/21")	48/53 cm (19/21")	46/48 cm (18/19")
	<b>2 Series</b> Page 12					
		<b>4 Series</b> from page 22	<b>5 Series</b> from page 26	<b>6 Series</b> from page 32	<b>7 Series</b> from page 38	<b>R Series</b> from page 42





## Getting it right: The 2 Series.



Perfect for small  
and medium-sized  
lawns, these petrol

lawn mowers provide everything you need. With their compact design, great comfort and plenty of practical features for a neat and precise cut, to the desired height. The new MB 248 T features self-propulsion, making lawn mowing an effortless task.





## More mower for your money: The 2 Series.



The MB 248 keeps small and medium-sized gardens in great shape.

With a cutting width of 46 centimetres (18 inches) the cutting height can be precisely set with the 7-level central cutting height adjustment. The fabric grass catcher bag has a volume of 45 litres and can be emptied easily. With the self-propelled MB 248 T working is that little bit more comfortable.



**MB 248**

Model	Cutting width	Motor/Engine type	Price excl. VAT (£)	Price incl. VAT (£)
<b>MB 248</b>	46 cm (18")	B&S 450 Series	<b>215.83</b>	<b>259.00</b>
<b>MB 248 T</b>	46 cm (18")	B&S 450 Series	<b>257.50</b>	<b>309.00</b>





46 cm (18") up to approx. 500 m<sup>2</sup>

## Lawn mowers 2 Series

Now with  
5 year  
warranty\*

MB 248 T



- 01 **Foldable handlebar**, facilitates transport and storage
- 02 Large-volume **fabric grass catcher bag**
- 03 **Single speed drive** makes mowing effort-less
- 04 **Ball-bearing wheels**, particularly easy-running
- 05 Robust **sheet steel housing**
- 06 Powerful Briggs and Stratton **petrol engine**



**Cleaning and service position:**  
the 2 Series mowers can easily be brought into a suitable position for cleaning or for replacing the blade.

\* Subject to terms and conditions. See page 95 or contact your local VIKING Approved Dealer for further information. More information on the product range can be found from page 46.







## Easy mowing, great results: The 3 Series.



The 3 Series lawn mowers are ideal for compact lawns

as the lightweight and compact design provides optimum manoeuvrability, allowing access to tight areas. These mowers are quiet and free from exhaust emissions thanks to their efficient electric motors.

Extra comfort is an added bonus in the model powered by the STIHL lithium-Ion batteries, as it can move freely throughout the garden, without the hassle of a cable.



## Mowing with Ease: The 3 Series electric lawn mower.



The new 3 Series mower with electric motor is extremely manoeuvrable and easy to steer. With a cutting width of 37 centimetres (14.5 inches), it is suitable for mowing small lawns and can also cope with tight areas. The cutting height can be adjusted to one of five levels thanks to the central adjuster. The practical, polymer grass catcher box has a volume of 40 litres and can be opened fully for easy emptying and cleaning.

For domestic use: 10-year guarantee against housing breakage on all VIKING 3 Series lawn mowers

Model	Cutting width	Motor type	Price excl. VAT (£)	Price incl. VAT (£)
ME 339	37 cm (14.5")	Electric 1200 W	157.50	189.00





Now with  
5 year  
warranty\*



ME 339



With the **mulching kit (KIT 339)** as an accessory, the 3 Series can be converted to a Multi-Mower: It is then possible to either mow with a grass catcher box or the clippings are finely shredded and distributed in the turf as a moisture-providing fertiliser.



The **single action cutting height adjustment** makes it even easier to select how short the lawn is cut. The central cutting height adjustment is spring-loaded making it particularly easy to operate. The desired cutting height of the mowing deck can be easily adjusted to one of 6 settings from 20 to 70 mm.

- 01 Foldable handlebar** for space-saving storage
- 02 Foldable 40-litre grass catcher box** with level indicator
- 03 Powerful 1200 W electric motor**
- 04 Central cutting height adjustment** in 6 stages from 20-70 mm
- 05 Carrying handle** for easy transport
- 06 Compact and robust polymer housing**



## Setting you free: The 3 Series battery-powered lawn mower.



Our new battery-powered lawn mower embraces all the advantages of an electric mower with the added bonus of being cable-free. The high-performance lithium-ion battery provides power for up to 300 m<sup>2</sup> of neatly mown lawn\* and can be easily recharged from at mains socket. With the robust polymer housing, and the 6-setting cutting height lawn care becomes an easy and pleasurable affair.

For domestic use: 10-year guarantee against housing breakage on all VIKING 3 Series lawn mowers

Model	Cutting width	Price excl. VAT (£)	Price incl. VAT (£)
<b>MA 339</b>	37 cm (14.5")	<b>249.17</b>	<b>299.00</b>

Battery	Battery power/capacity	Price excl. VAT (£)	Price incl. VAT (£)
AP 160	160Wh/4.5 Ah	<b>145.83</b>	<b>175.00</b>



Charger	Price excl. VAT (£)	Price incl. VAT (£)
AL 100 Standard charger	<b>29.16</b>	<b>35.00</b>
AL 300 Quick charger	<b>54.17</b>	<b>65.00</b>







37 cm up to approx. 300 m<sup>2</sup>

Now with  
5 year  
warranty\*

MA 339



- 01 **Foldable handlebar** for space-saving storage
- 02 **Fold-open 40-litre grass catcher box** with level indicator
- 03 **Central cutting height adjustment** in 6 stages from 20-70 mm
- 04 Compact and robust **polymer housing**
- 05 **Powerful battery-operated 600 Watt electric motor** (STIHL battery technology, see page 7)
- 06 **Carrying handles** for easy transport



The **high-performance 36 V lithium-ion battery** can be easily removed and recharged as frequently as required from any mains socket. It is then simply re-inserted for more liberated, cordless lawn mowing.







## A cut above: The 4 Series.



Best-suited to small  
and medium-sized  
lawns the 4 Series'

strengths include easy-to-start engines, an  
easy-to clean polymer housing, as well as  
a convenient cutting height adjustment to  
make lawn care a pleasure.



## Ticking all the boxes: The 4 Series.



The 4 Series includes a wide selection of petrol lawn mowers with different cutting widths and equipment options, so there is sure to be one that's perfect for your garden. All models feature easy starting, the air flow system for an even cut and good collecting performance as well as an easy-to-operate cutting height adjustment with 7 settings.



The lawn mowers can be easily brought into an ideal cleaning and servicing position.

For domestic use: 10-year guarantee against housing breakage on all VIKING 3 Series lawn mowers

Model	Cutting width	Motor/Engine type	Equipment	Price excl. VAT (£)	Price incl. VAT (£)
<b>MB 443</b>	41 cm (16")	B&S 550 Series	–	<b>282.50</b>	<b>339.00</b>
<b>MB 443 T</b>	41 cm (16")	B&S 550 Series	1-speed	<b>324.17</b>	<b>389.00</b>
<b>MB 448 TX</b>	46 cm (18")	B&S 550 Series	1-speed	<b>332.50</b>	<b>399.00</b>
<b>MB 448 T</b>	46 cm (18")	B&S 675 Series RS	1-speed	<b>365.83</b>	<b>439.00</b>

B&S = Briggs&Stratton, RS = ReadyStart  
More information on the product range can be found from page 46.





41/46 cm (16/18") up to approx. 500 m<sup>2</sup>

## Lawn mowers 4 Series

Now with  
5 year  
warranty\*



**MB 448 T**

- 01** Comfortable grip: handlebar with **soft grip** (MB 448 T)
- 02** **Large fold-open grass catcher box** (60 l volume) with integral level indicator
- 03** **Self-propulsion** with large traction wheels for uneven terrain and larger lawns (MB 443 T, MB 448 T, MB 448 TX)
- 04** Large wheels – double ball-bearing – for **optimum running characteristics**
- 05** **Torsion-resistant monocoque housing**, made of high-grade, impact-resistant polymer
- 06** **Easy start** system: just one easy pull on the starter rope and the Briggs and Stratton ReadyStart engine starts (MB 448 T)
- 07** **Foldable handlebar** for easy transport and space-saving storage



### Cutting height adjustment for each axle:

The desired cutting height of the lawn can be selected via two adjustment levers on the side of the housing – with seven settings from 30 to 70 mm.

**Convenient grass catcher box:** Large handles and practical snap fastening for opening the grass catcher box lid make emptying easy.



### Optional mulching kit:

An optional mulching kit is available for all models. During mowing, the grass is shredded into fine particles which fall back into the turf as fertiliser and return nutrients to the soil.

Mulching kit 443: can be retrofitted to all models with a 41 cm cutting width. Mulching kit 448: can be retrofitted to all models with a 46 cm cutting width.



\* Subject to terms and conditions. See page 95 or contact your local VIKING Approved Dealer for further information. More information on the product range can be found from page 46.







## Putting comfort at your finger tips: The 5 Series.



The 5 Series is  
your fast track  
to an effortlessly

clean cut lawn. Powerful electric motors  
and petrol engines, easy handling and  
the sturdy, lightweight polymer chassis  
guarantee ease of use and excellent  
results. Ergonomic controls, the adjustable  
handlebar and, on numerous models, self-  
propulsion, which significantly speeds up  
work on medium sized lawns, all contribute  
to unparalleled comfort.



## Comfort mowing: The 5 Series electric lawn mower.



Everything about the 5 Series makes mowing convenient and easy.

The lightweight polymer housing and double ball-bearing wheels ensure unbeatable manoeuvrability. The large capacity 60 litre grass catcher box enables comfortable mowing of large areas of lawn in a single operation, not to mention effortless emptying of the grass clippings. The electric 5 Series model boasts truly outstanding mowing and collecting performance on small to medium sized lawns.

For domestic use: 10-year guarantee against housing breakage on all VIKING 5 Series lawn mowers

Model	Cutting width	Motor type	Equipment	Price excl. VAT (£)	Price incl. VAT (£)
ME 545	43 cm (17")	Electric 1600 W	–	240.83	289.00





43 cm (17") up to approx. 500 m<sup>2</sup>

## Lawn mowers 5 Series

Now with  
5 year  
warranty\*



**ME 545**

### 100 % filling: Mow longer, empty less.

The grass catcher box is 100 % filled thanks to the optimised air guidance. The air slots on the side face downwards, ensuring grass and dust are blown to the ground.



### VIKING air flow system:

the highlift blades generate a strong air current in the aerodynamic housing, which makes the grass stand upright before cutting and blows the clippings directly into the grass catcher box.



- 01 Integral cable strain relief** for additional safety
- 02 Ergonomic control panel design**, with soft grip handlebar
- 03 3-setting height-adjustable handlebar**, foldable for transportation and storage
- 04 Large grass catcher box** (60 l volume) with level indicator
- 05 High-quality polymer housing** with side skirting protectors
- 06 Large, double ball-bearing easy-running wheels**
- 07 Powerful 1600 W electric motor** for high mowing performance

\* Subject to terms and conditions. See page 95 or contact your local VIKING Approved Dealer for further information. More information on the product range can be found from page 46.



## Mowing made easy: The 5 Series petrol lawn mowers.



The 5 Series petrol mowers can be quickly and easily started, whether using the ReadyStart system or the turn of a key as with electric start of the MB 545 VE. The MB 545 VM, MB 545 VE and MB 545 VR models feature Vario drive for infinitely variable control of the driving speed. In addition, an elegant stripe pattern can be easily created during mowing with the MB 545 VR.



**MB 545 VR**



**MB 545 VR: The lawn mower with rear roller instead of rear wheels.** With the aid of a roller on the rear axle of the mower, the grass is rolled in the direction of travel. This results in the traditional striped lawn pattern.

For domestic use: 10-year guarantee against housing breakage on all VIKING 5 Series lawn mowers

Model	Cutting width	Engine type	Equipment	Price excl. VAT (£)	Price incl. VAT (£)
<b>MB 545</b>	43 cm (17")	B&S 675 Series	–	<b>390.83</b>	<b>469.00</b>
<b>MB 545 T</b>	43 cm (17")	B&S 675 Series	1-speed	<b>415.83</b>	<b>499.00</b>
<b>MB 545 VM</b>	43 cm (17")	B&S 675 Series	Vario/mulching	<b>474.17</b>	<b>569.00</b>
<b>MB 545 VR</b>	43 cm (17")	B&S 675 Series	Vario/rear roller	<b>540.83</b>	<b>649.00</b>
<b>MB 545 VE</b>	43 cm (17")	B&S 675 Series	Vario/electric start	<b>640.83</b>	<b>769.00</b>

B&S = Briggs&Stratton, RS = ReadyStart  
More information on the product range can be found from page 46.





43 cm (17") up to approx. 500 m<sup>2</sup>

## Lawn mowers 5 Series

Now with  
5 year  
warranty\*

### MB 545 T



- 01 Ergonomic control panel design**, with soft grip handlebar
- 02 3-setting height-adjustable handlebar**, foldable for transportation and storage
- 03 Large grass catcher box** (60 l volume) with level indicator
- 04 Central cutting height adjustment** with 7 settings, spring-loaded and easy to operate, with cutting height indicator
- 05 High-quality polymer housing** with side skirting protectors
- 06 Large, double ball-bearing easy-running wheels**
- 07 Carrying handle** makes lifting easier
- 08 Powerful Briggs and Stratton ReadyStart engine** for good mowing performance



**Height adjustable handlebar.** Bringing comfort to the fore, three settings adapt the handlebar to body height for an ergonomic working posture.



**Convenient cutting height adjustment:** simple adjustment via spring loaded handle, with seven settings and indicator.

**Mulching kit 545:** Can be retrofitted to all 5 Series models (except MB 545 VR). Standard on the MB 545 VM.

\* Subject to terms and conditions. See page 95 or contact your local VIKING Approved Dealer for further information. More information on the product range can be found from page 46.







## Superior mowing: The 6 Series.



Specifically  
designed to service  
the toughest

mowing requirements, the 6 Series excels  
in six key areas: performance, functionality,  
ergonomics, durability, convenience and  
design. With an extremely easy start,  
super-efficient mowing and enjoyable  
operation, the 6 Series really cannot be  
beaten.



## Developed for the highest demands: The 6 Series, for perfect lawn care.

### 6

The 6 Series aims to meet and exceed the highest expectations you could have of a mower, featuring power and ease of use, functionality and innovative details. The blade break clutch on the MB 650 VS means that the blades can be stopped for box emptying or transporting across pathways whilst the engine remains running. On the remaining models, the ReadyStart system enables the engine to start up immediately.

Two of the 6 Series models (MB 650 VR, MB 655 VR) feature a rear roller which means they are equipped to deliver the traditional striped lawn finish.


For domestic use: 10-year guarantee against housing breakage on all VIKING 6 Series lawn mowers

Model	Cutting width	Engine type	Equipment	Price excl. VAT (£)	Price incl. VAT (£)
<b>MB 650 T</b>	48 cm (19")	B&S 675 Series RS	1-speed	<b>540.83</b>	<b>649.00</b>
<b>MB 650 VM</b>	48 cm (19")	B&S 675 Series RS	Vario/mulching	<b>582.50</b>	<b>699.00</b>
<b>MB 650 VR</b>	48 cm (19")	B&S 675 Series RS	Vario/rear roller	<b>682.50</b>	<b>819.00</b>
<b>MB 650 VS</b>	48 cm (19")	B&S 675 Series RS	Vario/BBC	<b>749.17</b>	<b>899.00</b>



**MB 650 T**





48 cm (19") up to approx. 1000+ m<sup>2</sup>

## Lawn mowers 6 Series

Now with  
5 year  
warranty\*

### MB 650 VS



- 01 Ergonomic soft grip handle configuration** for simple operation and easy handling
- 02 Height-adjustable handlebar** which is foldable for transportation and cleaning
- 03 Innovative grass catcher box design.** Optimal grass catcher box filling, level indicator, anti-dust protection
- 04 Central cutting height adjustment** with 7 settings, spring-loaded and easy to operate, with cutting height indicator
- 05 Crankshaft protection** as standard
- 06 Durable housing made from die-cast aluminium** with replaceable skirting protectors and carrying handle at the front
- 07 Powerful Briggs and Stratton ReadyStart engine**
- 08 Blade brake clutch**

**Vario drive:** This allows an infinitely variable regulation of the drive speed – directly via a lever on the handlebar. Therefore, it is always possible to select the ideal speed.



#### Individually adjustable handlebar:

The handlebar can be locked in 3 different positions according to body size.



Mulching kit 650: to fit models with 48 cm cutting width (except MB 650 VR, standard on MB 650 VM).

Accessories: Fabric grass catcher bag AFK 080 (except MB 650 VR).

\* Subject to terms and conditions. See page 95 or contact your local VIKING Approved Dealer for further information. More information on the product range can be found from page 46.



## Going above and beyond: The 6 Series set new standards of excellence.

**6**

Larger lawns are quickly and easily managed with the wider cutting area and high quality engines of the 6 Series. Extra power and smooth running engines ensure an excellent performance with an extended service life and superior operator comfort. Supported by further features such as 3-speed drive and ergonomic handlebars, these mowers make for fast and effortless mowing, even when tackling large lawns. With the option of a mulching kit (standard on the MB 650 VM and MB 655 VM) or a deflector accessory, the range of applications is extended even further for effective lawn care.



**MB 655 G**




**MB 655 VR**

For domestic use: 10-year guarantee against housing breakage on all VIKING 6 Series lawn mowers

Model	Cutting width	Engine type	Equipment	Price excl. VAT (£)	Price incl. VAT (£)
<b>MB 655 G</b>	53 cm (21")	B&S 750 Series RS DOV	3-speed	<b>724.17</b>	<b>869.00</b>
<b>MB 655 VM</b>	53 cm (21")	B&S 750 Series RS DOV	Vario/mulching	<b>782.50</b>	<b>939.00</b>
<b>MB 655 VR</b>	53 cm (21")	B&S 750 Series RS DOV	Vario/rear roller	<b>890.83</b>	<b>1069.00</b>

B&S = Briggs&Stratton, RS = ReadyStart  
More information on the product range can be found from page 46.





53 cm (21") up to approx. 1000+ m<sup>2</sup>

## Lawn mowers 6 Series

Now with  
5 year  
warranty\*

### MB 655 V



- 01 Innovative grass catcher box design.** 100% grass catcher box filling, level indicator, anti-dust protection
- 02** Large wheels with high-quality ball bearings, **traction tread pattern** and **Vario wheel drive** ensure fast progress
- 03 Central cutting height adjustment** with 7 settings, spring-loaded and easy to operate, with cutting height indicator
- 04 Crankshaft protection** as standard
- 05 Durable housing made from die-cast aluminium** with replaceable skirting protectors, and carrying handle
- 06 Powerful Briggs and Stratton ReadyStart DOV engine** – for low vibration and increased efficiency
- 07 Height-adjustable handlebar** which is foldable for transportation and cleaning
- 08 Ergonomic control panel** for simple operation and easy handling

#### Central cutting height adjustment:

The desired cutting height can be precisely adjusted with the aid of a spring-loaded mechanism via the handle on the left-hand side of the housing; the selected setting is visible in the window.



Mulching kit 655: suitable for models with a 53 cm cutting width (except MB 655 VR). Standard on the MB 655 VM.



#### Innovative catcher box:

75 litre volume can be 100% filled – thanks to the optimised design shape and air guide. The air vents face downwards so that grass and dust do not escape upwards. The two-part catcher box design ensures easy opening and emptying.

Accessories: Fabric grass catcher bag AFK 080 (except MB 655 VR).

Deflector ADF 700 (for all 6 Series models).







## Reliable and robust: The 7 Series for professional applications.



The professional's  
choice, our 7 Series  
lawn mowers boast

robust construction and powerful engines,  
plus a high degree of functionality and  
ergonomics. These exceptional features  
make any of our 7 Series mowers a reliable  
partner in professional lawn care, even in  
the most demanding environments such as,  
parks, local authority areas, leisure centres,  
on playing fields or along roadsides.



## Powerful equipment for professional and landscape gardeners: The 7 Series.



7 Series lawn mowers best demonstrate their place among the professionals through ongoing day to day use. The powerful Kawasaki 4-stroke OHV engines, with excellent starting characteristics and high torque, ensure outstanding mowing results. The control panel design enables an ergonomic working position in all situations, especially during long-term use, and anti-vibration elements between the engine and housing minimise fatigue while working. Importantly, these low vibration values enable professionals to cut grass for 8 hours a day.



**MB 750 KS**

Model	Cutting width	Engine type	Equipment	Price excl. VAT (£)	Price incl. VAT (£)
<b>MB 750 KS</b>	48 cm (19")	Kawasaki FJ 180 V OHV	3-speed/BBC	<b>1,139.00</b>	<b>1,366.80</b>
<b>MB 755 KS</b>	53 cm (21")	Kawasaki FJ 180 V OHV	3-speed/BBC	<b>1,229.00</b>	<b>1,474.80</b>

OHV = overhead valves, BBC = blade brake clutch  
More information on the product range can be found from page 46.





48/53 cm (19/21") suitable for professional use

## Lawn mowers 7 Series

**MB 755 KS**



- 01 Blade brake clutch (BBC)** for engaging and disengaging the blade with the engine running, e.g. for driving operation with stationary blades or for emptying the grass catcher bag.
- 02 Swivelling control panel**
- 03 80 litre fabric grass catcher bag**, very easy to empty, with anti-dust protection and 2-handle system
- 04 Integral metal deflector** permits mowing without a grass catcher box
- 05 3-setting height-adjustable handlebar**, foldable for transportation
- 06 Central cutting height adjustment** with 7 settings, spring-loaded and easily accessible, with cutting height indicator
- 07 High strength and lightweight die-cast aluminium housing**, reinforced by a sheet metal insert and a metal guard strip
- 08 Large wheels** with die-cast aluminium rims and rubber tyres as well as a reinforced chassis
- 09 Rubber bumper:** front impact protector for the professional
- 10 Powerful Kawasaki engine:** High quality 4-stroke OHV engine, with high torque, smooth running, and durability



**Anti-vibration elements** isolate the engine from the housing, reducing vibration at the handlebar and minimising fatigue while working.



**Practical accessories:** mulching kit 650 and 655 (specially shaped multi-blade and mulch insert).

Further accessories: additional 2-litre tank AZT 200, deflector ADF 700 (for all 7 Series models)



**Steely toughness – the housing reinforcement.** A solid sheet-steel ring protects the aluminium housing from wear, stone impact and obstacles. Crankshaft protection protects the crankshaft during heavy-duty professional use.







## Our speciality R Series mowers.



Specialist machines  
for unique  
applications, the

R Series ensures an appropriate solution whatever the situation. The lightweight, robust MB 2 R mulching mower is ideal for simultaneously mowing and fertilising small to medium size gardens. The 3-wheel MB 3 RT Multi-Mower™, with functional three-wheel design, can also be used as mulching or side-discharge mowers, making it easy to negotiate bushes and trees, even in tall grass.



## R Series lawn mower



## Mulching mower: gives the lawn what it requires for healthy growth.

**R** For convenient and sustainable lawn care, VIKING offers a robust specialist mulching machine, ideally suited to medium or large lawns. A compact design and light weight ensure ease of use and manoeuvrability and, as the clippings do not have to be disposed of, time is saved and valuable nutrients are returned to the lawn.

Now with  
5 year  
warranty\*



- 01 Robust Briggs and Stratton engine**
- 02 Adjustment of cutting height at each axle with 4 settings**
- 03 Torsion-resistant housing** made from robust sheet steel
- 04 Compact dimensions, lightweight**
- 05 Foldable handlebar** for easy transportation and space-saving storage

**MB 2 R**

Model	Cutting width	Engine type	Equipment	Price excl. VAT (£)	Price incl. VAT (£)
<b>MB 2 R</b>	46 cm (18")	B&S 450 Series	–	<b>240.83</b>	<b>289.00</b>

**Using a mulching mower** not only cuts down on your mowing time, but will also make your grass greener. The true benefits of mulching may require more frequent cutting, but this will stimulate growth and encourage thickness. By mulching, you will create a healthier lawn fed by the nutrients you would otherwise throw away.



The grass is cut at different heights by the specially shaped **mulching blade** and is shredded into fine particles in the housing. These are then distributed almost invisibly into the turf.





48 cm (19") up to approx. 1500+ m

## R Series lawn mowers

### The 3 wheel multi-mower: Manoeuvrable and versatile.



The Multi-mower for large areas is designed to be extremely manoeuvrable and powerful, steering perfectly around bushes and trees to enable precise cutting of lawn edges. This special lawn mower can be used as side discharge or mulching mower.



Now with  
5 year  
warranty\*



MB 3 RT

- 01 Powerful, robust Briggs and Stratton ReadyStart engine with **easy-start system**
- 02 **Single speed drive**
- 03 **Soft grip handlebar**
- 04 **Foldable handlebar** for easy transportation
- 05 Large, double ball-bearing **drive wheels** with **traction tread pattern**, rear wheels are height adjustable with 5 settings at the axle
- 06 Torsion-resistant **housing made from robust sheet steel**
- 07 **Freely moveable, patented swivelling wheel** lockable for use on inclines, height-adjustable

Model	Cutting width	Engine type	Equipment	Price excl. VAT (£)	Price incl. VAT (£)
MB 3 RT	48 cm (19")	B&S 675 Series RS	1-speed	474.17	569.00

B&S = Briggs&Stratton, RS = ReadyStart



**Special blades** shred the grass clippings during mowing and distribute them in the form of fine particles onto the turf as a natural fertiliser, returning nutrients to the soil.



**Mowing with side discharge:** When the discharge flap is open, the grass is ejected to the side during mowing.

Disc Cut (disc with 4 swivelling blades) is also available as an accessory.

Lawn mowers – overview

3



up to approx. 300 m²



5



up to approx. 500+ m²



Model	ME 339	ME 545
Lawn (m²)	up to 300	up to 500
Cutting width (cm / inch)	37 / 14.5	43 / 17
Nominal output (W)	1200	1600
Cutting height (mm)	20–70	25–80
Grass catcher box (l)	40	60
Machine weight (kg)	13	30
Drive	–	–
Mulching function	□	□
Part number	6320 011 2402	6340 011 2432
Price excl. VAT (£)	157.50	240.83
Price incl. VAT (£)	189.00	289.00

3



up to approx. 300 m²



Model	MA 339
Lawn (m²)	Up to 300 (with AP 160)
Cutting width (cm / inch)	37
Battery type	Li-ion 36 V
Cutting height (mm)	20–70
Grass catcher box (l)	40
Machine weight (kg)	12
Mulching function	□
Part number	6320 011 1402
Price excl. VAT (£)	249.17
Price incl. VAT (£)	299.00

Model	STIHL Battery AP 160	STIHL Standard charger AL 100	STIHL Quick charger AL 300
Lawn (m²)	up to 300 (with MA 339)	–	–
Battery Type	–	–	–
Battery power (Wh)	160	–	–
Battery capacity (Ah)	4.5	–	–
Rated voltage (V)	36	230	230
Charging time	–	up to 80 % cap. = 70 - 150 min. up to 100 % cap. = 100 - 165 min.	up to 80 % cap. = 25 - 35 min. up to 100 % cap. = 50 - 60 min.
Weight (kg)	1.7	0.8	1.2
Part number	4850 400 6502	4850 430 2504	4850 430 5504
Price excl. VAT (£)	145.83	29.17	54.17
Price incl. VAT (£)	175.00	35.00	65.00

Key

■ = standard

□ = can be retrofitted

– = cannot be retrofitted

Drive: T = 1-speed

V = Vario

HS = handlebar start, ES = electric start, RS = ReadyStart

BBC = blade brake clutch, MS = motorstop

B&S = Briggs&Stratton

An overview of emissions for all VIKING machines can be found on page 98.

For domestic use: 10 year guarantee against housing breakage on VIKING 3,4,5 and 6 Series lawn mowers



# 2


up to approx. 500+ m<sup>2</sup>


# 4


up to approx. 300-500+ m<sup>2</sup>

**NEW**

Model	MB 248	MB 248 T	MB 443	MB 443 T	MB 448 TX	MB 448 T
Lawn (m <sup>2</sup> )	up to 500	up to 500	up to 300	up to 300	up to 300	up to 500
Cutting width (cm / inch)	46 / 18	46 / 18	41 / 16	41 / 16	46 / 18	46 / 18
Engine type	B&S 450 Series	B&S 450 Series	B&S 550 Series	B&S 550 Series	B&S 550 Series	B&S 675 Series RS
Nominal output at working speed	<b>1.8 kW</b> /2.5 HP 2800 rpm	<b>1.8 kW</b> /2.5 HP 2800 rpm	<b>2.0 kW</b> /2.7 HP 2900 rpm	<b>2.0 kW</b> /2.7 HP 2900 rpm	<b>2.0 kW</b> /2.7 HP 2800 rpm	<b>2.3 kW</b> /3.2 HP 2800 rpm
Cutting height (mm)	25–70	25–70	30–70	30–70	30–70	30–70
Grass catcher box (l)	45	45	60	60	60	60
Machine weight (kg)	27	28	23	26	26	30
Start/stop	HS/MS	HS/MS	HS/MS	HS/MS	HS/MS	HS/MS
Drive	–	T	–	T	T	T
Mulching function	–	–	☐	☐	☐	☐
Part number	6350 011 3400	6350 011 3411	6336 011 3420	6336 011 3430	6356 011 3490	6356 011 3430
Price excl. VAT (£)	<b>215.83</b>	<b>257.50</b>	<b>282.50</b>	<b>324.17</b>	<b>332.50</b>	<b>365.83</b>
Price incl. VAT (£)	<b>259.00</b>	<b>309.00</b>	<b>339.00</b>	<b>389.00</b>	<b>399.00</b>	<b>439.00</b>

# 5


up to approx. 500+ m<sup>2</sup>


Model	MB 545	MB 545 T	MB 545 VM	MB 545 VR	MB 545 VE
Lawn (m <sup>2</sup> )	up to 500	up to 500	up to 500	up to 500	up to 500
Cutting width (cm / inch)	43 / 17	43 / 17	43 / 17	43 / 17	43 / 17
Engine type	B&S 675 Series RS	B&S 675 Series RS	B&S 675 Series RS	B&S 675 Series RS	B&S 675 Series RS
Nominal output at working speed	<b>2.4 kW</b> /3.3 HP 3000 rpm	<b>2.4 kW</b> /3.3 HP 3000 rpm	<b>2.4 kW</b> /3.3 HP 3000 rpm	<b>2.4 kW</b> /3.3 HP 3000 rpm	<b>2.4 kW</b> /3.3 HP 3000 rpm
Cutting height (mm)	25–80	25–80	25–80	21–75	25–80
Grass catcher box (l)	60	60	60	60	60
Machine weight (kg)	31	31	35	34	38
Start/stop	HS/MS	HS/MS	HS/MS	HS/MS	ES/MS
Drive	–	T	V	V	V
Mulching function	☐	☐	■	–	☐
Part number	6340 011 3400	6340 011 3405	6340 011 3430	6340 011 3460	6340 011 3425
Price excl. VAT (£)	<b>390.83</b>	<b>415.83</b>	<b>474.17</b>	<b>540.83</b>	<b>640.83</b>
Price incl. VAT (£)	<b>469.00</b>	<b>499.00</b>	<b>569.00</b>	<b>649.00</b>	<b>769.00</b>



## Lawn mowers – overview

6



up to approx. 750-1000+ m<sup>2</sup>



Model	MB 650 T	MB 650 VM	MB 650 VR	MB 650 VS
Lawn (m <sup>2</sup> )	up to 750+	up to 750+	up to 750+	up to 750+
Cutting width (cm / inch)	48 / 19	48 / 19	48 / 19	48 / 19
Engine type	B&S 675 Series RS	B&S 675 Series RS	B&S 675 Series RS	B&S 675 Series RS
Nominal output at working speed	<b>2.3 kW</b> /3.2 HP 2,800 rpm	<b>2.3 kW</b> /3.2 HP 2,800 rpm	<b>2.3 kW</b> /3.2 HP 2,800 rpm	<b>2.3 kW</b> /3.2 HP 2,800 rpm
Cutting height (mm)	30–85	30–85	25–75	30–85
Grass catcher box (l)	75	75	75	75
Machine weight (kg)	42	43	43	47
Start/stop	HS/MS	HS/MS	HS/MS	HS/BBC
Drive	T	V	V	V
Mulching function	□	■	–	□
Part number	6360 011 3401	6360 011 3421	6360 011 3481	6360 011 3451
Price excl. VAT (£)	<b>540.83</b>	<b>582.50</b>	<b>682.50</b>	<b>749.17</b>
Price incl. VAT (£)	<b>649.00</b>	<b>699.00</b>	<b>819.00</b>	<b>899.00</b>

6



up to approx. 1000+ m<sup>2</sup>



Model	MB 655 G	MB 655 VM	MB 655 VR
Lawn (m <sup>2</sup> )	up to 1000+	up to 1000+	up to 1000+
Cutting width (cm / inch)	53 / 21	53 / 21	53 / 21
Engine type	B&S 750 Series DOV RS	B&S 750 Series DOV RS	B&S 750 Series DOV RS
Nominal output at working speed	<b>2.7 kW</b> /3.7 HP 2,800 rpm	<b>2.7 kW</b> /3.7 HP 2,800 rpm	<b>2.7 kW</b> /3.7 HP 2,800 rpm
Cutting height (mm)	30–85	30–85	25–75
Grass catcher box (l)	75	75	75
Machine weight (kg)	44	44	43
Start/stop	HS/MS	HS/MS	HS/MS
Drive	G	V	V
Mulching function	□	■	–
Part number	6375 011 3401	6375 011 3471	6375 011 3480
Price excl. VAT (£)	<b>724.15</b>	<b>782.50</b>	<b>890.83</b>
Price incl. VAT (£)	<b>869.00</b>	<b>939.00</b>	<b>1,069.00</b>



Kawasaki



An overview of emissions for all VIKING machines can be found on page 98.



up to approx. 2000-2500+ m<sup>2</sup>

Model	MB 750 KS	MB 755 KS
Lawn (m <sup>2</sup> )	Suitable for professional use	Suitable for professional use
Cutting width (cm / inch)	48 / 19	53 / 21
Engine type	Kawasaki FJ 180 V OHV	Kawasaki FJ 180 V OHV
Nominal output at working speed	<b>2.9 kW/3.9 HP</b> 2,800 rpm	<b>2.9 kW/3.9 HP</b> 2,800 rpm
Cutting height (mm)	30–85	30–85
Grass catcher bag (l)	80	80
Machine weight (kg)	61	62
Start/stop	HS/BBC	HS/BBC
Drive	G	G
Mulching function	☐	☐
Part number	6360 011 3495	6375 011 3491
Price excl. VAT (£)	<b>1,139.00</b>	<b>1,229.00</b>
Price incl. VAT (£)	<b>1,366.80</b>	<b>1,474.80</b>

up to approx. 1500-2000+ m<sup>2</sup>

Model	MB 2 R	MB 3 RT
Lawn (m <sup>2</sup> )	up to 1000+	up to 2000+
Cutting width (cm / inch)	46 / 18	48
Engine type	B&S 450 Series	B&S 450 Series
Nominal output at working speed	<b>1.9 kW/2.6 HP</b> 2,900 rpm	<b>1.9 kW/2.6 HP</b> 2,900 rpm
Cutting height (mm)	23–77	25–80
Machine weight (kg)	23	30
Start/stop	HS/MS	HS/MS
Drive	–	T
Mulching function	■	■
Part number	6357 011 3401	6361 011 3410
Price excl. VAT (£)	<b>240.83</b>	<b>474.17</b>
Price incl. VAT (£)	<b>289.00</b>	<b>569.00</b>

## Key

- = standard
- ☐ = can be retrofitted
- = cannot be retrofitted

Drive: T = 1-speed, G = 3-speed  
V = Vario

HS = handlebar start, ES = electric start, BBC = blade brake clutch,  
MS = motorstop, B&S = Briggs & Stratton, RS = ReadyStart,  
OHV/DOV = overhead valves



## Lawn care



### Lawn care with VIKING.

Provides useful tips for maintaining your lawn. Free from your VIKING specialist dealer.

## Achieving a beautiful and hard wearing lawn.



**Mowing:** Regular mowing makes a lawn dense and attractive. The grasses form new side shoots and weeds are suppressed. In most countries, the optimum cutting height is 3.5 to 5 cm.



**Watering:** Better to water less often and for a lengthy period than more often but briefly. You can test whether the quantity of water is sufficient using a spade: cut a sod to a depth of around 15 cm and check whether the water has penetrated to a sufficient depth.



**Fertilising:** At the beginning of the growth period in approx. mid-March, your lawn needs a large amount of nutrients. Good fertilisers contain nitrogen, potash, phosphate and magnesium in even proportions.



**Mulching:** Grass itself is an excellent fertiliser. With regular cutting using a mulching mower the grass clippings can remain on the lawn. It decomposes and the nitrogen it contains is rapidly mineralised.



**Autumn leaves:** Must be removed! Not just for aesthetic purposes but so that the lawn does not 'suffocate' due to a lack of air and light. During the winter, the grass should not exceed the normal cutting height of approx. 4 cm.

Further useful tips and information for maintaining your lawn are available in the VIKING brochure "Lawn care with VIKING" – available free from your specialist dealer.

## Explanation of symbols and abbreviations

### Explanation of lawn mower model designations

C = comfort equipment  
M = mulching  
E = electric start  
R = rear roller  
G = 3-speed gearing  
S = BBC (blade brake clutch)  
T = 1-speed gearing  
K = Kawasaki engine  
V = Vario self-propulsion

### Explanation of lawn tractor model designations

C = comfort equipment  
K = Kawasaki engine  
Z = B&S 2-cylinder engine  
L = Luxury equipment  
(electromagnetic blade clutch, cruise control, larger wheels)

### Further explanations

RS = ReadyStart  
BBC = blade brake clutch  
EBC = electromagnetic blade clutch  
OHV/DOV = overhead valves

### Explanation of symbols

□ = can be retrofitted  
■ = standard  
- = cannot be retrofitted